

















2017 Price List

Effective January 1, 2017

Please refer to our online price book at www.9to5seating.com/downloads for the latestchanges including product drops and additions.

table of contents

2

4

8

10

246

notes

about 9to5 Seating

green practice

lifetime warranty

general information

INFORMATION

SEATING PRODUCTS

12	condition of sale
13	dimensions / lead time
14	order procedure
15	packaging codes / upholstery selection
16	fabric program
28	customer material program
30	CAL TB 133 fire code
31	two tone option
32	custom embroidery submission form
34	new for 2017!
36	acclaim: 2780
38	agent: 1425, 1426, 1428, 1660, 1666, 1668
50	aria: 1860,1866, 1868, 1880, 1885
54	axis: 2600, 2610
58	bella: 1310, 1315, 1320, 1325, 1326, 1328, 1360, 1365, 1370, 1375, 1376, 1378
82	brio: 2060, 2066, 2068, 2070, 2076, 2078
86	bristol: 2360, 2366, 2368, 2380
92	cayman: 2800, 2810
96	core: 2260
98	cortina: 2900, 2910
102	cosmo: 3250, 3260, 3200, 3210, 3220, 3230
108	cydia: 3300, 3306, 3308, 3310, 3315, 3316
122	diddy: 2450
124	enduro: 1960, 1966, 1968, 1980
128	indy: 1010, 1020
134	kelley: 1060, 1066, 1070, 1076
138	link: 1410, 1415
144	logic: 1760, 1766, 1768, 1780
152	precept: 1725, 1726, 1728
158	shuttle: 1210, 1215, 1230, 1250, 1260, 1265, 1280
182	sophie: 8111, 8112, 8113, 8118, 8122, 8123, 8102, 8103, 8104
192	strata: 1545, 1546, 1548, 1555, 1560, 1566, 1568, 1580
198	strata Mesh: 1535, 1536, 1537, 1538, 1570, 1576, 1578, 1590
202	theory: 2160, 2166, 2168, 2170, 2176, 2178, 2180, 2190
214	vault: 1460, 1466, 1468, 1480
220	vesta: 3060, 3061, 3063, 3065, 3066, 3068, 3080, 3085
224	zoom: 1115, 1125, 1126, 1128
230	@NCE: 50B, 103S, 176, 203, 216, 217
232	arm guide
234	caster guide
236	glide guide
237	cylinder guide
238	accessories
242	control selection guide
244	BIFMA ultimate test for fit (UTFF)
245	care and maintenance instructions

ACCESSORIES

about 9to5 Seating

Mission

Founded in 1982, 9to5 Seating specializes in the design and production of ergonomic and aesthetically pleasing office seating to accommodate the rigorous demands of today's office environment. With many years of experience in the manufacturing of office seating, 9to5 Seating differentiates itself from its competitors through its vertical integration. The combination of domestic and foreign manufacturing, with wholly owned facilities in the United States and China, offers the customer a wide variety of upholstery material only when manufactured in the United States, allowing 9to5 Seating to compete with prices of completely foreign manufactured products.

Unlike many competing companies, the vertical integration of 9to5 Seating paired with the highest quality raw materials and state of the art manufacturing equipment results in 9to5 Seating building with quality rather than checking for quality.

In a major reshoring effort to bring manufacturing jobs back to the United States, 9to5 Seating recently opened its 3rd manufacturing facility in Union City, Tenn. The knowhow and the hard work ethic of the American work force brings the products closer to their point of use in the United States and can rival the competition imported from overseas.


Companies today demand the most for their money and 9to5 Seating is prepared to deliver the highest guality product without sacrificing selection or speed of delivery.

Below are some highlights of the program:

- Lead Time: 5 Business Day Quick Ship and Standard 15 Day Lead time
- Textiles: Choose from thousands of commercial grade designer textiles from Architex, Arcom, CF Stinson, Designtex, Lindsey & Hall, Maharam, Mayer, and Momentum Textiles
- Leather: Select from a wide range of leather colors including 10 colors in leather/vinyl combinations
- Lifetime Manufacturer's Warranty
- Premium Quality Components
 - Nylon Bases are made from 100% virgin glass reinforced nylon
 - All task, executive, and conference seating incorporate molded foam cushions

Supply Chain Innovation

Due to our vertical integration, 9to5 Seating has achieved efficiencies not found in the operations of other manufacturers. Our investment in facilities capable of producing chair components provides a cost advantage for our company on every chair we produce. Additionally our independence from third-party manufacturers allows 9to5 Seating to better control quality, lead time, and consistency. Traditionally, chair manufacturers have been forced to buy components at prices that support the overhead of the component manufacturer. 9to5 Seating's innovative supply chain has effectively eliminated this unnecessary overhead resulting in the extraordinary value found in our product.



Business Practices

It is an integral part of our corporate philosophy to promote environmental preservation. This ideology drives our endless commitment to a sustainable future.

9to5 Seating incorporates the following practices into our business functions:

- Compact and recycle 100% of inbound carton packaging material, protecting landfills from over 25 tons of cardboard every month!
- Assembled a national network of blanket wrap carriers to allow orders to ship without cartons.
- Produce all outbound cartons from recycled corrugated cardboard.
- Ship with blanket wrap carriers whenever possible to eliminate cardboard debris.
- Use of electric forklifts in lieu of propane or other fuel based vehicles.
- Recycle all paper cans and plastic bottles from daily office activities.



- · Dispose of used computer equipment and machine oil through proper channels.
- · Return empty photocopier/printer cartridges to our supplier for refilling.
- · Utilize paperless systems for internal reporting and production/warehouse management.
- Specify recycled paper for all printed literature pieces.
- Rooftop photo voltaic panel system offsets 5,164,303 pounds of C02 over its lifetime of 25 years, equivalent to the amount of C02 emitted by driving 157,278 cars 50 miles a day for one year.

green practice

9to5 Seating Commits to Think & Act Green

9to5 Seating is committed to sustainable and environmentally responsible business practices. This global perspective is endorsed and executed throughout every aspect of our corporate culture, and within our warehousing, manufacturing and office facilities. We are proud to demonstrate our commitment by offering GREENGUARD Certified products, participating in the U.S. Environmental Protection Agency's Waste Wise Program, and have been awarded the prestigious LEED® NC Gold Certification for our factory and corporate headquarters.



Environmental Commitment in Action

9to5 Seating's corporate headquarters uses a rooftop photovoltaic panel system to generate electricity for the facility. To view how much power we are generating in real-time visit our solar portal at www.9to5seating.com/solar

Over 30 years, the system will offset:

- 6,102,370 lbs of CO2 | a leading cause of global climate change
- 4,192 lbs of NOx | a leading cause of smog
- 1,048 lbs of SO2 | a leading cause of acid rain
- 1,215 lbs of particulates | a leading cause of asthma

6,102,370 lbs of CO2 is equivalent to the amount absorbed by 13 acres of trees over their lifetime

GREENGUARD Gold Certified

Our entire product line earned GREENGUARD Gold Indoor Air Quality Certification issued by the GREENGUARD Environmental Institute. The GREENGUARD Indoor Air Quality Certification Program assures that products designed for use in office environments and other indoor spaces meet strict chemical emissions limits.

For products intended for use in schools, daycares or other environments where children spend significant periods of time, the GREENGUARD Gold Certification Program offers the most strict certification criteria. It is referenced by both The Collaborative for High Performance Schools (CHPS) and the Leadership in Energy and Environmental Design (LEED) Building Rating System. Products certified to this standard are also suitable for use in environments where senior adults work or reside.

The GREENGUARD Gold Certification Program's requirements comply with the State of California's Department of Public Health Services Standard Practice for Specification Section 01350 (California Section 01350) for testing chemical emissions from building products used in schools and other environments. As such, GREENGUARD Gold Certified products can be used to earn valuable credits in the CHPS Best Practices Manual for K-12 schools, the US Green Building Council's LEED ® Green Building Rating Systems, the Green Guide for Healthcare, the NAHB Green Building Guidelines, Green Globes, Regreen and many other building codes, standards and specifications.

9to5 Seating products:

- Contribute to healthier interior environments.
- Add points for LEED Certification.
- Offer fabrics made from 100% recycled content. (Fabrics made from recycled content are identified with the symbol in the Grade-In section of this price book pages 14 23.)
- Manufactured using plastic, nylon, steel, aluminum and polypropylene components that are 100% recyclable.
- Use suppliers that share an earth-friendly philosophy.
- Certified below chemical emissions limits for TVOC, Formaldehyde, Total Aldehydes, Individual VOCs, 4-phenycyclohexene.

Environmental Data Sheets for all 9to5 Seating products can be found at our web site www.9to5seating.com.

For more information about GREENGUARD programs visit www.greenguard.org.



О

lifetime warranty

9to5 Seating products are manufactured with meticulous attention to detail to achieve a level of quality that is free from defects in material and workmanship. In an effort to stand behind this philosophy, 9to5 Seating warrants to the original purchaser of the product and from the original date of sale, the following:

For All Series Except Logic Plus, Enduro[™], and Strata[™] Heavy Duty (HD) Series: Lifetime Warranty to the original end user, the company will repair or replace, at its option, without charge to the original purchaser only, factory defective structural and mechanical parts. This warranty is for single shift, standard commercial usage, defined as a standard 8 hour work day, five days a week. Weight limitations vary by product.

Upholstery fabric and foam is warranted against wear through and deterioration during normal usage for a period of five (5) years. However, the company does not warrant leather against routine scratching and scuffing, as all leather is subject to minor blemishes during use. COM and COL are not warranted. Due to natural variations in material, furniture containing leather is sold subject to normal variations and/or irregularities of color, texture, and grain.

For Logic Plus Heavy Duty (HD) Series:

9to5 Seating warrants the Logic Plus HD series of single-shift chair for a period of ten (10) years to the original purchaser. The company will repair or replace, at its option, without charge, defective structural and mechanical parts. This warranty is for single-shift applications with persons weighing less than 500 lbs.

For Logic[™], Enduro[™], Theory[™], Aria[™] and Strata[™] Heavy Duty (HD) Series: 9to5 Seating warrants the Enduro, Theory and Strata HD series of multi-shift chairs for a period of ten (10) years to the original purchaser. The company will repair or replace, at its option, without charge, defective structural and mechanical parts. This warranty is for multi-shift applications with persons weighing less than 350 lbs.

Upholstery fabric with an abrasion resistance performance rating of 150,000 double rubs or more and foam are warranted against wear through and deterioration for a three (3) year period of multiple shift use.

Claim Process

Should parts fail for any model during normal use within the applicable warranty period, please provide 9to5 Seating with a description of the failure and proof of purchase (Sales Order number located on the bottom

of the chair) and if necessary you may need to return the defective part, freight prepaid to 9to5 Seating for inspection, repair and/or replacement, together with a copy of original sales receipt. Labor and installation service is not covered under warranty. Please do not send parts without prior authorization.

Send Parts to: 9to5 Seating - Warranty Department 3211 Jack Northrop Avenue Hawthorne, CA 90250

9to5 Seating will inspect the part in question, repair or replace at its option any defective part at no charge to the original purchaser and return defective item thereafter. This warranty does not apply to product or parts of product that have been subjected to misuse or abuse, accident, alteration, unauthorized repair or which have been damaged in transit. You agree to indemnify and hold harmless 9to5 Seating, its officers, directors, shareholders, employees, and agents from any actions, claims, demands, damages, liabilities, costs, and strict liability in tort or contract, or any other legal theory arising out of the misuse or abuse, alteration, or damage in transit of the product.

Limitation of Liability

Under no circumstance, including but not limited to breach of contract, breach of warranty or negligence, shall 9to5 Seating be liable for lost profits, loss of goodwill, stored data, general, special, consequential or exemplary damages, even if 9to5 Seating had notice of these damages or they were foreseeable. 9to5 Seating shall not be responsible for verifying dealer's or customer's description of needs, data, or the fitness for a particular purpose of goods. 9to5 Seating's Liability in all cases shall be limited to repair or replacement of the defective parts, or the purchase price of the product. Damages resulting from misuse, abuse, alteration, negligence, or accidents are not covered under this warranty.

9to5 Seating makes no warranty that any of its products are suitable for any particular purpose and makes no other warranties, express or implied, other than those set out here. As codes and standards vary from one jurisdiction to another, references to compliance are solely for convenience and without any representation as to accuracy or suitability. Users must verify the suitability of such information or product for their specific application. In no event shall 9to5 Seating be liable in either tort or contract for any loss or direct, special, incidental, consequential, or exemplary, damages. EXCEPT AS OTHERWISE PROVIDED, 9to5 Seating MAKES NO OTHER WARRANTIES, EXPRESSED OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE.

ANSI/BIFMA

The Business and Institutional Furniture Manufacturer's Association (BIFMA) has developed tests which have been approved by the American National Standards Institute (ANSI) for determining the strength and durability of seating in its everyday use. This statement does not serve as a warranty or guarantee, however 9to5 Seating products found within this price list generally meet or exceed applicable BIFMA and ANSI standards.

Warranty Exceptions:

- Color-fastness or matching of colors, or textures occurring in leather, or other materials that naturally exhibit inherent color variations
- Product normal wear and tear, which is to be expected over the course of ownership
- Damage caused by the carrier in-transit, which will be handled as separate terms and/or claims against the carrier
- Damage caused by delivery/installation contractors, which will be handled as claims against the designated company
- Failures and damage which result from negligence, abuse, accident or misuse
- Damage by markings or staining; damage by sharp objects or imprinting from instruments
- The warranty is limited to replacement or repair and does not cover cost of transportation, labor or installation.
- Products exposed to extreme hot and cold temperatures or excessive dry environments
- Damage of textiles from exposure to sunlight and UV rays.
- Products that were not installed, used, or maintained in accordance with product instructions and warnings

9to5 Seating reserves the right to make changes in design and construction or discontinue products without prior notice.9to5 Seating reserve the right to make changes to the lifetime warranty or price book

Since textiles vary in weave, thickness and memory, some creasing and/or gathering may occur during the upholstery application process. Due to natural variations over which we have no control, all chairs are sold subject to minor irregularities of color, surface, grain, and texture. Textiles are sold subject to minor variations of color. Because leather is a natural product, variations of texture are common and should be expected. Leather will contain natural markings such as neck wrinkles, scratches, backbone marks and stretch marks. These distinctions give leather its unique characteristics and are considered to be part of the natural beauty of leather.

green practice

LEED[®]

At its core, a green building is a better performing building. It uses fewer resources and offers a better place to work through improved energy and water efficiency, better air quality, and access to natural daylight. We have been awarded the LEED[®] NC Gold Certification for our newly constructed corporate headquarters and manufacturing facility. LEED is an internationally recognized green building certification system which promotes improved performance in energy savings, water efficiency, emissions reduction, improved indoor environmental quality, stewardship of resources, and sensitivity to their impacts.

Sustainable aspects of 9to5 Seating's headquarters building design contributing to LEED Gold Certification include:

- Rooftop photovoltaic panel system generating approximately 90% of electricity required for facility operation.
- Reduction of energy consumption through increased natural day lighting to enable factory to operate during an average day with lights off.
- Use of LED lighting throughout office space for further energy savings.
- Site selection promoting development density and community connectivity.
- Providing alternative transportation including access to public transportation, parking for low emitting and fuel-efficient vehicles.

- Quality control of storm water runoff.
- Decrease in heat island effect.
- Use of water efficient landscaping.
- Reduction of water usage by 40%
- Optimization of energy performance through a 28% improvement over 2011 California Title 24 code.
- Recycling or salvaging 75% of construction waste.
- Use of recycled content and regional building materials.
- Increased ventilation to promote indoor environmental quality.
- Use of low-emitting adhesives, sealants, paints, coatings and flooring systems.


Manufacturing

We are committed to reducing, reusing and recycling the by-products and waste generated during our manufacturing process through our membership in WasteWise.

WasteWise is an U.S. Environmental Protection Agency's program in which organizations track their waste reduction efforts to benefit the environment.

9to5 Seating's efforts to reduce manufacturing waste include:

- Optimize machinery cycle times to manufacture parts in minimal time increments.
- Evaluate environmental effects before pursuing new products or purchasing equipment to ensure alignment with environmental commitments.
- Select materials that reduce or eliminate toxic and environmentally damaging materials from the manufacturing equation.
- Utilize water-based, environmentally friendly adhesives throughout our manufacturing facilities.
- Use of recycled raw materials in the production urethane components when possible.
- Sort and recycle rejected plastic components via five re-grind machines.
- Employ molded foam production in over 95% of products, greatly reducing scrap urethane.
- Work exclusively with plywood suppliers that participate in forest restoration.



- Collect and recycle all excess fabric, dacron and leather.
- Accurately determined the current carbon footprint through Life Cycle Assessment (LCA).
- Identified hot-spots in energy consumption and associated CO2 emissions.
- Optimized energy efficiency and reduced CO2 and GHG emissions contribution from production processes.
- Identified solutions to neutralize CO2 emissions that cannot be eliminated through energy saving measures.

5



Preserving Resources Preventing Waste

general information

Hours

Order Desk: Monday - Friday - 6:00 a.m. to 5:00 p.m. P.S.T. Shipping & Receiving: 8:00 a.m. to 4:00 p.m. P.S.T.

Condition of Sale

Possession of this price book does not necessarily constitute authority to purchase.

Minimum Order Size

No minimum order required. Orders of 4 chairs or less will be charged \$15 per chair net shipping charge with the exception of the Sophie series which requires a 4 model unit minimum (excluding tables and accessories). A shipping surcharge of \$100 net will apply to shipments of 3 model units of less.

Payment

9to5 Seating accepts all major credit cards, company checks, cash, and terms payment for approved accounts. Credit card payments are subject to a 3% service charge. A \$35.00 fee will be charged for returned checks.

Terms

Standard terms are net 30 days from date of invoice. Please respect these terms in order to protect your competitive pricing. Credit terms may be changed or canceled at 9to5 Seating's discretion.

- All new accounts are required to remit a 50% deposit of the initial order's total dollar value prior to the order entry and the balance must be paid at the time of pick up or release to common carrier. A line of credit may be established upon acceptance of satisfactory references and the completion and signing of credit application.
- 2. The customer will be liable for any cost incurred in attempting collection of past due amounts, including attorney fees, whether or not a lawsuit is filed. Past due accounts are subject to a 2% per month (24% per annum) late charge, or maximum amount permitted under local law, for each thirty days, or part thereof, the outstanding balance remains unpaid beyond the thirtieth day after invoice date. Withholding of payments, because of carrier damages, shortages or other disputes is illegal and subject to charges.
- Orders delayed due to credit hold will be rescheduled for production once the order has been credit released. A new lead time will be given at that time. Please contact customer service to coordinate details.

Prices

All prices are suggested retail and are subject to change without notice. We make every effort to notify all customers of such changes. Prices in effect at the time of shipment will prevail. Please refer to our online price book for the latest changes including product drops and additions.

Order Acknowledgement

An order acknowledgement will be faxed or emailed to you upon receipt of the order to confirm quantities, items ordered, and prices effective at the time of the order acceptance (prices may vary from the published list) unless there is a credit issue or you are otherwise contacted. Be sure to read these acknowledgements and contact us immediately if incorrect.

Shipping

Complete and specific instructions for shipping should be given at the time an order is placed. Orders that do not have specific instructions will be routed by the best method of shipment in accordance with the judgement of our traffic department. ANY changes to shipping instructions must be faxed into our office. Shipping weight and cubic dimensions shown in our price list are subject to variation.

Standard shipments are made via common carrier, unless otherwise requested by the customer. Special routing requests made by the customer or the consignee may result in additional charges.

Standard deliveries are dock-to-dock and are scheduled to occur Monday through Friday between 8:00 AM to 4:30 PM. 9to5 Seating reserves the right to charge the customer for non-standard customer delivery requirements that may include delivery appointments, drop shipments, inside deliveries, residential, limited access, or requests for trucks with lift gates. Additional charges may also be incurred for redeliveries or re-consignments if the initial delivery cannot be made for any reason. 9to5 Seating will not be held responsible for issues or costs to the customer arising from carrier transit delays or missed appointments. For information concerning these charges, please contact Customer Service.

Service Charges

Below is a list of frequently requested Service Charges:

- Call prior to delivery for verification. This is not a delivery appointment (no charge).
- Reconsignment fee of \$50 will be applied when changing consignee address after shipment has been tendered to a carrier
- Lift gate delivery (no dock) \$65
- Shipments to schools, churches, military bases, residential addresses \$65
- In the event that no one is available to receive a shipment and a redelivery is necessary, a charge of \$65 to \$150 will be billed to customer for redelivery. Charge depends on carrier.
- 9to5 Seating strives to use the best shipping method possible for every shipment. The factory may ship an order fully assembled and bagged, however this is not standard for all shipments. If you require blanket wrap delivery, you must contact 9to5 Seating to confirm this shipment method and confirm that the order acknowledgement sent to you reflects 'AB' as the shipment method. Additional charges may apply.
- Limited access locations where a dock is difficult to access with a 53 ft. trailer will be charged minimum \$65.

Guaranteed Delivery and Delivery Appointment

Shipments are not guaranteed. Guaranteed service is available at an additional cost. Please contact Customer Service for more information. We will work to arrange a specific delivery time with the carrier. Service guarantees contracted with carrier are done solely at the request of the customer and 9to5 Seating in no way assumes responsibility financially or otherwise for any costs incurred by the customer as a result of a carriers failure on a guaranteed shipment. In the event of a carrier's failure on a guaranteed shipment, the associated guaranteed service fee will be removed.

Expedited Freight

Expedited service is available at an additional cost. Please contact Customer Service for more information.

Drop Shipments

9to5 Seating will not drop ship without prior approval. Additional charges may apply; contact Customer Service for additional information.



general info

11

condition of sale

Will Call

Will Call orders will receive notification once orders are ready to be picked up. Customer will have 3 business days from notification to pick up the order. If the order is not picked up within this time frame, the order will be invoiced and storage charges will start at a rate of \$30 per each business day until order has been picked up.

Freight Damage or Shortage

Before accepting a shipment from the carrier, check the boxes for visible damages. If a shortage or damage occurs during transit, it should be noted on the freight bill of lading at the time of delivery, and a claim filed within 7 days from receipt of product. If concealed damage is discovered after delivery, request inspection from the delivering carrier IMMEDIATELY and save all packing materials until inspection is made. Contact customer service as soon as possible to report damage or shortage.

For all Will Call orders, make sure to inspect merchandise thoroughly. 9to5 Seating will not be liable for any damage or shortage to merchandise after it has been signed for at our dock.

9to5 Seating will not be liable for any installation costs that result from freight damage.

Cancellations & Returns

Due to immediate production scheduling, orders which have entered any stage of production cannot be cancelled. All 9to5 Seating chairs are made to order, custom designed chairs and are not "off the shelf". Requests for cancellation are not accepted until confirmed by 9to5 Seating. Product may only be returned after receiving a Return Merchandise Authorization number from 9to5 Seating. Returns are subject to restocking charge equivalent to 35% of the net order plus freight. Unauthorized returns will be refused.

Replacement Parts

When ordering a replacement part, call Parts Department at 1.888.925.7328 or e-mail to parts@9to5seating.com. For your convenience you can also submit warranty requests through our website by navigating to the warranty page and selecting the Warranty Request Form. As a helpful tip, have your 9to5 Seating Sales Order number available and please reference your instructions sheet to properly identify the correct part for your 9to5 Seating product.

Replacement parts are shipped within 48 hours from time of request. 9to5 Seating does not reimburse for labor and installation costs related to warranty replacements. Replacement parts needed to repair freight damage can be granted only if the request is received within 5 business days of receipt of the merchandise.

Product Design

9to5 Seating reserves the right to make alterations in design and construction or to discontinue products without prior notice.

dimensions

Outside Width (W)

Distance measured at widest point of chair.

Outside Depth (D)

With the outside back of chair against wall, the distance from the wall to the front edge of seat.

Outside Height (H)

Distance from floor to highest point of back.

Seat Width (SW)

Distance measured at widest point of seat's side edges.

Seat Depth (SD)

Distance is measured using the Bifma CMD (Chair Measuring Device) from the most prominent point of the lumbar to the front edge of the seat

Seat Height (SH)

Distance is measured using the Bifma CMD (Chair Measuring Device) from the floor to the bottom of the device on the front edge of the seat. The CMD weighs 100 lbs.

Back Width (BW)

Distance measured at widest point of back's side edges.

Back Height (BH)

Distance measured from inside edge of rear seat to top edge of back.

Inside Arm Width

Distance between arm, typically measured from mid-point.

Arm Height

Measured from the floor to top edge of arm.

lead time

9to5 Seating intends to have all approved orders ready for shipment within the below guidelines. However, there may be delays due to causes beyond our control. Orders received after Noon, PST will be considered as having been received the following day. Credit must be cleared before processing. 9to5 Seating is not responsible for late deliveries from freight carriers.

Lead Time

@NCE ships in 24 hours.

5 Business Day Quick Ship includes Grades A, B, C, D, and L3 selections found in the current express fabric card programs. Quantity is restricted to twenty-five (25) chairs total per order.

Please specify "5 Day Quick Ship" on a separate purchase order to ensure proper handling and delivery time. DO NOT COMBINE with any other purchase order. In the event that a purchase order is not marked, order will be scheduled per our standard lead time below.

Standard 15 Day Lead Time is fifteen (15) business days or less and includes L4 and L5 leather and any 9to5 carded fabric/vinyl for quantities up to fifty (50) chairs total per order.

All COM and COL orders up to fifty (50) chairs will ship within fifteen (15) business days from receipt of fabric or leather.

Standard 25 Day Lead Time is twenty five (25) business days or less includes L5 leather and 9to5 carded fabric/vinyl for quantities over fifty (50) chairs total per order. Applies to all Sophie models regardless of quantity.

Standard 25 day lead times apply to all non-carded, graded textiles from CF Stinson, Designtex, Maharam, and Momentum (subject to availability).

Please call Customer Service for lead times on orders over 100 chairs.

order procedure

To Place Order

Follow one of the following two choices to place order:

- 1. Fax your order to: 888.925.SEAT
- 2. E-mail your order to: **sales@9to5seating.com** or your dedicated customer service representative.

Specify complete model number, color, quantity, ship to address, payment method and purchase order number. In the event that an error is made in production of the chair, the hard copy of the purchase order will be used as the resolution document.

Order Acknowledgement

Unless there is a credit issue or you are otherwise contacted, an order acknowledgement will be faxed or emailed to you upon receipt of the order to confirm quantities, items ordered, and prices effective at the time of the order acceptance (prices may vary from the published list). Be sure to read these acknowledgements and contact us immediately if incorrect.

Shipment Notification

Upon shipment of an order a shipment notification will be faxed or emailed with carrier information.

Model Number Structure

When ordering, please create model number in accordance with the nomenclature below. Refer to Creating Series Model Number in the top right hand corner of specific model's price book page.

Acclaim



Core

MODEL NUMBER CONTROL ARMS PLASTIC COLOR GRADE CASTERS PACKAGING OPTIONS 2 2 6 0 - Y 5 - A 2 3 - P G A - C - C 2 2 B - P A C - 1 2 S

Diddy

MODEL NUMBER CONTROL ARMS GRADE CASTERS PACKAGING

Sophie

Zoom



packaging codes

How to Specify

9to5 Seating offers several packaging methods for most models. Please note not all packaging codes are available for each model. Reference the price book page for the model in question to view the packaging methods available. All available packaging methods and their corresponding prices can be found at the top of the price book page.

After determining the appropriate packaging method please add the packaging code to the model nomenclature of the model as it appears on your purchase order. (example: 1725-M1-A4-101-**AB**)

AB - Assembled in Bag for Will Call and Blanket Wrapped

The chair will be fully assembled and covered with a clear plastic bag for protection from dust. Chairs shipping via blanket wrap carrier will be produced with packing method "AB" as the chairs will be picked up at the dock fully assembled in the will call area.

PAC - Partially Assembled in Carton

The chair will be produced and packed partially assembled typically with seat and back separated, arms and controls pre-assembled in a shipping carton. Specially designed spacers are used to position all chairs in the carton and prevent freight damage.

BAC - Back Assembled in Carton

The chair will be fully assembled with exception of the base, gas lift and casters removed and packed into a specially designed carton for this hardware. The chair may be removed, casters placed in the base, gas lift placed in the base and the remaining chair set on top of the cylinder. No tools are required

AC - Assembled in Carton

The chair will be fully assembled and placed in a carton. This applies primarily to guest chairs which must ship fully assembled to accommodate chair design. Some guest chairs ship with multiple chairs in one carton general info

upholstery selection

Fabrics

Choose from thousands of different fabrics, comprised of varying price grades offered through 9to5 Seating's fabric cards. If you still can't find what you are looking for, you may choose from any of the textiles offered by one of our textile partners. There are thousands of patterns and colors to choose from. To make this easy for you, we have graded-in their entire product lines. Please see pages 16 to 33 of this Price Book.

Leather

9to5 seating offers three grades of leather. L3 and L4 all are upholstered with leather on the seating surface and vinyl on the back and side boxing. L5 is an ALL leather cover.

9to5 also has COL (customer own leather) program

L3 is a glove-soft, top grain European hide, available in Black

L4 is also a glove-soft, top grain Italian cowhide leather available in colors. L4 executive chairs are available in 9to5 Seating premium leather colors.

L5 is a luxurious Italian full grain semi-aniline dye leather with a soft hand and smooth supple surface with even coloration throughout the entire hide. Available in 39 colors.

Two-Tone Contrasting Seat and Back

When the seat and back fabric or vinyl are different on a single chair, clearly indicate your selection for both the seat and back on your purchase order. All fabric upholstered chairs may be ordered with two-tone upholstery for no additional charge. If the two upholstery selections are of different grades, the chair will price at the higher of the two grades.

fabric program For memo samples or availability call CF Stinson at 800.841.6279

CF STINSON

PATTERN	PATTERN	C.C.F.
ACADIA EPINGLE'	G+\$150	
ACANTHUS	G+\$50	
ACE	D	
ACROBAT	G	
ADIRONDACK	F	
AERO	F	
AFFINITY	G	
ALCHEMY	F	
ALFRESCO	F	
ALGIERS	G+\$50	
ALIGNMENT	G	
ALOHA	G	
APEX-CRYPTON® REVL™	E	
ARC	E	
ARCHETYPE	E	
ARIOSO	F	
ASPEN	G	
ATLAS	С	
AUBERGE	G	
AVANT	D	
BALANCE BEAM	G	
BALI	G	
BAMBU-ENVI™	F	
BANYAN	G	
BARI	G	
BASS LINE	F	
BEATBOX	F	
BEEP BEEP	G	
BESPOKE	E	
BISTRO	D	
BLIP	D	
BLOCK PARTY	G	
BLOOM	G+\$100	
BON VOYAGE	G	
BONGO	G	
BRETON	G	
BRILLIANT	D	
BRYANT PARK	С	
BUBBLERAKE	G+\$50	
BUDGET BLACK	В	
BURKSHIRE	D	
CALIBRATION	G	
CALLA	G	
CAMINO	G+\$200	

PATTERN	PATTERN C.C.F.
CANNON BEACH	G+\$50
CAPRENI	G
CARLISLE	D
CASABLANCA	G
CASSIDY	D
CATALINA	G
CATALYST	D
CATWALK	F
CELESTE	F
CHAKRA	G+\$50
CHANNEL	E
CHAUNCEY	E
CHI W/ AGION®	G+\$50
CHLOE	F
CHROMA	E
CIELO	G+\$150
CINNAMON BLOSSOM	G
CIRQUE	E
CIRRO	G
CITADEL	D
CLEAN SLATE	E
0000	F
COLDEN	G
COLORGUARD	D
COMEBACK	G+\$50
CONCENTRIC	G
CONNECT	D
CONTINUUM	E
CORE	D
CORIUM	G
COTTONWOOD	F
COURTYARD	G
COZY	F
CRANBROOK LOOP	G+\$300
CRISS CROSS	D
CRUISIN'	G
CRYPTON METRO	E
CRYPTON SUEDE	E
CRYSTALLINE	G
CURRENT	G+\$50
CURVES AHEAD	G
СҮМА	G+\$50
DADDY-O W/ AGION	G+\$50
DAKOTA	E

√: CURRENT CARDED FABRIC *: PATTERNS OR COLORS BEING PHASED OUT

PATTERN	PATTERN
DART	D
DASH	E
DEFLECTION	F
DETAIL	G
DEZA	G+\$50
DIFFUSION	G+\$100
DIVA	E
DODGEBALL	F
DOUBLE TIME W/ AGION	G+\$50
DUET	F
E'LAN-HC	G+\$200
EFFERVESCENSE	G
ELDERBERRY	G
ELI	G
ENGLISH PUB	D
ENTRADA	G
EQUINOX	F
EXCURSION	D
EXPRESSIONS	D
FAST LANE	D
FENESTRA	G+\$50
FIGMENT	G
FIREFLY	G
FIZZ	E
FLEX	F
FLIGHT	G+\$50
FLIP FLOPS	G
FLORENTINE	F
FOLIO	G
FRACTAL	G
FREEHAND	E
FREQUENCY	Е
FURROWS	E
FUSE	С
GEODESIC	G
GEOMET	E
GLISTEN	G+\$200
GRADATION	E
GRAND SIERRA	D
GRAVITY	F
GRILLE	E
GROVE	G
HANDS ON	F
HAPPY HOUR	E

PATTERN	PATTERN	C.C.F.	PATTERN
НАРРУ ТАРРУ	G+\$50		MARTINI
HAVEN	F		MATRIX
HELIX	G		MESA
HI-FI	D		MICA
HIGHLIGHT	D		MINGLE
HIVE	С		MOCCASIN
HORIZONS	G		MODENA
HOT SPOT	F		MONHEGAN
HOURGLASS	G		MONTAGE
HUDSON	G+\$50		MONTANA
HUSH	G		MOXIE
I SPY	G		MUMBAI
IMPRESSION	G+\$50		NATURAL WORLD
INSIDE TRACK	E		NAUGALEATHER
INTERVAL	F		NAUGASOFT
ISABELLA	G		NEOCHROME III
JALA	G+\$100		NEST
JAM SESSION W/ AGION	G+\$50		NEW HEMPSTEAD
JAMBI STRIPE	F		NEXT SCENE
JASMINE SCREEN	G		NIMBLE
JUMP W/ AGION	G+\$50		NISHIKI
JUXY	G		NOVA
KAMBALA	G+\$50		NOW & ZEN W/ AGION
KENNEBUNK	G		OLYMPUS
KETANA	G+\$50		ON THE MONEY
KILKENNY TWEED	D		ORBIT
KINETIC	F		OSCILLATE
KNOCK KNOCK	G+\$50		OUTLANDER
KUSARI	E		OXFORD
LABYRINTH	G		PACIFICA
LAREDO	С		PANORAMA
LATITUDE	D		PARK AVENUE
LAVA	G+\$50		PATRIOT PLUS II PATTERN
LEAPS & BOUNDS	G		PENINSULA MOHAIR
LIFT	G+\$50		PERIMETER
LINE DANCE	F		PERSUASION
LINUS	F		PETALS
LUCENT	G+\$100		PINBALL
MAKEOVER	G+\$50		PIVOT
MALI	G		PLEXUS
MANCHESTER	F		POLKA
MARIMBA	F		PORTICO
MARQUETRY	G		POSH
WANGUEINT	u		PRISMA

C	fabri
Stin	ic prog
son	ram:

PATTERN	C.C.F.
G	
E	
G+\$200	
Е	
G	
D	
G	
G	
F	
D	
G	
G+\$100	
G	
D	
D	
D	
G	
D	
G	
F	
Е	
E	
G+\$50	
G	
F	
E	
G+\$50	
D	
D	
G+\$50	
G	
G	
D	
GRADE G+\$200	
6+\$200	
F	
F	
F	
D	
G	
D	
F	
F	
G	
•	

PATTERN	PATTERN
PROFILE	F
PROMENADE	E
QUEUE	F
R.E.I.L.	
RADIANCE	G+\$100
RAFFIA	E
RAINIER	D
RALLY	С
RAQUETTE	F
REALM	F
REFRACTION	D
RESPITE	G
RETROGRADE	С
REVOLUTION	F
REVOLVE	G+\$50
RIALTO	D
RIDDLE	D
RIPPLE	G+\$50
RIVERA	G
ROGUE II	c
SALINAS	G+\$100
SAN SIMEON	G+\$50
SATELLITE	E
SCINTILLATE	G
SCOUT	D
SCRIPT	E
SEAGRASS	G
SEBAGO	G
SECOND ACT	G
SEDONA	G+\$200
SENTRY - HC	D
SEQUENCE	D
SHANTUNG	D
SHIFT	D
SIDELINE	E
SILVERADO W/ AGION®	G+\$50
SIMPLICITY	D
SKYLINE	G
SLEEK	E
SLEEPING BEAR DUNES	F
SLIGHTWAVE	G
SMILE	F
SMOOTHIE	D
SNUGGLE	E
SOLITAIRE	E
SPARK	G+\$100

fabric program


For memo samples or availability call CF Stinson at 800.841.6279

CF STINSON

PATTERN	PATTERN	C.C.F.		
SPINDLES	G+\$50		VIBE	
SPIRIT MILLENNIUM	D		VIEW	
SPLASH	G		VINEYARD	
SPRINT	С		VINTAGE	
SQUIRE	F		VISION	
STAT-CON	F		VOLTAGE	
STELLAR	E		VOLTERRA-HC	
STERLING W/ AGION	G+\$50		VORTEXIA	
STIPPLE	E		WALK THE LINE	
STITCH IN TIME	D		WATERWAND	
STRAIGHT AND NARROW	F		WHIRL	
STRAND	D		WHISPER	
STRATFORD	G+\$150		WHITNEY	
SUMATRAN PALM	G		WICKER	
SUMMIT	F		WILLOW TALK	
SUNBURST	G		WINK W/ AGION	
SUNDANCE W∕ STAKLEEN™	F		WISH	
SUNSWEPT	G		WYATT	
SUPERSILLYNESS	G+\$50		YBOR	
SWIVEL	G		ZIGGY	
YMMETRY	G		ZODIAC	
SYMPHONY CLASSIC	D		ZOOM	
ENDER	G+\$150			
ENDRIL	D			
ESSELLATE	G+\$50			
ESSUTO	E			
THICKET	D			
FORUS	F			
FRACING	E			
FRANQUILITY	G			
RANSCEND	D			
TRIBECA	D			
RUE PATH W/ AGION	G+\$50			
WEED	F			
JMBRIAN RAIN	G+\$50			
JP TEMPO W/ AGION	G+\$50			
/ALISE	D			
/ANISH	G+\$50			
/APOR	G			
VARATI	G+\$50			
VEGAS	D			
VELOCITY	F			
VERDURE - ENVI™	E			
VERMONT	G			

${\bf \sqrt:}$ current carded Fabric *: Patterns or colors being phased out

	PAT	TERN C.C.	E.	PATTERN	PATTERN	C.0
G+\$100IIIGIIIIG+\$200IIIIIG+\$201IIIIIIG+\$201IIIIIIIG+\$201IIIIIIIIG+\$201III		F				
GIDIGIG+\$200IG+\$201IG+\$201IG+\$201IG+\$201IG+\$201IGI <td< td=""><td></td><td>G</td><td></td><td></td><td></td><td></td></td<>		G				
DIGIG+\$200IG+\$200IGIG+\$300IGI <td>G+3</td> <td>\$100</td> <td></td> <td></td> <td></td> <td></td>	G+3	\$100				
G Image: Section of the section of		G				
G+\$200IG+\$200IGIG+\$50IDIGI <td></td> <td>D</td> <td></td> <td></td> <td></td> <td></td>		D				
G+\$50IIG+\$50IIGIIDIIEIIGIIGIIGIIGIIGIIGIIGIIG+\$50IIGIIG+\$150IIGII <td></td> <td>G</td> <td></td> <td></td> <td></td> <td></td>		G				
GIG+\$50IGIDIDIGIGIGIG+\$50IG+\$150IGI	G+3	\$200				
G+\$50IGIDIEIGIGIG+\$50IG+\$100IGI	G+	\$50				
N C<		G				
DIIIGIGIG+\$150IG+\$150IGI <td>G+</td> <td>\$50</td> <td></td> <td></td> <td></td> <td></td>	G+	\$50				
EIGIGIG+\$50IG+\$150IG+\$150IFIGIFIFIIIFIII <td></td> <td>G</td> <td></td> <td></td> <td></td> <td></td>		G				
G I G I G+\$150 I G+\$150 I G I		D				
G G+\$50IIG+\$150IIIG GIIIFIIIID FIIIIFIIIIIFIIIIIFIIIIIIIIIIIFII </td <td></td> <td>E</td> <td></td> <td></td> <td></td> <td></td>		E				
G+\$50 IIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIII		G				
G+\$150 I I I E I I I I G I I I I I D I <t< td=""><td></td><td>G</td><td></td><td></td><td></td><td></td></t<>		G				
E Image: second sec	G+	\$50				
G Image: second sec	G+3	\$150				
D Image: second sec		E				
E Image: state		G				
F		D				
		E				
		F				





fabric program: CF Stinson

PATTERN	C.C.F.	PATTERN	PATTERN	C.C.
1.1	•		1.1	1 - C

fabric program For memo samples or availability call DesignTex at 800.221.1540

DESIGNTEX

PATTERN	PATTERN	C.C.F.
ACACIA	F	
ADDA	с	
ADLER	E	
AGGREGATE	E	
AINSLEY	G+\$100	
AKSEL	F	
ALCAZAR	F	
ALCHEMY	E	
ALEMANY	G	
ALISTAIR	F	
ALPINE	E	
AMARANTH	G	√
AMUSE	G	
AMWELL	CALL	
ANNEX	F	
APPLESEED	F	
ARGIANO	E	
ARGYLL	G+\$300	
ARRAY	G+\$150	
ARTHUR	G+\$150	
ASTER	G+\$100	
ASTRID	E	
BANDA	F	
BARATTO	G+\$50	
BARQUE	G+\$250	√
BASKETRY	G+\$350	
BATTISTA	G+\$100	
BEE	E	
BEETLED LINEN	G+\$100	
BEGUILED BY THE WILD	F	
BIG DOT	F	
BIRCH BARK PLAID	G	
BIT	F	
BLOCK PRINT	G	
BOLT	F	
BORDO	G	
BOTANIQUE	E	
BOUCLE	G	
BOUCLE TWO-TONE	F	
BOUNCE	G	
BRAEMAR	CALL	
BREENA	E	
BRISBANE	G+\$150	
BUNTA	E	
CAIMAN	F	
CASCADIA	E	

PATTERN	PATTERN C.C	.F.
CASSAVA	G	
CATALYST	E	
CESTINO	G+\$50	
CHAPITEAU	E	
CHECKER STRIPE	G+\$100	
CHEVRON	G+\$300	
CHROMATIC	E	
CIRCA	F	
CIRCOLO	E	
CIRCUMFERENCE	G+\$50	
CLAIRE	G+\$150	
CLERKENWELL	CALL	
CLOSED LOOP	E	V
CLYDE	G+\$100	
COBBLE	G+\$300	
COLORBLOCK	G	
COLORFUL PLAID	F	
CONCEPT	G	
CONVERGE	G	
CROSS COURT	G+\$50	
CROSSHATCH	G	V
CROSSWEAVE	E	
CROSSWIND	F	
CULEBRA	G+\$150	
CURRENT	F	
CUSCO	G+\$150	
CUT & PASTE	G+\$50	
DAHLIA	G	
DAPPER	E	
DART	G	
DASHING	D	
DELAINE	F	
DHARMA STRIPE	E	
ОСНОТОМУ	G+\$100	
DOT TO DOT	G	
DRAFT	G	
EASTSIDE	G	1
ELGIN	G+\$200	
ELLIPSIS	C	
EON	F	
EPIPHANY	F	
ERBA	C	
ESSENCE	C	
ESSENCE		
	CALL	
FAUX SURE	G	

√: CURRENT CARDED FABRIC *: PATTERNS OR COLORS BEING PHASED OUT

PATTERN	PATTERN
FLUX	G
FORTUNA	G+\$100
FRIENDLY FAUX	G
FUSE	G
GALE	F
GALLONE	F
GAMUT	D
GAUGE	G+\$50
GENOISE	CALL
GLAZE	F
GLEAM	F
GRADATE	G
GRAMERCY	G+\$250
HASHTAG	E
HATCHMARK	G+\$50
HEATHER	G+\$50
HEM STITCH	E
HENRIETTA	G+\$150
HEXSTRIPE	F
HOLMES	G+\$50
HONOR PLUS	G+\$100
HORIZON	G+\$50
HOUNDSTOOTH PLAID	G+\$350
HYPHEN	F
INERTIA	G
INKLING	G
INLET	F
INSIDE EDGE	F
INTERLOCK	F
INTROVERT	E
IONA	G+\$200
IRREGULAR GRID	F
ISOMETRY	G
ISOTOPE	F
JAUNT	G+\$50
JOURNEY	G+\$150
KABUKI	F
KALAHARI	F
KAMES	G+\$300
KANTHAS	G+\$200
KILMORY	G+\$200
KLANGE	F
KOMPOSITION	F
LAMBERT	G+\$50
LAQUE	E
LATTICE	G

PATTERN	PATTERN	C.C.F.	PATTERN
LAUREATE	G		OXFORD STRIPE
LEAF DOT	F		PALOMINO
LEAFETTE	E		PARADIGM
LEAP	F		PARGA
LEAVES	F		PAVILION STRIPE
LELAND	E		PENNINGTON
LINARI	E		PENTLAND
LINDOS	F		PERPLEX
LINO	E		PETITE FLORET
LIORET	E		PHASE
LITTLE DOT	F		PIGMENT
LITTLE PLAID	E	√	РІІКІ
LOFTY	E		PIKA
LOLLAND	G+\$200		PINBALL
LOOP TO LOOP	G+\$50		PIVOT
LORIEN	G+\$50		PLEAT
LUDINGTON	D		POP ART
LUSTER	F		PORTE
LYDIA	G+\$150		POSEY
MAGLIA	G		PRAIRIE
MAJOLICA	G+\$50		PRECISION
MANDALA	F		PRIME
MARGIN	G+\$150		QUINTESSENCE
MATCH POINT	G+\$50		RADAR
MELANGE	E	J	RAIL
MELROSE	G+\$200	v	RAMSHEAD
METAMORPHOSIS	G+\$100		RAZOR STRIPE
METTA	E		REFINE
MICROGRID	F		REPPWEAVE
MIGRATION	G+\$100		RESTORE
MINGLE	G+\$100		REUSE
MINGLE	G		RICE
MODERN TWEED	G+\$150		RIO GRANDE
MODERN TWEED	G G		RIVERGRASS
MOHAIR PLUS	G+\$250		RIVET RIVET PEARI
MORNING STAR	G		
MOTIF	G		ROCKET
MYDDLETON	CALL		ROSARIO
NEGRIL	G+\$150		ROSSLYN
NERA	В		ROTARY
NEW SELKIRK	G+\$100		ROTHESAY
NEXUS	G		ROUGH & READY II
NOBLE	E		ROUND LEAVES
OPHIDIAN	F		ROVE
OPULENT	E		RUMELI
OSCILLATE	G		SAMBA

PATENCCUTG+\$50FG+\$200FG+\$200FG+\$200FG+\$200FG+\$200FG+\$200FG-\$G <th> PATTERN</th> <th>C.C.F.</th>	 PATTERN	C.C.F.
FFG+\$250G+\$250G+\$200G+\$200G+\$200GFGGGGGGGGGGGGGGGGGGGGGGGGGGGGGGGGGGGGGGGFGFGGGFGGGFGG<		0.0.1.
G+\$2500G+3200EGG+\$200GG+\$200GG+\$200GGFGGGFGGGFGGGFGGGGGGGFGGG </th <th></th> <th></th>		
EEEGGGGGGGFGGGFGGGGGFGGFGGG		
EEG+\$200G+\$200DFGGGFGFGFGFGG<		
GG+\$500IG+\$200IFIFIGGIGGIGGIGGIGGIGGIGGIGGIGGIGGIGGIGGIGGIGGIGGIGGIGGIGGIGFIGFIGFIGFIGFIGGI<		
G+\$2000G+%200FFGFGGGFGGGFGGGFGGGFGGGFGG </th <th></th> <th></th>		
DDFGGG <th></th> <th></th>		
FFGGGJGJGGJGGJGGJGGJGGJGGJGGJGGJGGJGGJGGJGGJGGJGGJGGJGGJGFJGGJGFJGGJGFJGFJGGJGGJGGJGG+\$100JGG+\$500JGG+\$500JGG+\$500JGG+\$500JGG+\$500JGGJGG+\$500JGGJGG+\$500JGGJGG+\$500JGGGGGJGG+\$500JGGGGGGGGGGGGGGGGGGGGGGGG		
EEGGGJGGGGGGGGGGGGGGGGGGGGGGGGGGGGGGGGGGGGGGGFGFGFGFGGGFGGGFGGGFGGGFGG		
G+\$500GG		
GGI <th>E</th> <th></th>	E	
D√GG <td< th=""><th>G+\$50</th><th></th></td<>	G+\$50	
GG J GG J GG </th <th>G</th> <th></th>	G	
FIGGGCGCGCGCGCGGGGGGGGGGGFGGFCGFGGGFGGGFGGGFGGGFGGGFGGGFGGGGGGGGGGGFGGGGGFGGGFGGGFGFGFGFGFGFGFGGGFGG <td< th=""><th>D</th><th>√</th></td<>	D	√
GGGGGGEGGFEDGGGGGGGGGFGGG+\$200G+\$200GGFGGGGGGGGGGGGGGGGG+\$100 <trr>G+\$100G+\$10</trr>	G	
GGGGEGGEDDGG	F	
EEGG/F/D/GG/F/GG/GG/G+\$200/F/GFF/GFF/GFG/GFG/GFG/G/G/G/G/G/G/G/G/G+\$100/G+\$500/G+\$500/F/G+\$500/F/F/G+\$500/F/G+\$500/F/G+\$500/F/G+\$500/F/G+\$500/F/G+\$500/ <th>G</th> <th></th>	G	
GGGGEDDGGFG+\$200G+\$200FGFFG+\$200FGFG+\$100FGFGGGG+\$100G+\$500G+\$500G+\$500G+\$500FG+\$500FG+\$500FFFG+\$500FFFFFFFFFFFFFFFFFFFFFFFFFFFFFFFFFFFFFF </th <th>G</th> <th></th>	G	
P F √ P C √ P C √ P C √ P C C	E	
E √ DD GG G+F G+S G+S G <	G	
D P G F G F G F G F G F G F F F F F F F G F G F G F G F G F G F G F G F G F G F G S G F G G G S G S G S G S G S G S G S G S G S G S G S G S G S	E	
GG G F G G G G+\$200 G G G G G G G G F G G G F G F G F G F G F G F G F G F G F G G+\$100 G G+\$500 G G+\$100 G G+\$50 G G+\$50 G F G G+\$50 G F G F G F G F G F G F G F G F G F G F	Е	√
F G G G G+\$200 G E G E F G+\$50 G G+\$50 G G F G F G F G F G F G F G F G F G+\$100 √ G+\$100 G G+\$100 F G+\$100 F <th>D</th> <th></th>	D	
G G G+\$200 G G F G G+\$500 F G G+\$501 F G G F G G G F G G G F G G G F G G G F G G G G+\$100 ✓ G G+\$100 G G G G+\$500 G G G G+\$500 F G G G+\$500 F G G G+\$500 F G G G F G G G G F G G G G G+\$50 G G G G G G G G G G G G G G G <	G	
G+\$2000 G G G E F G+\$500 F G F G F G F G F G F G F G F G F G F G F G+\$100 I G+\$100 I <	F	
GG G E F FF F G+\$50 F GE F F F G F G F G F G F G F G F G+\$100 I G+\$100 I <th>G</th> <th></th>	G	
GG G E F FF F G+\$50 F GE F F F G F G F G F G F G F G F G+\$100 I G+\$100 I <th>G+\$200</th> <th></th>	G+\$200	
E		
E E F F G+\$50 F G F G F F F F F F F G F G F G+\$100 √ G+\$100 G G+\$500 F G+\$500 F G+\$500 F G+\$500 F G+\$500 F F F F F F F F F F F F F	E	
F		
G+\$500 F GG E F F F F G+\$100		
F G G F F F D √ G+\$100 √ G+\$100 √ G+\$100 G		
GG G F F F F D √ G+\$100 √ G+\$100 F F F F F F F		
E E F F D √ G+\$150 G+\$100 G+\$500 G+\$50 G+\$50 F F G+\$50 F G+\$50 F F F E		
F √ F √ D √ G+\$150 √ G+\$100 √ G+\$500 - G+\$500 - G+\$500 - F - G+\$500 - F - G+\$500 - F - F - F - F - F - F - F - F -		
F √ D √ G+\$150 √ G+\$100 √ G+\$500 √ G+\$500 √ G+\$500 √ F √ G+\$500 √ F √ F √ F √ F € F € F € F €		
D √ G+\$150 G+\$100 G+\$50 G+\$50 G+\$50 F G+\$50 F F F F F F F		
G+\$150 G+\$100 G+\$50 G+\$50 F G+\$50 F G+\$50 F G+\$50 F G+\$50		1
G+\$100 G+\$50 G+\$50 F G+\$50 F F F E		v
G+\$50 F G+\$50 F F F E		
G+\$50 F G+\$50 F E		
F G+\$50 F E		
G+\$50 F E		
F E		
E		
G+\$50		
	G+\$50	

PATTERN	PATTERN	C.C.F.
SAMBA OTRA VEZ	G+\$50	
SANDPIPER SC	D	
SANTIAGO	G+\$150	
SAUGATUCK	E	
SAVILE PLAID	G+\$100	
SEE SAW	G	
SEED	F	
SEQUENCE	G	
SETT	G+\$50	
SHIBORI STRIPE	G	
SHIMMERING TIDE	G+\$100	
SIGNAL	G+\$50	
SINGING IN THE RAIN	E	
SKYE	G+\$100	
SORANO	E	
SPANDAU	E	
SPIRO	G	
SPLENDOR	E	
STACKS	G	
STARBURST	G+\$50	
STEPPE	E	
STRIAE	F	
SUGAR SHOOTS	G	
SUNBURST	G+\$50	
SWAYED	G+\$250	
SWAYED	G+\$250	
SWING	G+\$50	
SWING SET	G	
SYNTHESIS	F	
TACK CLOTH	G	
TAFTAN	F	
TANGLE	E	
TERRAIN	G	
TESSELLATE	G+\$50	
TETRIS	G	
THE LAST APHID	G+\$50	
TINOS	G	
TINY HERRINGBONE	F	
TITANIUM	G+\$50	
TO THE POINT	E	
TOKEN	G	
TOMBOLO	F	
TOP SPIN	G+\$50	
TRACE	G+\$300	
TRAMWAY	G	

fabric program: DesignTex

fabric program

For memo samples or availability call DesignTex at 800.221.1540

DESIGNTEX

PATTERN	PATTERN	C.C.F.
TRANSPORT	G	
TRANSPOSE	F	
TRAVERTINE	F	
TUMBLE STONES	G+\$50	
TUMBLEWEED	G	
TURNBERRY	G+\$200	
TWEED	G+\$250	
TWEED MULTI	E	
JRBAN GRID	G	
VALANKA	G	
VALET	E	
VARIANT	G+\$50	
VERSED	D	√
VIVID	D	
VOLLEY	G+\$50	
V0X	G	
N	F	
WENSLEY	G	
WESTSIDE	G+\$50	
WHIM	F	
WINDOWPANE	E	
WINSOME	D	√
WIRE	G+\$100	
WOOD WORK	G+\$100	
WOODCUT	F	
WREN	D	
YORUBA	G	
YUCCA	F	
ZHUBA	E	
ZOCALO	G	
ZOCALO	G	
	_	

√: CURRENT CARDED FABRIC *: PATTERNS OR COLORS BEING PHASED OUT

PATTERN	PATTERN	C.C.F.
LATEN		0.0.1.



fabric program: DesignTex

	_	 			
PATTERN	C.C.F.	PATTERN		PATTERN	C.C.
1	1		1		
					-

fabric program

For memo samples or availability call Maharam at 800.645.3943

MAHARAM

PATTERN	PATTERN	C.C.F.
A BAND APART	CALL	
ABACUS	G	
ABACUS STANDARD	F	
ACRE	G	
ACROSS	G	
AFTERMATH	CALL	
AGENCY	CALL	
AKIMBO	G	
ALLOY	F	
ALPACA EPINGLE	CALL	
ALPACA HERRINGBONE	CALL	
ALPACA VELVET	CALL	
ALTER	F	
ANAGRAM	G+\$100	
ARABESQUE	G+250	
ARIA	G+250	
ARRAY	G	
ARTICLE	E	
ASSEMBLED CHECK	CALL	
BANISTER	G	V
BAR	С	1
BAR CRYPTON	G	
BASEL BY KVADRAT	G	
BAVARIA	CALL	
BAVARIA STRIPE	CALL	
BESPOKE STRIPE	CALL	
BIG STRIPE	CALL	
BLOCKS	CALL	
BORDERS	CALL	√
BRIGHT ANGLE	G+150	
BRIGHT CUBE	G+150	
BRIGHT GRID	G+150	
BRIM	G+50	
BRUSHED CAMEL	CALL	
BRUSHED CASHMERE	CALL	
BRUSHED MERINO	CALL	
CANDID	F	
CANVAS BY KVADRAT	G	
CARAPACE	G+250	
CARTOUCHE	G	
CASHMERE RIPPLE	CALL	
CENTRIC	G+100	
CHALET	G+\$50	
CHECKER	G+300	
CHECKER SPLIT	G+300	

СНОСК	G	
CHROMA	CALL	
CIRCLES	G+250	
CIRCUIT	G	
CLIMB	G+100	
COBBLESTONE	G+350	
CODA BY KVADRAT	G+200	
COIN	С	٧
COIN CRYPTON	G	
COINCIDE	E	
COINCIDE HIGH PERFORMANCE	G	
COLLINE BY KVADRAT	G+\$50	
COLORFIELD	CALL	
COLORWHEEL	G+150	
COLUMN	G	
COMPARTMENT	CALL	
COMPOUND	G	
CONFETTI	G+200	
COTTON VELVET	G+350	
CREW	G	
CROSSPATCH	G+250	
CURSIVE	G+50	
CYCLE	F	
DAPPER	F	
DART	G+\$50	
DASH	F	
DECODE	G	
DECONSTRUCTED ROSE	CALL	
DINGBATS	G+200	
DISC	С	
DISC CRYPTON	G	,
DIVIDE	c	
DIVIDE CRYPTON	G	,
DIVINA BY KVADRAT	G+\$50	
DIVINA MD BY KVADRAT	G+50	
DOT PATTERN	G+250	
DOUBLE TRIANGLES	G+300	
DRAPE	G	
EDEN	CALL	
ELLIPSIS	G	
EMBOSS	G+\$50	
ENMESH	G+\$50	
EPINGLE STRIPE	CALL	
EXAGGERATED PLAID	G+350	
EXCHANGE	G+350 F	
FACETS	F G+300	

√: CURRENT CARDED FABRIC *: PATTERNS OR COLORS BEING PHASED OUT

PATTERN	PATTERN	C.C
FASTEN	G+50	
FATHOM	F	
FEATURE	G	
FIDDLE	G+50	
FLUTED SILK	G+250	
FOLD	G+\$50	
FOLIAGE	CALL	
FRACTION	G	
FRUIT	G+200	
GARDEN	G+150	
GEOMETRI	G+300	
GRADE	G+50	
GRID	CALL	
HALLINGDAL BY KVADRAT	G+100	
HEDGE	G	
HELIX	G+100	
HERO BY KVADRAT	G	
HERRINGBONE STRIPE	CALL	
HIGHFIELD BY KVADRAT	G+100	
HORSEHAIR BASKET	CALL	
HORSEHAIR CHECK	CALL	
HORSEHAIR STRIAE	CALL	
HOUNDSTOOTH	G+200	
HOURS	CALL	
INDUSTRY	CALL	
INLAY	G+200	
INSIGNIA	G+50	
INSTILL	F	
JACOBS COAT	CALL	
KINDRED	G	
KNOB	CALL	
KNOT	G+250	
LANALUX	CALL	
LARIAT	F	
LATCH	G+50	
LAYERS GARDEN	CALL	
LAYERS GARDEN DOUBLE	CALL	
LAYERS PARK	CALL	
LAYERS PARK DOUBLE	CALL	
LAYERS VINEYARD LARGE	CALL	
LAYERS VINEYARD SMALL	CALL	
LEDGER	F	
LENS	F	
LETTERS	G+300	
LIFT	G+100	

PATTERN	PATTERN	C.C.F.	PATTERN
LINEUX	F		QUATREFOIL
LINOMIX	CALL		QUELL
MANNER	С	√	QUICK
MARQUEE	E		RECOLLECTION
MASSIVE PAISLEY	CALL		REEF
MATRIX BY KVADRAT	G+150		REGATTA
MECHANISM	G+150		REMIX BY KVADRAT
MEDIUM	С	√	REPEAT CLASSIC
MELANGE TWEED	G+300		REPEAT CLASSIC PRINT
MEMORY BY KVADRAT	G+50		REPEAT CLASSIC STRIPE
MERIDIAN	G		REPEAT DOT
MESSENGER	С	√	REPEAT DOT PRINT
METRIC	С	√	RISE
MIKADO	G+250		ROVE
MILLERSTRIPE	CALL		RUBRIC
міміс	G+50		RULE
MINERAL	F		RUNNER
MINICHECK	G+300		RUNNER STANDARD
MINIMAL	G		SALON
MISTER	G+50		SCAPE
MODE	E		SCHEMA
MOHAIR EXTREME	CALL		SEAM
MOHAIR SUPREME	CALL		SEQUENCE
MONK'S WOOL	CALL		SHADOWBOX
MORTISE	G		SHEEN
NAMES	G+300		SHUTTLE
OBLIQUE	C	J	SHUTTLE STANDARD
OFFSET	G+100		SIGNAL
ORAKELBLUME	G+300		SILK CANVAS
OTTOMAN STRIPE	CALL		SLANT
OUTBACK BY KVADRAT	G+100		SMALL DOT PATTERN
PALIO	G+200		SNAP
PARCHED SILK	G+300		SOFT TWEED
PARK	G+150		SORT
PAVEMENT	G+250		STAR BY KVADRAT
PEBBLE WOOL MULTI	CALL		STATURE
PENNANT	G+\$50		STEELCUT BY KVADRAT
PICK	C	V	STEELCUT TRIO BY KVADRAT
PICK CRYPTON	G		STRIDE
PITCH	F		STRIPES
PLAIT	F		STRUM
PLAIT HIGH PERFORMANCE	G		STUDY
PLY MESH BLACK/TAN	G+300		SUDDEN
POCKET	G		SUPERWEAVE
POINT PRESSED PLAID	G+350 CALL		SURGE

fabric program: Maharam

$\mathbf{v}:$ current carded fabric *: Patterns or colors being phased out

G+250 G+\$300 F G G+200 G+50 G CALL CALL CALL CALL CALL G F G G+50 G F G+200 G+50 G F G G G G F G G+250 G G+250 G+150 G+200 F G+150 F G+50 G+50 F CALL G G+100 G

CALL G G

PATTERN	PATTERN
TANDEM	F
TEATRO	G+\$150
TECHNIC	С
TELARY	G+150
TEND	G
TERRACE	G
THE FIRM	CALL
THE STORY OF MY LIFE	G+350
TICKER	G
TILT	G
TOKYO BY KVADRAT	G+150
TONICA BY KVADRAT	G
TONUS MEADOW BY KVADRAT	G+50
TOOSTRIPE	CALL
TRANSPORT	G+250
TREAD	G+\$50
TREES	G+200
TRELLIS	G+50
TRIO	G+150
TURN	G+\$50
UNISOL	G+300
URBAN	G
VASES	G+150
VELVET STRIPE	CALL
VENN	G
VESTIGE	G
VINEYARD	G+150
VOYAGE	G+250
WATERBORN BY KVADRAT	G+300
WAXEN	F
WEDGE	G
WHIRL	F
WOOL RIB	G+200
WOOL STRIAE	CALL
WOOL VELVET	CALL
WRAP	F

fabric program For memo samples or availability call Momentum at 800.366.6839

MOMENTUM TEXTILES

PATTERN	PATTERN	C.C.F.
ACE	D	
ACOUSTIC	G	
AGORA II	D	
ALDO	G+\$100	
ALIGN	G	
ALLEGORY	G	
ALMANAC	G+\$50	
ALPHA	С	
AMENITY II	G	
AMUSE	D	√
ANNEX	С	
APRIL	F	
ARDOUR II	G	
ARRANGE	G+\$50	
ASCEND	F	
AUDIO	G	
AUDUBON	G+\$50	
AVANTI	G	
AVENUE	E	
AXIS	В	
BACKDROP	С	
BANDWIDTH II	G	
BANGLE	В	√
BANTER	G+\$50	
BASIS	С	
BEELINE	С	√
BEEP	D	√
BENTO	G	
BETULA	E	
BIAS	G	
BLOC	G+\$50	
BOOM II	D	
BOXCAR	G	
BRAVO II	E	
BRISK	G	
BUOY	G	
CAIRNS	G+\$50	
CAMBER	G	
CAMEO	С	
CANTER	В	V
CARLO	G+\$100	
CASHMERE II	В	
CATALOGUE	G+\$50	
CENTRAL	F	

PATTERN	PATTERN	C.C.F.	
CENTRIC	G		EXTEND
CHANNEL	E		FELIZ
CHIPPER	G		FLECTION
CINCH	С		FLEET
CITE	G		FLOW
CLANG	D		FLUENT
CONTEXT	С		FLUX
CORE	В		FOCAL
COURSE	G		FOOTLIGH
COVER CLOTH	D		FORAY
CROSSING COLORS	G+\$100		FREE
CRYPTIC	G		FREEHAN
CURRENT	1	1	FRINGE
CURTAIN CALL	С		FUSE
CYCLE	E		GEO
DASH	G		GLINT
DAYSPELL	G		GOLDEN
DECODE	С	1	GRADUAL
DELVE	F		GROOVE
DIVE	F		HABIT
DIVIDEND	G+\$50		HAIKU
DOCKET	G+\$50		HEARSAY
DOGWOOD LEAVES	F		HELM
DOMAIN	F		HICKORY
DRAWING LINES	G+\$50		HIVE
DRIFT	G		HUE
DUO	G		HULA
EBB	G+\$50		ICON
ECHO II	G		IDENTITY
EDICT	C		IDYLL
EDISON	G		IMPACT
EFFLORESCE	G+\$50		INDEX
ELEVATE	G+\$50		INFINITY
ELLE	G		INFUSION
EMANATE			INLAY
	G+\$50 F		
EMBARK			INNER CI
ENCORE	С		INSIGHT
EON	D		INTERIM
EPIC	C	1	INTERME
ESSAY	G		INTERMIX
ESTRELLA	G		INTERSEC
ETUDE	G+\$50		INTERVAL
EVOLVE	G		ISLA

√: CURRENT CARDED FABRIC *: PATTERNS OR COLORS BEING PHASED OUT

PATTERN	PATTERN	C.C.I
EXTEND	С	
FELIZ	G	
FLECTION	G	
FLEET	F	
FLOW	G	
FLUENT	E	
FLUX	G+\$50	
FOCAL	D	
FOOTLIGHTS	С	
FORAY	E	
FREE	С	
FREEHAND	E	
FRINGE	F	
FUSE	В	
GEO	G+\$50	
GLINT	D	
GOLDEN LEAF TREE	F	
GRADUAL	E	
GROOVE	E	
HABIT	D	
HAIKU	E	
HEARSAY	G	
HELM	G	
HICKORY LEAF	E	
HIVE	F	
HUE	С	
HULA	G	
ICON	F	
IDENTITY	G	
IDYLL	G	
IMPACT	D	
INDEX	G+\$50	
INFINITY	D	
INFUSION	G	
INLAY	E	
INNER CIRCLE	G+\$50	
INSIGHT	В	
INTERIM	G	
INTERMEZZO	G+\$50	
INTERMIX II	E	
INTERSECT	E	
INTERVAL	В	
ISLA	F	
JARDIN	G	

PATTERN	PATTERN	C.C.F.	PATTERN
JEST	G		PACE CRYPTON
JITNEY	F		PACE INCASE
JOYN	E		PACT
JUNCTURE	G+\$50		PAINTING STROKES
КАҮАК	G+\$50		PANORAMA
KEYNOTE	E		PARABLE
KINDLE	F		PARAGON
KINDRED	F		PARKSIDE CRYPTON
KINECT	D		PARKSIDE INCASE
KINNEY	E		PARTERRE
KNACK	С	√	PERENNIAL
KUDOS	G		PERK
LEDGE	E		PHASE
LELLA	G+\$50		PHOTON
LEVEL	G		PIERRE
LINA	G+\$50		PING
LINEUP	D		PIQUE
LIVIA	G+\$50		PROPENSITY II
LLOYD	G+\$100		PROSPECT
LORE	G		PROVERB
LUCIO	G+\$150		PROXIMITY
LUDWIG	G+\$100		QUIRK
MALMO	G+\$50		RALLY
MAPPING IDEAS	G+\$50		RECOLLECTION II
MARATHON	D		REDUX
MARCEL	G+\$50		REFRACT
MAX	E		REIN II
MEANDER	С		RESPITE
MEDLEY	E		REVOLVE
MENSA	G		RIGA
MIDLANDS	E		RIVET
MILLENNIUM	D		ROSTER
MIX	G		ROW
MOLTO	G+\$50		SAGA
NAGOYA	G+\$50		SAIL
NAPA	E		SCAN
NEON	G		SCAPE
NIFTY	E		SCRABBLE
NIMBLE	G+\$50		SCRIBE
OATH	F		SCRIPT
ODYSSEY	D		SENSE
OHS II	G+\$50		SERENDIPITY II
ORIGIN	В	√	SIDEBAR CRYPTON
OVERTURE	С		SIDEBAR INCASE
	I	l.	

fabric program: Momentum **Textiles**

 \checkmark : CURRENT CARDED FABRIC *: PATTERNS OR COLORS BEING PHASED OUT

PATTERN	C.C.F.	PATTERN	PATTERN	C.C.F.
F		SIDESTEP	G	
Е		SILICA	F	V
С		SILICA ANDY	G+\$150	
G+\$50		SILICA COMPASS	G+\$150	
G		SILICA CUSP	G+\$150	
G		SILICA DEFLECT	G+\$150	
F		SILICA EFFLORESCE	G+\$150	
F		SILICA ETCH	G	
E		SILICA FIONA	G+\$150	
F		SILICA FRITZ	G+\$150	
F		SILICA HIATUS	G+\$150	
с		SILICA HOOP	G+\$150	
G+\$50		SILICA LEATHER	G	
G		SILICA MOTIVE	G+\$150	
G+\$100		SILICA REACH	G+\$150	
E		SILICA ROAM	G+\$150	
E		SILICA SCOUT	G+\$150	
С	1	SILICA STRIDE	G+\$150	
F		SILICA TECH	G	
D		SILICA WALTZ	G+\$150	
G+\$50		SKETCHING AIR	G+\$50	
E		SKIP	D	
G		SMALL TALK	G	
G		SOLACE	Е	
E		SOLARIS	E	
G		SOL02	Е	
E		SOMA	G	
E		SONOMA	E	
G+\$50		SORT	G	
G+\$50		SPAN CRYPTON	F	
E		SPAN INCASE	E	
G+\$50		SPIN	G	
D	√	STARBOARD	G	
С		STREAMERS	E	
G		STRUT	E	
G		SUBLIME II	E	
G		SWAY II	G	
Е		SYMBOL	G+\$50	
E		SYNERGY	E	
D		SYNTAX	С	√
F		TACT II	G	
Е		TACTIC	G+\$50	
F		TENOR	С	
Е		TESLA	G	
I.			1	

fabric program

For memo samples or availability call Momentum Textiles at 800.366.6839

MOMENTUM TEXTILES

PATTERN	PATTERN	C.C.F.
TETRA	D	
TACTIC	G+\$50	
TENOR	С	
TESLA	G	
TETRA	E	
TACTIC	G+\$50	
TENOR	С	
TESLA	G	
TETRA	D	
TACTIC	G+\$50	
TENOR	С	
TESLA	G	
TETRA	D	
TACTIC	G+\$50	
TENOR	С	
TESLA	G	
TETRA	D	
TACTIC	G+\$50	
TENOR	С	
TESLA	G	
TETRA	D	
TACTIC	G+\$50	
TENOR	С	
TESLA	G	
TETRA	D	
TACTIC	G+\$50	
TENOR	С	
TESLA	G	
TETRA	D	
TONE	F	
TORQUE	G+\$50	
TRACERY	С	
TRADITION	D	
TREFOIL	F	
TROVE	G+\$50	
TURIN	G+\$50	
TWIST	G+\$50	
UNIVERSE	С	
UPLIFT	G	
UPSIDE	F	
VARIO	E	
VEER	F	
VELOCITY	E	


PATTERN	PATTERN	C.C.F.	PATTERN	PATTERN
VENUE	E			
VERSE	С			
VIA	С	√		
VINEA	E			
VIVA II	F			
VOX	С			
WANDER	G			
WAVER	F			
WAYPOINT	E			
WEAVING PALETTES	G			
WHIM	G			
ZOLA	G+\$50			

√: CURRENT CARDED FABRIC *: PATTERNS OR COLORS BEING PHASED OUT

PATTERN	PATTERN	C.C.F.



fabric program: Momentum **Textiles**



customer material program

com = customer's own material col = customer's own leather

Ordering Instructions

Contact customer service for inquiries regarding COM/COL or follow the instructions below to assure the best results to produce your COM/COL order.

- 1. Complete 9to5 Seating COM/COL form (see opposite page or download from website) and send it to 9to5 Seating along with fabric sample.
- 2. All COM/COL fabrics must be approved by 9to5 Seating and will not be scheduled for production until the entire yardage/ square footage requirements have been received. Approval can be completed by 9to5 Seating in 24 hours. 9to5 Seating will not return any excess COM/COL material.
- 3. For non-directional, plain, solid colors or non-patterned fabrics, please follow COM yardage requirements as specified under each individual model number in our price list. For fabrics which require special application or direction, please attach a sample of the COM fabric to our COM form. Include all information and return to 9to5 Seating at address shown below.
- 4. All COM textiles received at 9to5 Seating must be clearly marked with customer's name, purchase order number, 9to5 Seating sales order number (if available) and any special instructions for application of textile.

Send fabric to: 9to5 Seating Attn: COM Fabric Receiving 3211 Jack Northrop Ave. Hawthorne, CA 90250

5. Upon receipt of COM textile, a production date will be given to the order and you will receive an acknowledgement by fax or e-mail.

Notes:

- 1. The yardage figures shown throughout the price list are estimates only. Calculations are based on 54" wide material with no repeat and cut in the woven way cutting direction for a single chair. For specific yardage based on width of material, chair model, and quantity, please contact 9to5 Seating.
- 2. For large quantity orders please contact customer service for more precise yardage requirement. Actual yardage requirement per chair often decreases with larger orders.

Notes (Continued):

3. To calculate COM yardage, use the chart below as a guide and add appropriate amounts to the generic yardage requirements listed in the pricer

FABRIC		2"-14"	15"-27"	28"-36"
WIDTH	GENERIC YARDAGE	REPEAT	REPEAT	REPEAT
54"		+20%	+30%	+40%

- 4. COL: Leather quality can vary depending on the size of the hides. Larger hides (50 to 60 SQ FT) tend to be higher quality and yield. Smaller hides (40 to 50 SQ FT) tend to have more quality issues that may cause smaller yields, requiring the need for additional hides to be ordered
- 5. For all COL orders, 9to5 Seating cannot take responsibility for the need to order additional COL due to quality issues and related small material yields

PLEASE SEND A COMPLETED PHOTOCOPY OF THIS PAGE TO 9TO5 SEATING

DATE:	A
DEALER NAME:	P
DEALEN NAME.	r
ADDRESS	C
9T05 ORDER NUMBER (IF AVAILABLE)	P
MODEL NUMBER	D
QUANTITY	

TEXTILE INFORMATION

MILL	F/
FABRIC COLOR	T

APPLICATION

IS THERE A DESIRED TOP AND BOTTOM TO	THE FABRIC?
YES	NO

CHECK APPROPRIATE BOX FOR YOUR CHOICE OF FABRIC DIRECTION



other info

ACCOUNT NUMBER:

PURCHASE ORDER NUMBER:

CITY/ZIP CODE

PHONE NUMBER

DEALER CONTACT

ABRIC NAME/NUMBER

TOTAL YARDAGE SHIPPED

IS THE FABRIC STRIPE OR TWO-COLOR PLAID? Yes No

TOP ATTACH SAMPLE TEXTILE HERE WITH DESIRED FACE AND DIRECTION DISPLAYED. IF THERE IS A PATTERN OR REPEAT, THE SAMPLE SHOULD BE LARGE ENOUGH TO SHOW ENTIRE REPEAT. BOTTOM

31

CAL TB 133 fire code

9to5 Seating's entire line of office seating meets California Technical Bulletin 117-2013 (CAL TB 117-2013) which has been in effect since January 1, 2015. This is a standard by which upholstered furniture has been tested for approval to meet a minimum fire standard. 9to5 Seating's standard product is not designed to meet California Technical Bulletin 133. However, upon special request, most 9to5 Seating products can be manufactured to meet the California Technical Bulletin 133 (CAL TB 133).

CAL TB 133

CAL TB 133 is the standard of furniture flammability required by the California Bureau of Home Furnishings and Thermal Insulation for furniture used in public buildings. New requirements proposed for furniture used in public buildings such as:

Healthcare Facilities, Convalescent Homes, Public Assembly Areas of Hotels and Motels, Hospitals, Board and Care Homes, Stadiums, Licensed Child Care Facilities, Prisons and Jails

CAL TB 133 Test

CAL TB 133 is a full scale fire test for furniture manufactured for use in public buildings. The standards do not specify how to construct furniture, but only how it should perform when tested by the following procedures:

A finished piece of furniture, never single components, is placed in a 10' x 12' x 8' chamber and is tested by applying a gas flame for 80 seconds. Then measurements are taken for the rate and amount of heat generated, temperature of the test room while furniture is burning, smoke capacity, amount of carbon monoxide generated and mass loss of the furniture for one hour or until the fire is completely extinguished.

A solution to pass this fire standard test is to sandwich a fire blocking liner between the foam and fabric of our chairs. This liner acts as a 'fire extinguisher' by smothering the flame. As a response to CAL TB 133, and in order to meet customer's needs, 9to5 Seating has designed a variety of models and fabrics that can be combined to meet this new standard.

CAL 133 Models

The following models when combined with approved textiles and blocker meet the CAL 133 standard: All plastic models of Shuttle and Bella are also approved.

- Agent: 1425, 1426, 1428, 1660, 1666, 1668
- 1860, 1866, 1868, 1880 Aria:
- 1310, 1315, 1320, 1325, 1326, 1328, 1360, 1365, 1370, 1375, Bella: 1376.1378
- Bristol: 2360, 2366, 2368, 2380
- Cayman: 2800, 2800-GT, 2810

Cortina: 2900, 2900-GT, 2910

Cosmo:	3250, 3260, 3250-GT
Cydia:	3300, 3300-GT, 3310, 3310-GT, 3306, 3308, 3315, 3316
Enduro:	1960, 1966, 1968, 1980
Kelley:	1060, 1066, 1070, 1076
Link:	1410, 1415
Logic:	1760, 1766, 1768, 1780, 1790
Precept:	1725, 1726, 1728, 1725-GT
Shuttle:	1210, 1215, 1250
Strata:	1545, 1546, 1548, 1555, 1560, 1565, 1580, 1585, 1560-GT,
	1566, 1568, 1561, 1563
Vault:	1460, 1466, 1468
Vesta:	3060, 3061, 3063, 3065, 3066, 3068, 3080, 3085

COM CAL TB 133

COM compliance for CAL 133 models listed above can be determined by specifying upholstery with the exact characteristics as approved 9to5 Seating fabrics or by conducting a full chair burn test. The nondiscountable test fee for each chair-fabric combination is \$500.00 net.

CAL TB 133 Upcharge

- 1 49 chairs: \$100 List Upcharge
- 50 + chairs: \$50 List Upcharge

To Order CAL TB 133

Clearly specify CAL TB 133 on order, choose your desired fabric, from options above, then add the indicated amount above to the standard list price. Standard lead times apply.

To Check Purchased Seating For CAL 133

To determine whether your current 9to5 Seating chair meets CAL TB 133, or to check an order you have recently received, check the bottom of the chair seat pan for the label shown below.

If your chair does not show this tag below, then your chair does NOT meet CAL TB 133

NOTICE

This article is manufactured for use in public occupancies and meets the flammability requirements of California Bureau of Home Furnishings Technical Bulletin 133. Care should be exercised near open flame or with burning cigarettes.

two tone option


Ordering Instructions

Two Tone Contrasting Seat and Back

When the seat and back fabric or vinyl are different on a single chair, clearly indicate your selection for each on your purchase order. If the two selections are from different grades, price the chair(s) at the higher of the two grades.

Available on:

Agent, Bella, Brio, Bristol, Core, Enduro, Logic, Precept and Shuttle.





DATE:	
DEALER NAME:	
DEALER CONTACT:	
PO NUMBER	
1. BACK FABRIC	
2. SEAT FABRIC	

 \bigcirc О

> other info

33

custom embroidery form

Custom embroidery is a great way to display your company logo on upholstered chair backs. Embroidery can be done in multiple colors, shapes and size to suit your needs for a very reasonable cost and lead-time. To obtain a quote for embroidered upholstery, please fill out the adjacent form completely as possible. You will need a graphic file, preferable in Ai, EPS or other graphic format. Generally, higher resolution art (greater than 300 dpi) will be easier to work with. There will be a set-up charge to create a digitized file if you do not have one available. We will also need a PMS color number for each color thread required. 9to5 is not responsible for poorly digitized files or graphic files from the requestor. If the logo is NOT to be in the back center; the location of the logo needs to be specified as an offset from the center of the back, vertically and horizontally. (see form)

Keep in mind, embroidery is not a one to one replacement for printing, patches or heat transfer vinyl lettering. Embroidery thread is heavier, stronger and tighter density than the surrounding fabric and may pull or pucker on loosely woven fabric. Embroidery will always look best on strong, closely knit fabrics or vinyl. It is best to always get a sample for approval before placing the full production order.

All logos are trademarks of their respective owners. 9to5 Seating is not responsible for obtaining permission or use of copyrighted logos. Before you use, reproduce or distribute in any manner you must first receive the express permission of the holder of the copyright or trademark of that logo. Failure to obtain such permission is a violation under international law.

Note: Dimensional tolerance of logo placement is ±1/2" vertical and ± 1/4" horizontal.


PLEASE SEND A COMPLETED PHOTOCOPY OF THIS PAGE TO 9T05 SEATING

FILLABLE FORMS LOCATED ON 9T05SEATING.COM/DOWNLOADS

DATE:	A
DEALER NAME:	PI
DEALER CONTACT NAME:	CI
PROJECT(END-USER):	PI
MODEL NUMBER	DI
TOTAL PROJECT QUANTITY	т

DATE:					ACCOUNT NUM	ABER:					
DEALER NAME:					PURCHASE OR	DER NUMBE	R:				
DEALER CONTACT NAME:					CITY/ZIP COD	E					
PROJECT(END-USER):					PHONE NUMB	ER					
MODEL NUMBER					DEALER CONT	ACT					
TOTAL PROJECT QUANTITY					TOTAL PROJE	CT NET:					
COMMENTS:											
IS THE EMBROIDERY FOR A BID	?				IS A SAMPLE F	REQUIRED FO	OR CUSTOME	R REVIEW	PRIOR TO F	RODUCTION OF ORD	ER?
YES		I	NO			YES				NO	
IS A LOGO/GRAPHIC FILE AVAIL	ABI 62				LOGO/GRAPHI		2				
YES		I	NO		AI	EPS	PDF	JPEG	PNG	OTHER:	
STANDARD MODEL	QTY	HEIGHT	WIDTH		COLOR/PM	S EQUIVALEI	NT	TE	XTILE MILL	/PATTERN/COLOR	
LOGO/IMAGE LOCATION (F	ROM LOGO	CENTER TO	CHAIR BACK (CENT	ER)						


VERTICAL	OFFSET FROM	M CENTER:	HORIZONTA	L OFFSET FRO	OM CENTER:
	INCHES			INCHES	



	тор
J	
	ATTACH SAMPLE LOGO/GRAPHIC HERE.
	ВОТТОМ

new for 2017!

9to5 explodes into 2017 with 5 dynamic new seating series including multiple lounge seating with suspension tables, enhancements to several existing series and 3 new control options





No more waiting for items built-to-order. Service quick turn jobs and orders with immediate in-stock items that are ready to ship. When fast just isn't good enough. Normal delivery in 4 business days or less from the location nearest you. See page 230



The fixed arm offers a smooth polished aluminum surface with padded upholstered cap in an attractive cantilever style design. See page 233 8

ு ப

acclaim contemporary european styling yet subtle detailing

NEW HIGH-BACK

GSA SIN # 711-18 Pending

- Weight balance or synchro control
- Synchro with independent back angle adjustment available
- New polished arm style with upholstered caps
- Many standard arm options also available
- Great addition for conference or executive
- Standard black nylon high profile base
- Rated for 300 lbs.



DEL	CONTROL	DESCRIPTION	ARM	FABRIC										FEATURES	DIMENSIONS	
IODEL					ſ	[]			1	1	[ſ			WIDTH:	27.3
80	W2	W2		A/COM	В	C	D	E	F	G	L3/COL	L4	L5	Pneumatic Seat Height AdjustmentWeight Balanced Control with Body	DEPTH:	
	\wedge		ARMLESS	495	550	585	640	700	770	845	675	720	940	Adjust		44.50-49.00
		HIGH-BACK	A10	580	635	670	725	785	855	930	760	805	1025	4 Back Recline Limit Positions	SEAT WIDTH:	
	()	WEIGHT BALANCED	A19	695	750	785	840	900	970	1045	875	920	1140	Rated for 300 lbs	SEAT DEPTH:	
117		Use for a variety of general office	A27	675	730	765	820	880	950	1025	855	900	1120		SEAT HEIGHT: BACK WIDTH:	
	æ	seating, including private office and conference room seating.	A36	600	655	690	745	805	875	950	780	825	1045		BACK HEIGHT:	
	F	and conference room seating.	A37	620	675	710	765	825	895	970	800	845	1065			1.7 YD
d é			nor	020	010		100	020	000	010	000	0.10	1000		COL:	27 SQ FT
0 0	0														WEIGHT:	44.0 LB
		•	•	SEAT SLIE	DER (SS)	- NOT AV	AILABLE V	WITH W2							•	
DEL					t	, ,			1	,	1	T	1		WIDTH:	27.3
	Y2			A/COM	В	C	D	E	F	G	L3/COL	L4	L5	Pneumatic Seat Height Adjustment	DEPTH:	26.5
	\wedge	HIGH-BACK	ARMLESS	555	610	645	700	760	830	905	735	780	1000	Side Tension Control Synchro Control	HEIGHT:	44.50-49.00
\neg	()	HEAVY DUTY SYNCHRO	A10	640	695	730	785	845	915	990	820	865	1085	4 Position Back Lock	SEAT WIDTH:	20.0
Т	TILT CONTROL	A19	755	810	845	900	960	1030	1105	935	980	1200	Rated for 300 lbs	SEAT DEPTH:		
		A27 735 790 825 880 940 1010 1085 915 A36 660 715 750 805 865 935 1010 840	960	1180		SEAT HEIGHT:										
Ľ												885		1105	BACK WIDTH:	
	A A														BACK HEIGHT:	44.3 1.7 YD
		and conference room seating.	A37	680	735	770	825	885	955	1030	860	905	1125			27 SQ FT
0 0	, 4 o															44.0 LB
		:		SEAT SLIE	DER (SS)	- ADD \$6	0								:	
DEL				1											WIDTH:	27.3
	Y5	HIGH-BACK		A/COM	В	C	D	E	F	G	L3/COL	L4	L5	Pneumatic Seat Height Adjustment	DEPTH:	26.5
	\wedge	ADJUSTABLE BACK	ARMLESS	575	630	665	720	780	850	925	755	800	1020	Synchro with Independent Back Angle Lock	HEIGHT:	44.50-49.00
\neg		FULL SYNCHRO TILT	A10	660	715	750	805	865	935	1010	840	885	1105	4 Back Locking Positions	SEAT WIDTH:	20.0
	///	CONTROL	A19	775	830	865	920	980	1050	1125	955	1000	1220	Side Tension Control	SEAT DEPTH:	
10			A27	755	810	845	900	960	1030	1105	935	980	1200	Standard Seat Slider Adds "" Adjustment	SEAT HEIGHT:	
<u> </u>	KAK	High function full synchro control				-							BACK WIDTH:			
	A A	with independent back angle adjust.	A36	680	735	770	825	885	955	1030	860	905	1125	Hated for 300 lbs BAC	BACK HEIGHT:	
		Use for general office, task, or	A37	700	755	790	845	905	975	1050	880	925	1145		COM: COL:	1.7 YD 27 SQ FT
0 0	, 9 a	management.														27 SQ FI 44.0 LB
				E SEAT SLIE	ER (SS)	- STANDA	RD									

AVAILABLE JANUARY 2017

PACKAGING)NS	
	PACKAG	ING NOTES	
	CODE	DESCRIPTION	LIST UPCHARGE
	AB	ASSEMBLED IN BAG FOR WILL CALL	\$0
	PAC	PARTIALLY ASSEMBLED IN CARTON	\$0
	BAC	BACK ASSEMBLED IN CARTON	\$40
(

ARM OPTIONS



Soft Touch Cantilever style C-Shaped Arm



8-Way Adjustable Arms Soft-Touch sliding and pivoting arm pads.

CASTER OPTIONS



Standard with BA11 60mm Hoodless Casters



Polished Aluminum C-Shape Arm



10 -Way Adjustable Arms Soft-Touch sliding and pivoting arm pads with 4" arm width adjustment activated via knob under seat.



60mm Hoodless Hard Floor Casters



Polished Aluminum C-Shape Arm with matching upholstered pad



60mm Chrome Accented Hoodless Casters Standard with Polished Base.

ADDITIONAL OPTIONS



Seat Slider 2.5" Side Paddle Activated (for Models with Y2 Control)



27" Mid-Profile Black Plastic Base



27" High Profile Polished Aluminum Base acclaim

9005°

agent lending comfort, durability and value to every project

LOW-BACK

GSA SIN # 711-18

- Task, stool, and conference seating
- Ratchet back height adjustment on P1, R1, M1, and Y2 models
- Warranted up to 250 lbs with B2, S2, R1, P1
- Warranted up to 300 lbs with M1, Y2 • CAL TB 133 Fire Code approved





MODEL	CONTROL	DESCRIPTION	ARM	FABRIC								FEATURES DIMENSIONS
				A/COM	В	C	D	E	F	G		
1425	B2		ARMLESS	275	300	320	345	375	410	445		360 Degree Swivel WIDTH: 27.0 Pneumatic Seat Height Adjustment DEPTH: 26.5
		LOW-BACK	A1	345	370	390	415	445	480	515		Adjustable Back Depth HEIGHT: 31.5-36.0
		BASIC CONTROL	A4	350	375	395	420	450	485	520		Rated for 250 lbs SEAT WIDTH: 19.5
\frown	\mathbb{A}		A5	370	395	415	440	470	505	540		SEAT DEPTH: 15.5
		Our basic control has simple	A6	405	430	450	475	505	540	575		SEAT HEIGHT: 17.5-22.0
		adjustments. Ideal for clerical,	A7	425	450	470	495	525	560	595		BACK WIDTH: 16.5
- H		casual meetings, and general office use.	A16	375	400	420	445	475	510	545		BACK HEIGHT: 16.5
			A36	380	405	425	450	480	515	550		COM: 0.8 YDS
ð	, Q ,		A37	400	425	445	460	500	535	570		WEIGHT: 33.0 LB
		•	•	. +00	420	113	400	500	555	570		•
				A/COM	В	C	D	E	F	G		Pneumatic Seat Height Adjustment WIDTH: 27.0
1425	\$2		ARMLESS	320	345	365	390	420	455	490		Tilt Tension Control DEPTH: 26.5
		LOW-BACK	A1	390	415	435	460	490	525	560		Seat and Back Tilt as a Unit HEIGHT: 31.5-36.0
\frown	m M	SWIVEL TILT CONTROL	A4	395	420	440	465	495	530	565		Upright Position Tilt Lock SEAT WIDTH: 19.5
			A5	415	440	460	485	515	550	585		Adjustable back depth SEAT DEPTH: 15.5 Rated for 250 lbs
	(\boldsymbol{y})	Use for a variety of general office	A6	450	475	495	520	550	585	620		SEAT HEIGHT: 17.5-22.0
		seating, including private office	A7	470	495	515	540	570	605	640		BACK WIDTH: 16.5
		and conference room seating.	A16	420	445	465	490	520	555	590		BACK HEIGHT: 16.5
ممال	ومارمع		A36	425	465	470	495	525	560	595		COM: 0.8 YDS Weight: 35.0 LB
Ø	Ø Č Ø Č		A37	445	485	490	515	545	580	615		WEIUNI: 35.0 LD
		:	;	:	r			r	1	1	r r	:
1 105				A/COM	В	C	D	E	F	G		Pneumatic Seat Height Adjustment WIDTH: 27.0
1425	P1		ARMLESS	360	385	405	430	460	495	530		Infinite back angle adjust with free float DEPTH: 26.5
		LOW-BACK	A1	430	455	475	500	530	565	600		Back Tilt Adjustment HEIGHT: 31.5-39.0
\frown	M	POSTURE BACK CONTROL	A4	435	460	480	505	535	570	605		Ratchet Back Height Lumbar SEAT WIDTH: 19.5 Adjustment
()			A5	455	480	500	525	555	590	625		Bated for 250 lbs SEAT DEPTH: 15.5
	\mathbb{W}	The articulating back provides	A6	490	515	535	560	590	625	660	-	SEAT HEIGHT: 17.5-22.0
		proper support for moderate	A7	510	535	555	580	610	645	680		BACK WIDTH: 16.5 Back Height: 16.5-19.5
-il-	-	tasking applications.	A16	460	485	505	530	560	595	630		COM: 0.8 YDS
ومال	6 Jag		A36	465	490	510	535	565	600	635		WEIGHT: 37.0 LB
0	U	1	A37	485	510	530	555	585	620	655		
			A37	A/COM	В	C	D	E	F	G		
1425	R1		ARMLESS	370	395	415	440	470	505	540		Pneumatic Seat Height Adjustment WIDTH: 27.0
		LOW-BACK ROCKING CONTROL	A1	440	465	485	510	540	575	610		Tilt Tension Control DEPTH: 26.5 Seat and Back Tilt as a Unit HFIGHT: 31 5-36 0
			A4	440	405	400	515	545	575	615		Electing Cost Desition Title cole
\frown	M	For managerial and task	A5		-	-	-	-				Findamig Seat Position The LOCK SEAT WIDTH: 19.5 Infinite Back Angle Adj w/ Free Float SEAT DEPTH: 15.5
)		applications. Similar to a swivel	AG	465	490	510	535	565	600	635		Ratchet Back Height Lumbar SEAT HEIGHT: 17.5-22.0
	YU	tilt control, with the added	AD A7	500	525	545	570	600	635	670		Adjustment RACK WIDTH: 16.5
THE STATE		comfort of infinite back angle		520	545	565	590	620	655	690		Rated for 250 lbs BACK HEIGHT: 16.5
	dia	and tilt adjustment.	A16	470	495	515	540	570	605	640	A	COM: 0.8 YDS
B B B B		A36	475	500	520	545	575	610	645		WEIGHT: 33.0 LB	
		· •	A37	495	520	540	565	595	630	665		

]	
PACKAG	AING NOTES	
CODE	DESCRIPTION	LIST UPCHARGE
AB	ASSEMBLED IN BAG FOR WILL CALL	\$0
PAC	PARTIALLY ASSEMBLED IN CARTON	\$0
BAC	BACK ASSEMBLED IN CARTON	\$40

ARM OPTIONS



Black soft touch loop arm



Black Soft Touch C-Shape Arm w/ Upholstered Pad 1/2 inch thick and 13" long

CASTER OPTIONS



0mm Hooded Casters

ADDITIONAL OPTIONS



eplace Knob with Bolt (for B2 or S2 Controls ONLY)



A4, 2-way adjustable arm for height A5, 4-way adjustable arm for height and width



8-Way Adjustable Arms Soft-Touch sliding and pivoting arm pads.



The A6 arm with Ura-Soft® arm pads, locking height adjustment, swivel pad, and adjustable arm pad position, A7 adds 4" arm width adjustment knob under seat.



10 -Way Adjustable Arms Soft-Touch sliding and pivoting arm pads with 4" arm width adjustment activated via knob under seat.



50mm Hooded Self-Locking Hard Floor Casters



1" extra foam on seat

50mm Hooded

Hard Floor Casters



1" Visco elastic memory foam on seat

agent

S e a t l n g

agent lending comfort, durability and value to every project

LOW-BACK

GSA SIN # 711-18

- Task, stool, and conference seating
- Ratchet back height adjustment on P1, R1, M1, and Y2 models
- Warranted up to 250 lbs with B2, S2, R1, P1
- Warranted up to 300 lbs with M1, Y2 • CAL TB 133 Fire Code approved





MODEL	CONTROL	DESCRIPTION	ARM	FABRIC								FEATURES DIMENSIONS
				: A/COM	В	C	D	E	F	G		Pneumatic Seat Height Adjustment WIDTH: 27.0
1425	M1		ARMLESS	420	445	465	490	520	555	590		Friedmand Seat Height Adjustment Will H: 27.0 Tilt Tension Control DEPTH: 26.5
		LOW-BACK	A1	490	515	535	560	590	625	660		Seat and Back Tilt as a Unit HEIGHT: 31.5-39.0
\bigcirc	M	MULTI-FUNCTION CONTROL	A4	495	520	540	565	595	630	665		Floating Seat Position Tilt Lock SEAT WIDTH: 19.5
		Fully articulating seat and back	A5	515	540	560	585	615	650	685		Infinite Back Angle Adj w/ Free Float Seat Pivots from 0° to 6° Forward
	\mathbb{W}	for the highest level of ergonomic	A6	550	575	595	620	650	685	720		Seat Privits from 0 to 8 Porward Seat Height 17.5-22.0 Ratchet Back Height Lumbar
		needs. Forward seat pitch	A7	570	595	615	640	670	705	740		Adjustment BACK WIDTH: 16.5
I		adjustment from 0 to 6 degrees.	A16	520	545	565	590	620	655	690		Rated for 300 lbs. BACK HEIGHT: 16.5-19.5
60100	6	· ·	A36	525	550	570	595	625	660	695		COM: 0.8 YDS
Ø	Ø		A37	555	570	590	615	645	680	715		WEIGHT: 43.0 LB
		:	•		r	ſ	f	f	f	1	r r	· · · · · · · · · · · · · · · · · · ·
	¥0.55			A/COM	В	C	D	E	F	G		Pneumatic Seat Height Adjustment WIDTH: 27.0
1425	Y2-SS		ARMLESS	460	485	505	530	560	595	630		Side Tilt Tension Control DEPTH: 26.5
		LOW-BACK	A1	530	555	575	600	630	665	700		Back and Seat Tilt in 2:1 ratio HEIGHT: 31.5-36.0
\frown	M	SYNCHRO TILT CONTROL	A4	535	560	580	605	635	670	705		4 Locking Positions Safety Tilt Release Safety Tilt Release
			A5	555	580	600	625	655	690	725		Batchet Back Height Lumbar SEAL DEPTH: 15.5
	(J)	Use for a variety of general office	A6	590	615	635	660	690	725	760	-	Adjustment SEAT HEIGHT: 17.5-22.0
		seating, including private office and	A7	610	635	655	680	710	745	780		SS Seat Slider standard BACK WIDTH: 16.5
		conference room seating.	A16	560	585	605	630	660	695	730		Rated for 300 lbs BACK HEIGHT: 16.5 COM: 0.8 YDS
6 Jag	6 Jag		A36	565	590	610	635	665	700	735		WEIGHT: 35.0 LB
U	0		A37	585	610	630	655	685	720	755		

]	
PACKAG	ING NOTES	
CODE	DESCRIPTION	LIST UPCHARGE
AB	ASSEMBLED IN BAG FOR WILL CALL	\$0
PAC	PARTIALLY ASSEMBLED IN CARTON	\$0
BAC	BACK ASSEMBLED IN CARTON	\$40

RM OPTIONS



lack soft touch loop arm



ack Soft Touch C-Shape rm w/ Upholstered Pad 1/2 ch thick and 13" long

STER OPTIONS



mm Hooded Casters

DITIONAL OPTIONS



place Knob with Bolt (for or S2 Controls ONLY)



A4, 2-way adjustable arm for height A5, 4-way adjustable arm for height and width



8-Way Adjustable Arms Soft-Touch sliding and pivoting arm pads.



The A6 arm with Ura-Soft® arm pads, locking height adjustment, swivel pad, and adjustable arm pad position, A7 adds 4" arm width adjustment knob under seat.



10 -Way Adjustable Arms Soft-Touch sliding and pivoting arm pads and 4" arm width knob under seat.



50mm Hooded Hard Floor Casters



50mm Hooded Self-Locking Hard Floor Casters



1" extra foam on seat



1" Visco elastic memory foam on seat

S e a t l n g



LOW-BACK STOOL

GSA SIN # 711-18

- Task, stool, and conference seating
- Ratchet back height adjustment on P1
- Warranted up to 250 lbs
- CAL TB 133 Fire Code approved





	CONTROL	DESCRIPTION	ARM	FABRIC								FEATURES	DIMENSIONS
		÷	:	A/COM	В	C	D	E	F	G			-
1426	B2		ARMLESS	400	425	445	470	500	535	570		360 Degree Swivel	WIDTH: 27.0
			A1	470	495	515	540	570	605	640		Pneumatic Seat Height Adjustment	DEPTH: 26.5
\bigcirc	M	10" STOOL	A4	475	500	520	545	575	610	645		Adjustable Back Depth Height Adjustable Footring	HEIGHT: 40.5-50.5
		BASIC CONTROL	A5	495	520	540	565	595	630	665		Rated for 250 lbs	SEAT WIDTH: 19.5
	W		A6	530	555	575	600	630	665	700			SEAT DEPTH: 15.5
	(FI)	Use for work surfaces up to 42	A7	550	575	595	620	650	685	720			SEAT HEIGHT: 26.5-36.5 BACK WIDTH: 16.5
	<u>_</u>	inches high.	A16	500	525	545	570	600	635	670			BACK HEIGHT: 16.5
لملحر	حلحر		A36	505	530	550	575	605	640	675			COM: 0.8 YDS
	ومارمع		A37	525	550	570	595	625	660	695			WEIGHT: 38.0 LB
	-				ER (SS) - N	OT AVAILAI	BLE						
				A/COM	В	C	D	E	F	G			
1426	P1		ARMLESS	485	510	530	555	585	620	655		 Pneumatic Seat Height Adjustment Infinite back angle adjust with free float 	WIDTH: 27.0
			A1	555	580	600	625	655	690	725		 Infinite back angle adjust with free float Ratchet Back Height Lumbar 	DEPTH: 26.5
\frown	M	10" STOOL	A4	560	585	605	630	660	695	730		Adjustment	HEIGHT: 40.5-53.5 SEAT WIDTH: 19.5
)	$\langle M \rangle$	POSTURE BACK CONTROL	A5	580	605	625	650	680	715	750		Height Adjustable Footring	SEAT DEPTH: 15.5
	Y		A6	615	640	660	685	715	750	785		Rated for 250 lbs	SEAT HEIGHT: 26.5-36.5
	A A A A A A A A A A A A A A A A A A A	Use for work surfaces up to 42	A7	635	660	680	705	735	770	805			BACK WIDTH: 16.5
_ H		inches high.	A16	585	610	630	655	685	720	755			BACK HEIGHT: 16.5-19.5
حلم	ala		A36	590	615	635	660	690	725	760			COM: 0.8 YDS
6 9	8 9 9		A37	610	635	655	680	710	755	780			WEIGHT: 42.0 LB
		:	:	SEAT SLIDE	R (SS) - N	OT AVAILA	BLE	. ,			· · · ·		÷
				A/COM	В	C	D	E	F	G			
1428	B2		ARMLESS	A/COM 400	B 425	C 445	D 470	E 500	F 535	G 570		360 Degree Swivel Broumatic Seat Height Adjuctment	WIDTH: 27.0
1428	В2		ARMLESS A1		-			_				Pneumatic Seat Height Adjustment	DEPTH: 26.5
1428	B2	8" STOOL		400	425	445	470	500	535	570			DEPTH: 26.5 HEIGHT: 35.0-43.0
1428	B2	8" STOOL BASIC CONTROL	A1	400 470	425 495	445 515	470 540	500 570	535 605	570 640		Pneumatic Seat Height AdjustmentAdjustable Back Depth	DEPTH: 26.5
1428	B2	BASIC CONTROL	A1 A4	400 470 475	425 495 500	445 515 520	470 540 545	500 570 575	535 605 610	570 640 645		 Pneumatic Seat Height Adjustment Adjustable Back Depth Height Adjustable Footring 	DEPTH: 26.5 HEIGHT: 35.0-43.0 SEAT WIDTH: 19.5 SEAT DEPTH: 15.5
1428	B2	BASIC CONTROL Use for work surfaces up to 36	A1 A4 A5	400 470 475 495	425 495 500 520	445 515 520 540	470 540 545 565	500 570 575 595	535 605 610 630	570 640 645 665		 Pneumatic Seat Height Adjustment Adjustable Back Depth Height Adjustable Footring 	DEPTH: 26.5 HEIGHT: 35.0-43.0 SEAT WIDTH: 19.5 SEAT DEPTH: 15.5
1428	B2	BASIC CONTROL	A1 A4 A5 A6	400 470 475 495 530	425 495 500 520 555	445 515 520 540 575	470 540 545 565 600	500 570 575 595 630	535 605 610 630 665	570 640 645 665 700		 Pneumatic Seat Height Adjustment Adjustable Back Depth Height Adjustable Footring 	DEPTH: 26.5 HEIGHT: 35.0-43.0 SEAT WIDTH: 19.5 SEAT DEPTH: 15.5 SEAT HEIGHT: 21.5-29.5
	B2	BASIC CONTROL Use for work surfaces up to 36	A1 A4 A5 A6 A7	400 470 475 495 530 550	425 495 500 520 555 575	445 515 520 540 575 595	470 540 545 565 600 620	500 570 575 595 630 650	535 605 610 630 665 685	570 640 645 665 700 720		 Pneumatic Seat Height Adjustment Adjustable Back Depth Height Adjustable Footring 	DEPTH: 26.5 HEIGHT: 35.0-43.0 SEAT WIDTH: 19.5 SEAT DEPTH: 15.5 SEAT HEIGHT: 21.5-29.5 BACK WIDTH: 16.5
1428	B2	BASIC CONTROL Use for work surfaces up to 36	A1 A4 A5 A6 A7 A16	400 470 475 495 530 550 500	425 495 500 520 555 575 525	445 515 520 540 575 595 545	470 540 545 565 600 620 570	500 570 575 595 630 650 600	535 605 610 630 665 685 635	570 640 645 665 700 720 670		 Pneumatic Seat Height Adjustment Adjustable Back Depth Height Adjustable Footring 	DEPTH: 26.5 HEIGHT: 35.0-43.0 SEAT WIDTH: 19.5 SEAT DEPTH: 15.5 SEAT HEIGHT: 21.5-29.5 BACK WIDTH: 16.5 BACK HEIGHT: 16.5
1428	B2	BASIC CONTROL Use for work surfaces up to 36	A1 A4 A5 A6 A7 A16 A36	400 470 475 495 530 550 500 505	425 495 500 520 555 575 525 530 530	445 515 520 540 575 595 545 550 550 570	470 540 545 565 600 620 570 575 595	500 570 575 595 630 650 600 605	535 605 610 630 665 685 635 635 640	570 640 645 665 700 720 670 675		 Pneumatic Seat Height Adjustment Adjustable Back Depth Height Adjustable Footring 	DEPTH: 26.5 HEIGHT: 35.0-43.0 SEAT WIDTH: 19.5 SEAT DEPTH: 15.5 SEAT HEIGHT: 21.5-29.5 BACK WIDTH: 16.5 BACK HEIGHT: 16.5 COM: 0.8 YDS
		BASIC CONTROL Use for work surfaces up to 36	A1 A4 A5 A6 A7 A16 A36 A37	400 470 475 530 550 500 505 525 SEAT SLIDE A/COM	425 495 500 520 555 575 525 530 550 8 (SS) - N B	445 515 520 540 575 595 545 550 570 0T AVAILAE C	470 540 545 565 6600 620 570 575 595 BLE D	500 570 575 595 630 650 600 605 625	535 605 610 630 665 685 635 640 660	570 640 645 665 700 720 670 675 695		 Pneumatic Seat Height Adjustment Adjustable Back Depth Height Adjustable Footring Rated for 250 lbs 	DEPTH: 26.5 HEIGHT: 35.0-43.0 SEAT WIDTH: 19.5 SEAT DEPTH: 15.5 SEAT HEIGHT: 21.5-29.5 BACK WIDTH: 16.5 BACK WIDTH: 16.5 COM: 0.8 YDS WEIGHT: 37.0 LB
1428	B2	BASIC CONTROL Use for work surfaces up to 36	A1 A4 A5 A6 A7 A16 A36 A37 ARMLESS	400 470 475 530 550 500 505 525 SEAT SLIDI 485	425 495 500 520 555 575 525 530 550 8 (SS) - N B 510	445 515 520 540 575 595 545 550 570 0T AVAILAE C 530	470 540 545 565 600 620 570 575 595 8LE D 555	500 570 575 595 630 650 600 605 605 605 625	535 605 610 630 665 685 685 640 660 660	570 640 645 665 700 720 670 675 695		 Pneumatic Seat Height Adjustment Adjustable Back Depth Height Adjustable Footring Rated for 250 lbs • Pneumatic Seat Height Adjustment	DEPTH: 26.5 HEIGHT: 35.0-43.0 SEAT WIDTH: 19.5 SEAT DEPTH: 15.5 SEAT DEPTH: 21.5-29.5 BACK WIDTH: 16.5 BACK WIDTH: 16.5 COM: 0.8 YDS WEIGHT: 37.0 LB
		BASIC CONTROL Use for work surfaces up to 36 inches high.	A1 A4 A5 A6 A7 A16 A36 A37 ARMLESS A1	400 470 475 530 550 500 505 525 SEAT SLIDI 485 555	425 495 500 520 555 575 525 530 550 8 (SS) - N 8 8 550 8 (SS) - N 580	445 515 520 540 575 595 545 550 570 0T AVAILAE C 530 600	470 540 545 565 600 620 570 575 595 8UE D 555 625	500 570 575 595 630 650 600 605 625 E 585 655	535 605 610 630 665 685 635 640 660 F 620 690	570 640 645 665 700 720 670 675 695 695		 Pneumatic Seat Height Adjustment Adjustable Back Depth Height Adjustable Footring Rated for 250 lbs 	DEPTH: 26.5 HEIGHT: 35.0-43.0 SEAT WIDTH: 19.5 SEAT DEPTH: 15.5 SEAT HEIGHT: 21.5-29.5 BACK WIDTH: 16.5 BACK WIDTH: 16.5 COM: 0.8 YDS WEIGHT: 37.0 LB
		BASIC CONTROL Use for work surfaces up to 36 inches high. 8" STOOL	A1 A4 A5 A6 A7 A16 A36 A37 ARMLESS A1 A4	400 470 475 530 550 500 505 525 525 525 525 525 525 52	425 495 500 520 555 575 525 530 550 8 (SS) - N 8 8 550 550 550 550 550 550 550 550 550	445 515 520 540 575 595 545 550 570 0T AVAILAE C 530 600 605	470 540 545 565 600 620 570 575 595 8LE D 555 625 625 630	500 570 575 595 630 650 600 605 625 625 885 655 660	535 605 610 630 665 635 640 660 F 620 690 695	570 640 645 700 720 670 675 695 G 655 725 730		 Pneumatic Seat Height Adjustment Adjustable Back Depth Height Adjustable Footring Rated for 250 lbs Pneumatic Seat Height Adjustment Infinite back angle adjust with free float Ratchet Back Height Lumbar Adjustment 	DEPTH: 26.5 HEIGHT: 35.0-43.0 SEAT WIDTH: 19.5 SEAT DEPTH: 15.5 SEAT HEIGHT: 21.5-29.5 BACK WIDTH: 16.5 BACK HEIGHT: 16.5 COM: 0.8 YDS WEIGHT: 37.0 LB
		BASIC CONTROL Use for work surfaces up to 36 inches high.	A1 A4 A5 A6 A7 A16 A36 A37 ARMLESS A1 A4 A5	400 470 475 530 550 500 505 525 525 525 525 525 525 52	425 495 500 520 555 525 530 550 550 8 (SS) - N B 510 580 585 585	445 515 520 540 575 595 545 550 570 07 AVAILAE C 530 600 605 625	470 540 545 565 600 620 570 575 595 8LE D 555 625 625 630 650	500 570 575 595 630 650 600 605 605 625 625 655 660 680	535 605 610 630 665 685 635 640 660 660 F 620 690 695 695 715	570 640 645 700 720 670 675 695 695 725 725 730 750		 Pneumatic Seat Height Adjustment Adjustable Back Depth Height Adjustable Footring Rated for 250 lbs Pneumatic Seat Height Adjustment Infinite back angle adjust with free float Ratchet Back Height Lumbar Adjustment Height Adjustable Footring 	DEPTH: 26.5 HEIGHT: 35.0-43.0 SEAT WIDTH: 19.5 SEAT DEPTH: 15.5 SEAT DEPTH: 21.5-29.5 BACK WIDTH: 16.5 BACK WIDTH: 16.5 COM: 0.8 YDS WEIGHT: 37.0 LB WIDTH: 27.0 DEPTH: 26.5 HEIGHT: 35.0-46.0
	P1	BASIC CONTROL Use for work surfaces up to 36 inches high. 8" STOOL POSTURE BACK CONTROL	A1 A4 A5 A6 A7 A16 A36 A37 ARMLESS A1 A4	400 470 475 530 550 500 505 525 525 525 525 525 525 52	425 495 500 520 555 575 525 530 550 8 (SS) - N 8 8 550 550 550 550 550 550 550 550 550	445 515 520 540 575 595 545 550 570 0T AVAILAE C 530 600 605	470 540 545 565 600 620 570 575 595 8LE D 555 625 625 630	500 570 575 595 630 650 600 605 625 625 885 655 660	535 605 610 630 665 635 640 660 F 620 690 695	570 640 645 700 720 670 675 695 G 655 725 730		 Pneumatic Seat Height Adjustment Adjustable Back Depth Height Adjustable Footring Rated for 250 lbs Pneumatic Seat Height Adjustment Infinite back angle adjust with free float Ratchet Back Height Lumbar Adjustment 	DEPTH: 26.5 HEIGHT: 35.0-43.0 SEAT WIDTH: 19.5 SEAT DEPTH: 15.5 SEAT DEPTH: 15.5 BACK WIDTH: 16.5 BACK WIDTH: 16.5 COM: 0.8 YDS WEIGHT: 37.0 LB WIDTH: 27.0 DEPTH: 26.5 HEIGHT: 35.0-46.0 SEAT WIDTH: 19.5 SEAT DEPTH: 15.5
	P1	BASIC CONTROL Use for work surfaces up to 36 inches high. 8" STOOL POSTURE BACK CONTROL Use for work surfaces up to 36	A1 A4 A5 A6 A7 A16 A36 A37 ARMLESS A1 A4 A5	400 470 475 530 550 500 505 525 525 525 525 525 525 52	425 495 500 520 555 525 530 550 550 8 (SS) - N B 510 580 585 585	445 515 520 540 575 595 545 550 570 07 AVAILAE C 530 600 605 625	470 540 545 565 600 620 570 575 595 8LE D 555 625 625 630 650	500 570 575 595 630 650 600 605 605 625 625 655 660 680	535 605 610 630 665 685 635 640 660 660 F 620 690 695 695 715	570 640 645 700 720 670 675 695 695 725 725 730 750		 Pneumatic Seat Height Adjustment Adjustable Back Depth Height Adjustable Footring Rated for 250 lbs Pneumatic Seat Height Adjustment Infinite back angle adjust with free float Ratchet Back Height Lumbar Adjustment Height Adjustable Footring 	DEPTH: 26.5 HEIGHT: 35.0-43.0 SEAT WIDTH: 19.5 SEAT DEPTH: 15.5 SEAT DEPTH: 15.5 BACK WIDTH: 16.5 BACK HEIGHT: 16.5 COM: 0.8 YDS WEIGHT: 37.0 LB WIDTH: 27.0 DEPTH: 26.5 HEIGHT: 35.0-46.0 SEAT WIDTH: 19.5 SEAT WIDTH: 15.5
		BASIC CONTROL Use for work surfaces up to 36 inches high. 8" STOOL POSTURE BACK CONTROL	A1 A4 A5 A6 A7 A16 A36 A37 ARMLESS A1 A4 A5 A6	400 470 475 530 550 500 505 525 525 525 525 525 525 52	425 495 500 520 555 525 525 530 550 8 (SS) - N B 510 580 585 585 585 605	445 515 520 540 575 595 545 550 570 07 AVAILAE C 530 600 605 625 660	470 540 545 565 600 620 570 575 595 595 8LE D 5555 625 625 630 630 685	500 577 575 595 630 650 600 605 625 625 625 655 655 660 660 680 680 715	535 605 610 630 665 685 635 640 660 660 F 620 690 695 695 715	570 640 645 700 720 670 675 695 695 725 725 730 730 785		 Pneumatic Seat Height Adjustment Adjustable Back Depth Height Adjustable Footring Rated for 250 lbs Pneumatic Seat Height Adjustment Infinite back angle adjust with free float Ratchet Back Height Lumbar Adjustment Height Adjustable Footring 	DEPTH: 26.5 HEIGHT: 35.0-43.0 SEAT WIDTH: 19.5 SEAT DEPTH: 15.5 SEAT HEIGHT: 21.5-29.5 BACK WIDTH: 16.5 BACK HEIGHT: 16.5 COM: 0.8 YDS WEIGHT: 37.0 LB WIDTH: 27.0 DEPTH: 26.5 HEIGHT: 35.0-46.0 SEAT WIDTH: 19.5 SEAT DEPTH: 15.5 SEAT HEIGHT: 21.5-29.5
	P1	BASIC CONTROL Use for work surfaces up to 36 inches high. 8" STOOL POSTURE BACK CONTROL Use for work surfaces up to 36	A1 A4 A5 A6 A7 A16 A36 A37 A11 ARMLESS A1 A4 A5 A6 A7	400 470 475 530 550 505 525 525 525 525 525 525 525 52	425 495 500 520 555 575 525 530 550 550 550 8 550 550 550 550 550 550 550 550 550 55	445 515 520 540 575 595 545 550 570 OT AVAILAE C 530 600 605 625 660 680	470 540 545 665 600 620 570 575 595 8LE 0 555 625 625 630 630 650 650 685 705	500 570 575 595 630 650 600 605 625 625 625 655 660 655 660 680 715 735	535 605 610 630 665 685 635 640 660 660 F 620 690 695 695 715 750 770	570 640 645 700 720 670 675 695 695 725 725 725 730 730 750 785 805		 Pneumatic Seat Height Adjustment Adjustable Back Depth Height Adjustable Footring Rated for 250 lbs Pneumatic Seat Height Adjustment Infinite back angle adjust with free float Ratchet Back Height Lumbar Adjustment Height Adjustable Footring 	DEPTH: 26.5 HEIGHT: 35.0-43.0 SEAT WIDTH: 19.5 SEAT DEPTH: 15.5 SEAT HEIGHT: 21.5-29.5 BACK WIDTH: 16.5 BACK HEIGHT: 16.5 COM: 0.8 YDS WEIGHT: 37.0 LB WIDTH: 27.0 DEPTH: 26.5 HEIGHT: 35.0-46.0 SEAT WIDTH: 19.5 SEAT HEIGHT: 15.5 SEAT HEIGHT: 21.5-29.5 BACK WIDTH: 16.5

]	
PACKAG	AING NOTES	
CODE	DESCRIPTION	LIST UPCHARGE
AB	ASSEMBLED IN BAG FOR WILL CALL	\$0
PAC	PARTIALLY ASSEMBLED IN CARTON	\$0
BAC	BACK ASSEMBLED IN CARTON	\$40

ARM OPTIONS



Black soft touch loop arm



Black Soft Touch C-Shape Arm w/ Upholstered Pad 1/2 inch thick and 13" long

CASTER OPTIONS



50mm Hooded Casters

ADDITIONAL OPTIONS



Replace Knob with Bolt (for B2 or S2 Controls ONLY)



A4, 2-way adjustable arm for height A5, 4-way adjustable arm for height and width



8-Way Adjustable Arms Soft-Touch sliding and pivoting arm pads.



The A6 arm with Ura-Soft® arm pads, locking height adjustment, swivel pad, and adjustable arm pad position, A7 adds 4" arm width adjustment knob under seat.



10 -Way Adjustable Arms Soft-Touch sliding and pivoting arm pads and 4" arm width knob under seat.



50mm Hooded Self-Locking Hard Floor Casters

C2S

\$35



1" extra foam on seat

50mm Hooded

Hard Floor Casters



1" Visco elastic memory foam on seat

agent

agent lending comfort, durability and value to every project

MID-BACK

GSA SIN # 711-18

- Task, stool, and conference seatingRatchet back height adjustment on P1, R1,
- M1, and Y2 models • Warranted up to 250 lbs with S2, R1, P1
- Warranted up to 300 lbs with 02, 11, 11
- CAL TB 133 Fire Code approved





MODEL	CONTROL	DESCRIPTION	ARM	FABRIC								FEATURES	DIMENSIONS
				A/COM	в	C	D	E	F	G			
1660	B2		ARMLESS	340	370	390	420	455	495	535		360 Degree Swivel	WIDTH: 26.5
		MID-BACK	A1	410	440	460	490	525	565	605		Pneumatic Seat Height Adjustment Adjustable Real/ Death	DEPTH: 26.5
\frown	M	BASIC CONTROL	A4	415	445	465	495	530	570	610		Adjustable Back Depth Rated for 250 lbs	HEIGHT: 40.0-44.5
	() ()		A5	435	465	485	515	550	590	630			SEAT WIDTH: 22.0
)))))	Our basic control has simple	AG	433	500	520	550	585	625	665			SEAT DEPTH: 17.0
	V	adjustments. Ideal for clerical,	A0 A7	470	520	540	570	605	645	685			SEAT HEIGHT: 18.5-23.0 BACK WIDTH: 19.5
$\overline{\nabla}$	(ST	casual meetings, and general office								635			BACK HEIGHT: 23.0-26.0
le_		use.	A16 A36	440 445	470 475	490 495	520	555 560	595 600	640			COM: 0.9 YDS
H ~	6 1 3						525						WEIGHT: 40.0 LB
Ŭ,	Ŭ		A37	465	495	515	545	580	620	660			
				A/COM	В	C	D	E	F	G	4		
60	S2		ARMLESS	385	415	435	465	500	540	580	A	Pneumatic Seat Height Adjustment Tilt Tension Control	WIDTH: 26.5
			A1	455	485	505	535	570	610	650		It lension Control Seat and Back Tilt as a Unit	DEPTH: 26.5
	M	MID-BACK SWIVEL TILT CONTROL	A4	460	490	510	540	575	615	655		Upright Position Tilt Lock	HEIGHT: 40.0-44.5 SEAT WIDTH: 22.0
	///	SWIVEL HEI CONTROL	A5	480	510	530	560	595	635	675		Adjustable back depth	SEAT WIDTH: 22.0 SEAT DEPTH: 17.0
)))))	Use for a variety of general office	A6	515	545	565	595	630	670	710		Rated for 250 lbs	SEAT BEIGHT: 18.5-23.0
	Y	seating, including private office and	A7	535	565	585	615	650	690	730			BACK WIDTH: 19.5
		conference room seating.	A16	485	515	535	565	600	640	680			BACK HEIGHT: 23.0-26.0
de la comparte		ç	A36	490	520	540	570	605	645	685			COM: 0.9 YDS
y y	a fi s		A37	510	540	560	590	625	665	705			WEIGHT: 42.0 LB
		1 1											
				A/COM	В	C	D	E	F	G		 Documetic Sect Height Adjustment 	WINTH, 26.5
60	P1	· · · · · · · · · · · · · · · · · · ·	ARMLESS	A/COM 425	B 455	C 475	D 505	r		1	5	Pneumatic Seat Height Adjustment Infinite back angle adjust with free float	WIDTH: 26.5 DFPTH: 26.5
660	P1	MID-BACK	ARMLESS A1		_			E	F	G		Pneumatic Seat Height Adjustment Infinite back angle adjust with free float Back Tilt Adjustment	DEPTH: 26.5
660	P1	MID-BACK POSTURF BACK CONTROL		425	455	475	505	E 540	F 580	G 620		Infinite back angle adjust with free float	DEPTH: 26.5 HEIGHT: 40.0-47.5
660	P1	MID-BACK POSTURE BACK CONTROL	A1	425 495	455 525	475 545	505 575	E 540 610	F 580 650	G 620 690		 Infinite back angle adjust with free float Back Tilt Adjustment Ratchet Back Height Lumbar Adjustment 	DEPTH: 26.5
560	P1	POSTURE BACK CONTROL	A1 A4	425 495 500	455 525 530	475 545 550	505 575 580	E 540 610 615	F 580 650 655	G 620 690 695		 Infinite back angle adjust with free float Back Tilt Adjustment Ratchet Back Height Lumbar 	DEPTH: 26.5 HEIGHT: 40.0-47.5 SEAT WIDTH: 22.0
660			A1 A4 A5	425 495 500 520	455 525 530 550	475 545 550 570	505 575 580 600	E 540 610 615 635	F 580 650 655 675	G 620 690 695 715		 Infinite back angle adjust with free float Back Tilt Adjustment Ratchet Back Height Lumbar Adjustment 	DEPTH: 26.5 HEIGHT: 40.0-47.5 SEAT WIDTH: 22.0 SEAT DEPTH: 17.0
1660		POSTURE BACK CONTROL The articulating back provides	A1 A4 A5 A6	425 495 500 520 555	455 525 530 550 585	475 545 550 570 605	505 575 580 600 635	E 540 610 615 635 670	F 580 650 655 675 710	G 620 690 695 715 750		 Infinite back angle adjust with free float Back Tilt Adjustment Ratchet Back Height Lumbar Adjustment 	DEPTH: 26.5 HEIGHT: 40.0-47.5 SEAT WIDTH: 22.0 SEAT DEPTH: 17.0 SEAT HEIGHT: 18.5-23.0
660	P1	POSTURE BACK CONTROL The articulating back provides proper support for moderate tasking	A1 A4 A5 A6 A7	425 495 500 520 555 575	455 525 530 550 585 605	475 545 550 570 605 625	505 575 580 600 635 655	E 540 610 615 635 670 690	F 580 650 655 675 710 730	G 620 690 695 715 750 770		 Infinite back angle adjust with free float Back Tilt Adjustment Ratchet Back Height Lumbar Adjustment 	DEPTH: 26.5 HEIGHT: 40.0-47.5 SEAT WIDTH: 22.0 SEAT DEPTH: 17.0 SEAT HEIGHT: 18.5-23.0 BACK WIDTH: 19.5 BACK HEIGHT: 23.0-26.0 COM: 0.9 YDS
		POSTURE BACK CONTROL The articulating back provides proper support for moderate tasking	A1 A4 A5 A6 A7 A16	425 495 500 520 555 575 575 525	455 525 530 550 585 605 555	475 545 550 570 605 625 575	505 575 580 600 635 655 605	E 540 610 615 635 670 690 640	F 580 650 655 675 710 730 680	G 620 690 695 715 750 770 720		 Infinite back angle adjust with free float Back Tilt Adjustment Ratchet Back Height Lumbar Adjustment 	DEPTH: 26.5 HEIGHT: 40.0-47.5 SEAT WIDTH: 22.0 SEAT DEPTH: 17.0 SEAT HEIGHT: 18.5-23.0 BACK WIDTH: 19.5 BACK HEIGHT: 23.0-26.0
		POSTURE BACK CONTROL The articulating back provides proper support for moderate tasking	A1 A4 A5 A6 A7 A16 A36	425 495 500 520 555 575 525 530 530 550	455 525 530 550 585 605 555 560 580	475 545 550 605 625 575 580 600	505 575 580 600 635 655 605 610 630	E 540 610 615 635 670 690 640 645	F 580 655 675 710 730 680 685	6 620 690 695 715 750 770 720 725 745		 Infinite back angle adjust with free float Back Tilt Adjustment Ratchet Back Height Lumbar Adjustment 	DEPTH: 26.5 HEIGHT: 40.0-47.5 SEAT WIDTH: 22.0 SEAT DEPTH: 17.0 SEAT HEIGHT: 18.5-23.0 BACK WIDTH: 19.5 BACK HEIGHT: 23.0-26.0 COM: 0.9 YDS
The second secon		POSTURE BACK CONTROL The articulating back provides proper support for moderate tasking applications.	A1 A4 A5 A6 A7 A16 A36	425 495 500 520 555 575 525 530	455 525 530 550 585 605 555 560	475 545 550 570 605 625 575 580	505 575 580 600 635 655 605 610	E 540 610 615 635 670 690 640 645 665	F 580 650 655 675 710 730 680 685 705	G 620 690 695 715 750 770 720 725		 Infinite back angle adjust with free float Back Tilt Adjustment Ratchet Back Height Lumbar Adjustment Rated for 250 lbs Pneumatic Seat Height Adjustment 	DEPTH: 26.5 HEIGHT: 40.0-47.5 SEAT WIDTH: 22.0 SEAT DEPTH: 17.0 SEAT HEIGHT: 18.5-23.0 BACK WIDTH: 19.5 BACK HEIGHT: 23.0-26.0 COM: 0.9 YDS WEIGHT: 44.0 LB
		POSTURE BACK CONTROL The articulating back provides proper support for moderate tasking applications.	A1 A4 A5 A6 A7 A16 A36 A37	425 495 500 555 575 525 530 530 550	455 525 530 550 585 605 555 560 580	475 545 550 605 625 575 580 600	505 575 580 600 635 655 605 610 630	E 540 610 615 635 670 690 640 645 665 E	F 580 650 655 675 710 730 680 685 705	6 620 690 695 715 750 770 720 725 745		 Infinite back angle adjust with free float Back Tilt Adjustment Ratchet Back Height Lumbar Adjustment Rated for 250 lbs Pneumatic Seat Height Adjustment Tilt Tension Control 	DEPTH: 26.5 HEIGHT: 40.0-47.5 SEAT WIDTH: 22.0 SEAT DEPTH: 17.0 SEAT HEIGHT: 18.5-23.0 BACK WIDTH: 19.5 BACK HEIGHT: 23.0-26.0 COM: 0.9 YDS WEIGHT: 44.0 LB WIDTH: 26.5
		POSTURE BACK CONTROL The articulating back provides proper support for moderate tasking applications.	A1 A4 A5 A6 A7 A16 A36 A37	425 495 500 520 555 575 525 530 550 550	455 525 530 550 585 605 555 560 580 580 8 8 465 535	475 545 550 605 625 575 580 600 C 485 555	505 575 580 600 635 655 605 610 630 630 515 515 585	E 540 610 615 635 670 690 640 645 665 E 550 620	F 580 650 655 675 710 730 680 685 705 F 590 660	6 620 690 695 715 750 770 720 725 745 630 630		 Infinite back angle adjust with free float Back Tilt Adjustment Ratchet Back Height Lumbar Adjustment Rated for 250 lbs Pneumatic Seat Height Adjustment Tilt Tension Control Seat and Back Tilt as a Unit 	DEPTH: 26.5 HEIGHT: 40.0-47.5 SEAT WIDTH: 22.0 SEAT DEPTH: 17.0 SEAT HEIGHT: 18.5-23.0 BACK WIDTH: 19.5 BACK HEIGHT: 23.0-26.0 COM: 0.9 YDS WEIGHT: 26.5 DEPTH: 26.5 HEIGHT: 26.5 HEIGHT: 40.0-47.5
		POSTURE BACK CONTROL The articulating back provides proper support for moderate tasking applications. MID-BACK ROCKING CONTROL	A1 A4 A5 A6 A7 A16 A36 A37 ARMLESS A1 A4	425 495 500 520 555 575 525 530 550 550 435 435 505 510	455 525 530 550 585 605 555 560 580 580 580 580	475 545 550 605 625 575 580 600 600 c 485 555 550	505 575 580 600 635 605 605 610 630 610 630	E 540 610 615 635 670 690 640 645 665 E 550 620 620 625	F 580 650 655 675 710 730 680 685 705	6 620 690 695 715 750 770 720 725 745 745 630 630 700 705		 Infinite back angle adjust with free float Back Tilt Adjustment Ratchet Back Height Lumbar Adjustment Rated for 250 lbs Pneumatic Seat Height Adjustment Tilt Tension Control Seat and Back Tilt as a Unit Floating Seat Position Tilt Lock 	DEPTH: 26.5 HEIGHT: 40.0-47.5 SEAT WIDTH: 22.0 SEAT DEPTH: 17.0 SEAT HEIGHT: 18.5-23.0 BACK WIDTH: 19.5 BACK HEIGHT: 23.0-26.0 COM: 0.9 YDS WEIGHT: 26.5 DEPTH: 26.5 BEIGHT: 40.0-47.5 SEAT WIDTH: 22.0
		POSTURE BACK CONTROL The articulating back provides proper support for moderate tasking applications. MID-BACK ROCKING CONTROL For managerial and task	A1 A4 A5 A6 A7 A16 A36 A37 A37 ARMLESS A1 A4 A5	425 495 500 520 555 575 525 530 550 550 435 505 510 530	455 525 530 550 585 605 555 560 580 580 580 580 580 580 535 540 560	475 545 550 605 625 575 580 600 C 485 555 550 580	505 575 580 600 635 655 600 635 610 515 585 590 610	E 540 610 615 635 670 690 640 645 665 665 E 550 620 625 625 645	F 580 650 655 710 730 680 685 705	6 620 690 695 715 750 770 725 745 630 700 705 725 725		 Infinite back angle adjust with free float Back Tilt Adjustment Ratchet Back Height Lumbar Adjustment Rated for 250 lbs Pneumatic Seat Height Adjustment Tilt Tension Control Seat and Back Tilt as a Unit 	DEPTH: 26.5 HEIGHT: 40.0-47.5 SEAT WIDTH: 22.0 SEAT DEPTH: 17.0 SEAT HEIGHT: 18.5-23.0 BACK WIDTH: 19.5 BACK WIDTH: 19.5 BACK HEIGHT: 23.0-26.0 COM: 0.9 YDS WEIGHT: 44.0 LB WIDTH: 26.5 DEPTH: 26.5 HEIGHT: 40.0-47.5 SEAT WIDTH: 22.0 SEAT WIDTH: 16.0
		POSTURE BACK CONTROL The articulating back provides proper support for moderate tasking applications. MID-BACK ROCKING CONTROL For managerial and task applications. Similar to a swivel	A1 A4 A5 A6 A7 A16 A36 A37 A37 A37 A37 A37 A37 A37 A37 A37 A37	425 495 500 520 555 575 525 530 550 550 435 505 510 530 530 530 530 550	455 525 530 550 585 605 555 560 580 580 8 465 535 540 540 560 595	475 545 550 605 625 575 580 600 C 485 555 550 580 580 580 615	505 575 580 600 635 605 605 605 605 605 610 535 585 590 610 610 645	E 540 610 615 635 670 690 640 645 665 550 625 625 625 625 645 680	F 580 650 655 710 730 680 685 705	6 620 690 695 715 750 770 725 745 630 700 705 725 725 725 726 725 725 725 725 725 725 725 725 725 760		 Infinite back angle adjust with free float Back Tilt Adjustment Ratchet Back Height Lumbar Adjustment Rated for 250 lbs Pneumatic Seat Height Adjustment Tilt Tension Control Seat and Back Tilt as a Unit Floating Seat Position Tilt Lock Infinite Back Angle Adj w/ Free Float Ratchet Back Height Lumbar Adjustment 	DEPTH: 26.5 HEIGHT: 40.0-47.5 SEAT WIDTH: 22.0 SEAT DEPTH: 17.0 SEAT HEIGHT: 18.5-23.0 BACK WIDTH: 19.5 BACK WIDTH: 23.0-26.0 COM: 0.9 YDS WEIGHT: 26.5 DEPTH: 26.5 BEIGHT: 40.0-47.5 SEAT WIDTH: 22.0 SEAT WIDTH: 16.0 SEAT HEIGHT: 18.5-23.0
The second secon		POSTURE BACK CONTROL The articulating back provides proper support for moderate tasking applications. MID-BACK ROCKING CONTROL For managerial and task applications. Similar to a swivel tilt control, with the added	A1 A4 A5 A6 A7 A16 A36 A37 A37 A37 A37 A37 A37 A37 A37 A37 A37	425 495 500 520 555 575 525 530 550 550 435 505 510 530 530 530 530 555 530	455 525 530 550 585 605 555 560 580 580 8 465 535 540 540 595 595 615	475 545 550 605 625 575 580 600 C 485 555 560 485 555 560 580 615 635	505 575 580 600 635 655 600 635 605 610 515 585 590 610 645 665	E 540 610 615 635 670 690 640 645 665 865 620 625 620 625 645 680 700	F 580 650 655 710 730 680 685 705	6 620 690 695 715 750 770 725 745 630 700 705 725 760 780		 Infinite back angle adjust with free float Back Tilt Adjustment Ratchet Back Height Lumbar Adjustment Rated for 250 lbs Pneumatic Seat Height Adjustment Tilt Tension Control Seat and Back Tilt as a Unit Floating Seat Position Tilt Lock Infinite Back Angle Adj w/ Free Float Ratchet Back Height Lumbar 	DEPTH: 26.5 HEIGHT: 40.0-47.5 SEAT WIDTH: 22.0 SEAT DEPTH: 17.0 SEAT HEIGHT: 18.5-23.0 BACK WIDTH: 19.5 BACK WIDTH: 23.0-26.0 COM: 0.9 YDS WEIGHT: 26.5 DEPTH: 26.5 BEIGHT: 40.0-47.5 SEAT WIDTH: 22.0 SEAT MEIGHT: 16.0 SEAT HEIGHT: 18.5-23.0 BACK WIDTH: 19.5
		POSTURE BACK CONTROL The articulating back provides proper support for moderate tasking applications. MID-BACK ROCKING CONTROL For managerial and task applications. Similar to a swivel tilt control, with the added comfort of infinite back angle	A1 A4 A5 A6 A7 A16 A36 A37 A37 ARMLESS A1 A4 A5 A6 A7 A16	425 495 500 520 555 575 525 530 550 550 435 505 510 530 530 565 585 585 585	455 525 530 550 585 605 555 560 580 580 580 535 540 535 540 535 540 505 595 615	475 545 550 605 625 575 580 600 C 485 555 560 485 555 560 580 615 635 635	505 575 580 600 635 655 605 610 630 515 585 590 610 645 665 615	E 540 610 615 635 670 690 640 645 665 550 622 625 622 625 622 625 622 625 620 625 620 625 630 630 630 630 630	F 580 650 655 710 730 680 685 705 F 590 660 665 685 720 740 690	6 620 690 695 715 750 770 725 745 630 700 705 725 760 780 730		 Infinite back angle adjust with free float Back Tilt Adjustment Ratchet Back Height Lumbar Adjustment Rated for 250 lbs Pneumatic Seat Height Adjustment Tilt Tension Control Seat and Back Tilt as a Unit Floating Seat Position Tilt Lock Infinite Back Angle Adj w/ Free Float Ratchet Back Height Lumbar Adjustment 	DEPTH: 26.5 HEIGHT: 40.0-47.5 SEAT WIDTH: 22.0 SEAT DEPTH: 17.0 SEAT DEPTH: 18.5-23.0 BACK WIDTH: 19.5 BACK WIDTH: 19.5 BACK HEIGHT: 23.0-26.0 COM: 0.9 YDS WEIGHT: 26.5 DEPTH: 26.5 HEIGHT: 40.0-47.5 SEAT MEIDTH: 22.0 SEAT DEPTH: 16.0 SEAT HEIGHT: 18.5-23.0 BACK WIDTH: 19.5 BACK WIDTH: 19.5 BACK WIDTH: 19.5
		POSTURE BACK CONTROL The articulating back provides proper support for moderate tasking applications. MID-BACK ROCKING CONTROL For managerial and task applications. Similar to a swivel tilt control, with the added	A1 A4 A5 A6 A7 A16 A36 A37 A37 A37 A37 A37 A37 A37 A37 A37 A37	425 495 500 520 555 575 525 530 550 550 435 505 510 530 530 530 530 555 530	455 525 530 550 585 605 555 560 580 580 8 465 535 540 540 595 595 615	475 545 550 605 625 575 580 600 C 485 555 560 485 555 560 580 615 635	505 575 580 600 635 655 600 635 605 610 515 585 590 610 645 665	E 540 610 615 635 670 690 640 645 665 865 620 625 620 625 645 680 700	F 580 650 655 710 730 680 685 705 F 590 660 6655 685 720 740	6 620 690 695 715 750 770 725 745 630 700 705 725 760 780		 Infinite back angle adjust with free float Back Tilt Adjustment Ratchet Back Height Lumbar Adjustment Rated for 250 lbs Pneumatic Seat Height Adjustment Tilt Tension Control Seat and Back Tilt as a Unit Floating Seat Position Tilt Lock Infinite Back Angle Adj w/ Free Float Ratchet Back Height Lumbar Adjustment 	DEPTH: 26.5 HEIGHT: 40.0-47.5 SEAT WIDTH: 22.0 SEAT DEPTH: 17.0 SEAT HEIGHT: 18.5-23.0 BACK WIDTH: 19.5 BACK WIDTH: 23.0-26.0 COM: 0.9 YDS WEIGHT: 26.5 DEPTH: 26.5 BEIGHT: 40.0-47.5 SEAT WIDTH: 22.0 SEAT MEIGHT: 16.0 SEAT HEIGHT: 18.5-23.0 BACK WIDTH: 19.5

CODE DESCRIPTION LIST UPCHARGE AB ASSEMBLED IN BAG FOR WILL CALL \$0 PAC PARTIALLY ASSEMBLED IN CARTON \$0]	
AB ASSEMBLED IN BAG FOR WILL CALL \$0 PAC PARTIALLY ASSEMBLED IN CARTON \$0	PACKAG	ING NOTES	
PAC PARTIALLY ASSEMBLED IN CARTON \$0	CODE	DESCRIPTION	LIST UPCHARGE
	AB	ASSEMBLED IN BAG FOR WILL CALL	\$0
	PAC	PARTIALLY ASSEMBLED IN CARTON	\$0
BAC BACK ASSEMBLED IN CARTON \$40	BAC	BACK ASSEMBLED IN CARTON	\$40

ARM OPTIONS



Black soft touch loop arm



Black Soft Touch C-Shape Arm w/ Upholstered Pad 1/2 inch thick and 13" long

CASTER OPTIONS



50mm Hooded Casters

ADDITIONAL OPTIONS



Replace Knob with Bolt (for B2 or S2 Controls ONLY)



A4, 2-way adjustable arm for height A5, 4-way adjustable arm for height and width



8-Way Adjustable Arms Soft-Touch sliding and pivoting arm pads.



The A6 arm with Ura-Soft® arm pads, locking height adjustment, swivel pad, and adjustable arm pad position, A7 adds 4" arm width adjustment knob under seat.



10 -Way Adjustable Arms Soft-Touch sliding and pivoting arm pads and 4" arm width knob under seat.



50mm Hooded Self-Locking Hard Floor Casters

C2S

\$35



1" extra foam on seat

50mm Hooded

Hard Floor

Casters



1" Visco elastic memory foam on seat

agent



MID-BACK

GSA SIN # 711-18

- Task, stool, and conference seating
- Ratchet back height adjustment on P1
- Warranted up to 250 lbs with S2, R1, P1
- Warranted up to 300 lbs with M1, Y2
- CAL TB 133 Fire Code approved





1660 M1		ARM	F	FABRIC								FEATURES	DIMENSIONS
1660 M1	:		;	A/COM	B	C	D	E	F	G			:
•		ARMLESS	1	485	515	535	565	600	640	680		Pneumatic Seat Height Adjustment	WIDTH: 26.5
	MID-BACK	A1		555	585	605	635	670	710	750		Tilt Tension Control Sect and Reak Tilt on a Lipit	DEPTH: 26.5
· · · · · · · · · · · · · · · · · · ·	MULTI-FUNCTION CONTROL	A4	1	560	590	610	640	675	715	755		Seat and Back Tilt as a UnitFloating Seat Position Tilt Lock	HEIGHT: 38.5-44.0
		A5		580	610	630	660	695	735	775		Infinite Back Angle Adj w/ Free Float	SEAT WIDTH: 22.0
	Fully articulating seat and back	AG	1.1	615	645	665	695	730	770	810		 Seat Pivots from 0° to 6° Forward 	SEAT DEPTH: 17.5-20.5
	for the highest level of ergonomic					685		1	1	830		Ratchet Back Height Lumbar	SEAT HEIGHT: 18.5-23.0
	needs. Forward seat pitch	A7	- L	635	665		715	750	790			Adjustment	BACK WIDTH: 19.5
dh dh	adjustment from 0 to 6 degrees.	A16		585	615	635	665	700	740	780		Rated for 300 lbs	BACK HEIGHT: 23.0-26.0
		A36	÷.,	590	620	640	670	705	745	785			COM: 0.9 YDS Weight: 52.0 LB
0 0		A37		610	640	660	690	725	765	805			WEIGHT. JZ.U LD
			<u> </u>	A/00M					F				•
				A/COM	B	C	D	E		G		Pneumatic Seat Height Adjustment	WIDTH: 26.5
1660 Y2-SS		ARMLESS		525	555	575	605	640	680	720		Side Tilt Tension Control	DEPTH: 26.5
	MID-BACK	A1		595	625	645	675	710	750	790		Back and Seat Tilt in 2:1 ratio	HEIGHT: 38.5-44.0
	SYNCHRO TILT CONTROL	A4		600	630	650	680	715	755	795		4 Locking Positions	SEAT WIDTH: 22.0
		A5	1.	620	650	670	700	735	775	815		Safety Tilt Release	SEAT DEPTH: 17.5-20.5
	Use for a variety of general office	A6		655	685	705	735	770	810	850		Ratchet Back Height Lumbar	SEAT HEIGHT: 18.5-23.0
	seating, including private office and	A7		675	705	725	755	790	830	870		Adjustment SS Seat Slider standard 	BACK WIDTH: 19.5
	conference room seating.	A16		625	655	675	705	740	780	820		Rated for 300 lbs	BACK HEIGHT: 23.0-26.0
	Ğ	A36	1	630	660	680	710	745	785	825			COM: 0.9 YDS
H a a H a		A37	1	650	680	700	730	765	805	845			WEIGHT: 52.0 LB
:	:		: s	SEAT SLIDI	ER (SS) -	STANDARI	D WITH TH	IIS CONFIC	GURATION				:
1660 GT				A/COM	в	C	D	E	F	G		Cantilever Base Design	WIDTH: 26.5
		ARMLESS		320	350	370	400	435	475	515		Rated for 250 lbs	DEPTH: 26.5
\frown \frown		A1		390	420	440	470	505	545	585			HEIGHT: 40.0
	GUEST												SEAT WIDTH: 22.0
	doesi						-						SEAT DEPTH: 17.0
	Well suited for guest seating.		- L										SEAT HEIGHT: 17.0
	the survey for guest seating.												BACK WIDTH: 19.5
													BACK HEIGHT: 23.0
													COM: 0.9 YDS
			1,			COLUMN ST	D PAC OR A				,		WEIGHT: 42.0 LB

OPTIONS]	
PACKAG	ING NOTES	
CODE	DESCRIPTION	LIST UPCHARGE
AB	ASSEMBLED IN BAG FOR WILL CALL	\$0
PAC	PARTIALLY ASSEMBLED IN CARTON	\$0
BAC	BACK ASSEMBLED IN CARTON	\$40

RM OPTIONS



Black soft touch loop arm



lack Soft Touch C-Shape rm w/ Upholstered Pad 1/2 nch thick and 13" long

ASTER OPTIONS



mm Hooded Casters

DDITIONAL OPTIONS



eplace Knob with Bolt (for 2 or S2 Controls ONLY)



A4, 2-way adjustable arm for height A5, 4-way adjustable arm for height and width



8-Way Adjustable Arms Soft-Touch sliding and pivoting arm pads.



The A6 arm with Ura-Soft® arm pads, locking height adjustment, swivel pad, and adjustable arm pad position, A7 adds 4" arm width adjustment knob under seat.



10 -Way Adjustable Arms Soft-Touch sliding and pivoting arm pads and 4" arm width knob under seat.



50mm Hooded Self-Locking Hard Floor Casters

C2S

\$35



1" extra foam on seat

50mm Hooded

Hard Floor Casters



1" Visco elastic memory foam on seat

agent



MID-BACK STOOL

GSA SIN # 711-18

- Task, stool, and conference seating
- Ratchet back height adjustment on P1
- Warranted up to 250 lbs
- CAL TB 133 Fire Code approved





MODEL	CONTROL	DESCRIPTION	ARM	FABRIC								FEATURES	DIMENSIONS
		•		: A/COM	в	C	D	E	F	G		:	
1666	B2		ARMLESS	465	495	515	545	580	620	660		360 degree swivel	WIDTH: 26.5
	52		A1	535	565	585	615	650	690	730		Pneumatic Seat Height Adjustment	DEPTH: 26.5
\frown	D	10" STOOL	A4	540	570	590	620	655	695	735		Adjustable Back Depth Height Adjustable Ecotring	HEIGHT: 47.5-57.5
)	///	BASIC CONTROL	A5	560	590	610	640	675	715	755		Height Adjustable FootringRated for 250 lbs	SEAT WIDTH: 22.0
			A6	595	625	645	675	710	750	790			SEAT DEPTH: 17.0
	le f	Use for work surfaces up to 42	A7	615	645	665	695	730	770	810			SEAT HEIGHT: 26.5-36.5
		inches high.	A16	565	595	615	645	680	720	760			BACK WIDTH: 19.5 BACK HEIGHT: 23.0
			A36	570	600	620	650	685	725	765			COM: 0.9 YDS
ومال	En los		A37	590	620	640	670	705	745	785			WEIGHT: 46.0 LB
0	0		101	SEAT SLID		1		100	140	100			1010 25
		:		A/COM	В	C	D	E	F	G		:	
1666	P1		ARMLESS	550	580	600	630	665	705	745		 Pneumatic Seat Height Adjustment 	WIDTH: 26.5
	·		A1	620	650	670	700	735	775	815		Infinite back angle adjust with free float Batabat Rock Height Lumber	DEPTH: 26.5
\frown	M	10" STOOL	A4	625	655	675	705	740	780	820		 Ratchet Back Height Lumbar Adjustment 	HEIGHT: 47.5-61.0
)		POSTURE BACK CONTROL	A5	645	675	695	725	760	800	840		Height Adjustable Footring	SEAT WIDTH: 22.0
	$\left(\right) \right)$		A6	680	710	730	760	795	835	875		Rated for 250 lbs	SEAT DEPTH: 17.0
		Use for work surfaces up to 42	A7	700	730	750	780	815	855	895			SEAT HEIGHT: 26.5-36.5 BACK WIDTH: 19.5
<u>H</u>		inches high.	A16	650	680	700	730	765	805	845			BACK HEIGHT: 23.0-26.0
	<u> </u>		A36	655	685	705	735	770	810	850			COM: 0.9 YDS
وماله	وماليح		A37	675	705	725	755	790	830	870			WEIGHT: 50.0 LB
0	U U			SEAT SLIDI					000	0.0			
		1		A/COM	в	C	D	E	F	G	r.		
1668	B2		ARMLESS	465	495	515	545	580	620	660		360 degree swivel	WIDTH: 26.5
			A1	535	565	585	615	650	690	730		Pneumatic Seat Height Adjustment	DEPTH: 26.5
\frown	M	8" STOOL	A4	540	570	590	620	655	695	735		Adjustable back depth Height Adjustable Footring	HEIGHT: 43.5-51.5
	///	BASIC CONTROL	A5	560	590	610	640	675	715	755		Rated for 250 lbs	SEAT WIDTH: 22.0
\bigcirc	$U_{\rm L}$		A6	595	625	645	675	710	750	790			SEAT DEPTH: 17.0
	(Ter	Use for work surfaces up to 36	A7	615	645	665	695	730	770	810			SEAT HEIGHT: 22.5-30.5 BACK WIDTH: 19.5
		inches high.	A16	565	595	615	645	680	720	760			BACK WIDTH: 19.5 BACK HEIGHT: 23.0
	لملحر		A36	570	600	620	650	685	725	765			COM: 0.9 YDS
ومال	ومارمع		A37	590	620	640	670	705	745	785			WEIGHT: 45.0 LB
<u> </u>	0		AU1	SEAT SLIDI		NOT AVAIL		100	145	105		· · · · · · · · · · · · · · · · · · ·	
				A/COM	В	C	D	E	F	G			
1668	P1		ARMLESS	550	580	600	630	665	705	745		 Pneumatic Seat Height Adjustment 	WIDTH: 26.5
			A1	620	650	670	700	735	775	815		Infinite back angle adjust with free float	DEPTH: 26.5
\frown	M	8" STOOL	A4	625	655	675	705	740	780	820		 Ratchet Back Height Lumbar Adjustment 	HEIGHT: 43.5-55.0
		POSTURE BACK CONTROL	A5	645	675	695	725	760	800	840		Height Adjustable Footring	SEAT WIDTH: 22.0
	$\left(\right)$		A6	680	710	730	760	795	835	875		Rated for 250 lbs	SEAT DEPTH: 17.0
	Care and	Use for work surfaces up to 36	A7	700	730	750	780	815	855	895			SEAT HEIGHT: 22.5-30.5
<u> </u>		inches high.		650	680	700	730	765	805	845			BACK WIDTH: 19.5 BACK HEIGHT: 23.0-26.0
j,	dh		A16	655	685	700	735	705	810	850			COM: 0.9 YDS
همال			A36	675	705	705	755	790	830	870			WEIGHT: 49.0 LB
	U U	· · · · · · · · · · · · · · · · · · ·	A37	075	100	120	100	190	030	070			

PACKAGING NOTES code description List upcharge AB Assembled in bag for will call \$0 PAC PARTIALLY ASSEMBLED IN CARTON \$0 BAC BACK ASSEMBLED IN CARTON \$40]-[]	
AB ASSEMBLED IN BAG FOR WILL CALL \$0 PAC PARTIALLY ASSEMBLED IN CARTON \$0		PACKAG	AING NOTES	
PAC PARTIALLY ASSEMBLED IN CARTON \$0		CODE	DESCRIPTION	LIST UPCHARGE
		AB	ASSEMBLED IN BAG FOR WILL CALL	\$0
BAC BACK ASSEMBLED IN CARTON \$40		PAC	PARTIALLY ASSEMBLED IN CARTON	\$0
		BAC	BACK ASSEMBLED IN CARTON	\$40

ARM OPTIONS



Black soft touch loop arm



Black Soft Touch C-Shape Arm w/ Upholstered Pad 1/2 inch thick and 13" long

CASTER OPTIONS



50mm Hooded Casters

ADDITIONAL OPTIONS



Replace Knob with Bolt (for B2 or S2 Controls ONLY)



A4, 2-way adjustable arm for height A5, 4-way adjustable arm for height and width



8-Way Adjustable Arms Soft-Touch sliding and pivoting arm pads.



The A6 arm with Ura-Soft® arm pads, locking height adjustment, swivel pad, and adjustable arm pad position, A7 adds 4" arm width adjustment knob under seat.



10 -Way Adjustable Arms Soft-Touch sliding and pivoting arm pads and 4" arm width knob under seat.



50mm Hooded Hard Floor Casters



50mm Hooded Self-Locking Hard Floor Casters



1" extra foam on seat



1" Visco elastic memory foam on seat

9to5seating.com 888.925.SEAT



agent



MESH BACK

GSA SIN # 711-18

- Task, stool, management, and conference seating • Suspension seat incorporates a flexible high
- performance mesh with a molded high density
- foam overlay
- Choice of 8 back mesh colors
- Integrated handle in chair backOptional height adjustable lumbar
- Warranted up to 250 lbs on Y1
- Warranted up to 300 lbs on Y3
- CAL TB 133 Fire Code approved





MODEL	CONTROL	DESCRIPTION	ARM	FABRIC/LEATHER	FEATURES DIMENSIONS	ARM OPTIONS
1860	YI	MID-BACK SIMPLE SYNCHRO TILT CONTROL Use for a variety of general office seating, including private office and conference room seating.	ARMLESS A6 A8B / A8S A10 A36 A40 A41	A/COM B C D E F G L3/COL L4 L5 490 520 540 570 605 645 685 550 620 650 620 650 670 700 735 775 815 680 750 780 575 605 625 655 690 730 770 635 705 735 575 605 625 655 690 730 770 635 735 735 595 625 645 670 710 750 790 635 735 600 630 650 715 715 790 6605 730 760 620 650 670 700 735 715 815 680 750 780 620 650 670 700 735 715 815 680 750 780 SEXT SLUER </td <td> Pneumatic Seat Height Adjustment Tilt Tension Control Back and Seat Tilt in 3:1 Ratio Upright Position Tilt Lock Molded Foam Suspension Seat Optional Height Adjustable Lumbar Rated for 250 lbs Back WIDTH: Back HEIGHT: COM: COL: WEIGHT: </td> <td>27.5 36.0-40.5 21.0 16.5 18.0-22.5 19.0 18.5 19.0 19.0 18.5 19.0 19</td>	 Pneumatic Seat Height Adjustment Tilt Tension Control Back and Seat Tilt in 3:1 Ratio Upright Position Tilt Lock Molded Foam Suspension Seat Optional Height Adjustable Lumbar Rated for 250 lbs Back WIDTH: Back HEIGHT: COM: COL: WEIGHT: 	27.5 36.0-40.5 21.0 16.5 18.0-22.5 19.0 18.5 19.0 19.0 18.5 19.0 19
1860	Y3	MID-BACK FULL SYNCHRO TILT CONTROL Use for a variety of general office seating, including private office and conference room seating.	ARMLESS A6 A8B / A8S A10 A36 A40	A/COM B C D E F G L3/COL L4 L5 560 590 610 640 675 715 755 620 690 720 690 720 740 770 805 845 885 750 820 850 645 675 695 725 760 800 840 705 775 805 645 675 695 725 760 800 840 705 775 805 645 675 695 725 760 800 840 705 775 805 645 675 715 745 780 820 860 725 755 825 665 695 715 745 780 820 860 725 795 825 670 700 720 750 785 825 855 730 800 830	 Pneumatic Seat Height Adjustment Tilt Tension Control Back and Seat Tilt in 2:1 ratio Back and Seat Tilt in 2:1 ratio Safety Tilt Release Injection Molded Suspension Seat Optional Height Adjustable Lumbar Rated for 300 lbs BACK HEIGHT: COM: 	25.0-26.5 \$105 \$110 \$130 27.5 8-Way Adjustable Arms Soft- Touch sliding and pivoting arm pads. 2-Way Adjustable Arm Ratchet Height Adjustment with Fixed Arm Pad 6-Way Adjustable Arm Ratchet Height Adjustment with Side and Forward Sliding Arm Pad 16.5 18.0-22.5 CASTER OPTIONS 18.5 100 100
1866	Y1	10" TRAVEL HIGH STOOL SIMPLE SYNCHRO TILT CONTROL Use for work surfaces up to 42	A41 ARMLESS A6 A8B / A8S A10	690 720 740 770 805 845 885 750 820 850 SEAT SLIDER (SS) - NOT AVAILABLE A/COM B C D E F G L3/COL L4 L5 615 645 665 695 730 770 810 675 745 775 745 775 795 825 860 900 940 805 875 905 700 730 750 780 815 855 895 760 830 860 700 730 750 780 815 895 760 830 860 700 730 750 780 815 895 760 830 860	Pneumatic Seat Height Adjustment Tilt Tension Control Back and Seat Tilt in 3:1 Ratio Upright Position Tilt Lock Molded Foam Suspension Seat Optional Height Adjustable Lumbar Height Adj 20" Diameter Foot BACK WIDTH:	25.0-26.5 27.5 Standard Software Floor Casters 45.5-55.5 Casters 21.0 16.5 27.5-37.5 ADDITIONAL OPTIONS 19.0
1868	Y1	inches high.	A36 A40 A41	720 750 770 790 835 875 915 780 850 880 725 755 775 805 840 880 920 785 855 885 745 775 795 825 860 900 940 805 875 905 SEAT SLIDER - NOT AVAILABLE	Pneumatic Seat Height Adjustment WIDTH: Tilt Tension Control DEPTH:	0.9 YDS 8.0 S0 FT 44.0 LB 25.0-26.5 27.5 Height Adjustable Lumbar Support Height Adjustable Lumbar Support Batiop Stillon 26" High Profile Aluminum Base BA10B - Black Powder-Coat BA10P
		8" TRAVEL LOW STOOL SIMPLE SYNCHRO TILT CONTROL Use for work surfaces up to 36 inches high.	ARMLESS A6 A8B / A8S A10 A36 A40 A41	615 645 665 695 730 770 810 675 745 775 745 775 795 825 860 900 940 805 875 905 700 730 750 780 815 855 895 760 830 860 700 730 750 780 815 855 895 760 830 860 700 750 750 780 815 855 895 760 830 860 700 750 770 830 815 855 895 760 830 860 720 750 775 805 840 820 920 785 855 885 745 775 795 860 900 940 805 875 905	 Back and Seat Tilt in 3:1 Ratio Upright Position Tilt Lock Molded Foam Suspension Seat Optional Height Adjustable Lumbar Height Adj 20" Diameter Footring Rated for 250 lbs BACK WIDTH: BACK WIDTH: COM: COL: WEIGHT: 	21.0 16.5 MESH COLORS 22.5-30.5 19.0 18.5 BLACK GRAY WHITE GREEN 0.9 YDS M21 M22 M23 M24 8.0 SQ FT RED BLUE ORANGE AQUA

TERS	PACKAGING	OPTIONS	
6 –			

PACKAGING NOTES								
CODE	DESCRIPTION	LIST UPCHARGE						
AB	ASSEMBLED IN BAG FOR WILL CALL	\$0						
PAC	PARTIALLY ASSEMBLED IN CARTON	\$0						
BAC	BACK ASSEMBLED IN CARTON	\$40						















9005°

aria

aria provides revolutionary comfort

MESH BACK

GSA SIN # 711-18

- Task, stool, management, and conference seating
- Suspension seat incorporates a flexible high performance mesh with a molded high density
- foam overlay
- Choice of 8 back mesh colors
- Integrated handle in chair back
- Optional height adjustable lumbar
- Warranted up to 300 lbs
- CAL TB 133 Fire Code approved





MODEL	CONTROL	DESCRIPTION	ARM	FABRIC/LE	ATHER									FEATURES	DIMENSIONS		
1880	Y4			A/COM	В	C	D	E	F	G	L3/COL	L4	L5	Pneumatic Seat Height AdjustmentSide Tilt Tension Control	WIDTH: DEPTH:	25.0-26.5 27.5	
		HIGH-BACK	ARMLESS	615	645	665	695	730	770	810	675	745	775	 Back and Seat Tilt in 2:1 ratio 	HEIGHT:	40.0-43.0	
	5	INTENSIVE SYNCHRO TILT CONTROL	A6	745	775	795	825	860	900	940	805	875	905	4 Locking PositionsSafety Tilt Release	SEAT WIDTH:	21.0	
	₩	CONTROL		A8B / A8S	700	730	750	780	815	855	895	760	830	860	 Salety fill helease Forward Seat Pitch Adjustment 	SEAT DEPTH:	
		Use for a variety of general		-	SEAT HEIGHT:												
		office task seating, including private	A36	720	750	770	790	835	875	915	780	850	880	 Injection Molded Suspension Seat 	BACK WIDTH:		
		office and conference room seating.										-		Optional Height Adjustable LumbarRated for 300 lbs	BACK HEIGHT: 23.0 Com: 0.9 yd Col: 8.0 sq Ft		
			A40	725	755	775	805	840	880	920	785	855	885	Rated for 300 lbs			
9 0	a 4 a		A41	745	775	795	825	860	900	940	805	875	905		• • • • • • • • • • • • • • • • • • •	44.0 LB	
		:		SEAT SLID	ER (SS)	- STANDA	RD								:		
				A/COM					F		10/001	L4		Pneumatic Seat Height Adjustment	· · · · · · · · · · · · · · · · · · ·	25.0-26.5	
885	Y4	HIGH-BACK W/ HEADREST			В	C	D	E		G	L3/COL		L5	Side Tilt Tension Control	DEPTH:		
D	ð	INTENSIVE SYNCHRO TILT	ARMLESS	700	730	750	780	815	855	895	760	830	860	 Back and Seat Tilt in 2:1 ratio 4 Locking Positions 		36.0-40.5	
	1	CONTROL	A6	830	860	880	910	945	985	1025	890	960	990	Safety Tilt Release	SEAT WIDTH:		
			A8B / A8S	785	815	835	865	900	940	980	845	915	945	Forward Seat Pitch Adjustment	SEAT DEPTH:		
)) T	Use for a variety of general	A10	785	815	835	865	900	940	980	845	915	945	Standard Seat Slider	SEAT HEIGHT: BACK WIDTH:		
	(AP)	office task seating, including private	A36	805	835	855	885	920	960	1000	865	935	1015	Injection Molded Suspension Seat	BACK WIDTH: BACK HEIGHT:		
R ²²⁵		office and conference	A40	810	840	860	890	925	965	1005	870	940	970	Optional Height Adjustable LumbarRated for 300 lbs		0.9 YD	
		room seating.	A40													8.0 SQ FT	
9 0	0 4 0	0 4 0		830 SEAT SLID	860	880	910	945	985	1025	890	960	990			38.0 LB	
				· SEAT SLID	En (33)	- STANDA	IND										
				A/COM	В	C			F	G	L3/COL	L4	L5	Black Four Leg Style Frame		25.0-26.5	
360	GT						D	E					-	Rated for 300 lbs	DEPTH:		
			SWA	450	480	500	530	565	605	645	530	580	660			45.5-55.5	
	57	GUEST													SEAT WIDTH:		
															SEAT DEPTH:		
—/////////////////////////////////////	JH T	Black four leg steel frame													SEAT HEIGHT: BACK WIDTH:		
	(y	side chair.													BACK WIDTH: BACK HEIGHT:		
															:	0.9 YD	
Ш																8.0 SQ FT	
																44.0 LB	
		:		SHIPS PAI	RTIALLY	ASSEMBL	ED PAC (OR AB /	SWA - S	TANDARD	WITH ARM	S			:		
		1		:													

TERS 6 — — —	PACKAGING		
	PACKAG	AING NOTES	
	CODE	DESCRIPTION	LIST UPCHARGE
	AB	ASSEMBLED IN BAG FOR WILL CALL	\$0
	PAC	PARTIALLY ASSEMBLED IN CARTON	\$0

BAC BACK ASSEMBLED IN CARTON

ARM OPTIONS



6-way adjustable arm for height, pivots, and with Ura-Soft sliding arm pads



8-Way Adjustable Arms Soft-Touch sliding and pivoting arm pads.

CASTER OPTIONS



60mm Hoodless Casters

ADDITIONAL OPTIONS



Height Adjustable Lumbar Support



Height Adjustable A8B Black or A8S Silver



2-Way Adjustable Arm Ratchet Height Adjustment with Fixed Arm Pad



\$40

Black Soft Touch Cantilever style C-Shaped Arm



6-Way Adjustable Arm Ratchet Height Adjustment with Side and Forward Sliding Arm Pad



BA10B BA10P BA10S \$100 26" High Profile Aluminum Base Heavy Duty Multi-Shift BA10B - Black Powder-Coat Upgrade 350 lb

BA10P - Polished BA10S - Silver Powder-Coat



MESH COLORS

RED BLUE ORANGE AQU	BLACK	GRAY	WHITE	GREEN
	M21	M22	M23	M24
M25 M26 M27 M2				AQUA M28



Seating

aria

55



MID-BACK

GSA SIN # 711-18

- Conference and executive seating
- Warranted up to 250 lbs, S1
- Warranted up to 300 lbs, K1





MODEL	CONTROL	DESCRIPTION	ARM	FABRIC/LE	ATHER									FEATURES	DIMENSIONS	AR
2600	SI	MID-BACK SWIVEL TILT CONTROL Use for a variety of general office seating, including private office and conference room seating.	ARMLESS A4 A8B A8S A16 A16P A36	A/COM 500 575 585 585 600 650 605	 B 580 655 665 680 730 685 	C 630 705 715 715 730 780 735	D 710 785 795 810 860 815	E 800 875 885 885 900 950 905	F 900 975 985 1000 1050 1005	 G 1015 1090 1100 1110 1115 1165 1120 	L3/COL 550 625 635 635 650 700 655	L4 650 725 735 735 750 800 755	L5 1240 1315 1325 1325 1340 1390 1345	 Pneumatic Seat Height Adjustment Tilt Tension Control Seat and Back Tilt as a Unit Upright Position Tilt Lock Rated for 250 lbs 	WIDTH: 24.0 DEPTH: 29.5 HEIGHT: 39.0-4 SEAT WIDTH: 20.0 SEAT MIDTH: 19.5 SEAT HEIGHT: 17.0-2 BACK WIDTH: 23.0 BACK HEIGHT: 20.0 COM: 2.9 YD COL: 37.0 S WEIGHT: 54.5 L	-43.5 -21.5 2-V Arr D SQ FT
2600	KI	MID-BACK KNEE TILT CONTROL Ultimate seating comfort suited for the executive or manager. Allows for a full range of movement with a sharp, simple look.	ARMLESS A4 A8B A8S A16 A16P A36	A/COM 550 625 635 635 635 650 700 655	 B 630 705 715 730 780 735 	C 680 755 765 780 830 785	D 760 835 845 860 910 865	E 850 925 935 935 950 1000 955	F 950 1025 1035 1030 1050 1100 1055	G 1065 1140 1150 1150 1165 1215 1170	L3/C0L 600 675 685 685 700 750 705	L4 700 775 785 800 850 805	L5 1290 1365 1375 1375 1390 1440 1395	 Pneumatic Seat Height Adjustment Tilt Tension Control Seat and Back Tilt as a Unit 5 Locking Positions Safety Tilt Release Reduced Rise of Front of Seat Rated for 300 lbs 	WIDTH: 24.0 DEPTH: 29.5 HEIGHT: 39.5-4 SEAT WIDTH: 20.0 SEAT DEPTH: 19.5 SEAT HEIGHT: 17.5-2 BACK WIDTH: 23.0 COM: 2.9 YD COL: 37.0 S WEIGHT: 59.5 L	-42.5 Bla -20.5 C-1 -20.5 S0 FT
2600	GT	GUEST Well suited for guest seating. Comes standard with non-marring glides.	ARMLESS A16 A16P	A/COM 480 580 630	B 560 660 710	C 610 710 760	D 690 790 840	E 780 880 930	F 880 980 1030	G 995 1095 1145	L3/COL 530 630 680	L4 630 730 780	L5 1220 1320 1370	 Cantilever Frame Design Non-Marring Floor Glides Rated for 250 lbs 	WIDTH: 26.0 DEPTH: 29.5 HEIGHT: 40.0 SEAT WIDTH: 20.0 SEAT DEPTH: 19.5 SEAT HEIGHT: 18.0 BACK WIDTH: 23.0 BACK HEIGHT: 20.0 COM: 2.9 YD COL: 37.0 S WEIGHT: 50.0 L	50 AD SQ FT LB
																Ba Ou

PACKAGING	OPTIONS
STER CODE	

ω	
0	
٥	\square
ст 	\sum
5	
٥	

axis

PACKAGING NOTES

CODE	DESCRIPTION	LIST UPCHARGE
AB	ASSEMBLED IN BAG FOR WILL CALL	\$0
BAC	BACK ASSEMBLED IN CARTON	\$0

ARM OPTIONS



2-Way Height Adjustable Arm with Soft Touch Pad




Black Soft Touch C-Shape Arm

CASTER OPTIONS



50mm Hooded Casters



2-Way Height Adjustable Arm A8B - Black A8S - Silver



Black Soft Touch C-Shape Arm with Upholstered Pad 1/2 inch thick and 13" long

50mm Hooded

Hard Floor Casters C1S

\$35



A36, 8-Way Adjustable Soft-Touch sliding and pivoting arm with pads

50mm Hooded Self-Locking Hard Floor Casters

ADDITIONAL OPTIONS



Ballistic Nylon Covered Outside Back - Black Color



BA2B - Black Powder-Coat BA2P - Polished BA2S - Silver Powder-Coat



HIGH-BACK

GSA SIN # 711-18

- Conference and executive seating
- Warranted up to 250 lbs, S1
- Warranted up to 300 lbs, K1





MODEL CONTROL	DESCRIPTION	ARM	FABRIC/LE/	ATHER									FEATURES	DIMENSIONS
2610 S1	HIGH-BACK SWIVEL TILT CONTROL Use for a variety of general office seating, including private office and conference room seating.	ARMLESS A4 A8B A8S A16 A36	A/COM 550 625 635 635 635 700 655	715 725 725 740 790	770 780 780 795 845	D 785 860 870 870 885 935 890	E 885 960 970 970 985 1035 990	 F 1000 1075 1085 1100 1150 1105 	6 1125 1200 1210 1210 1225 1275 1230	L3/C0L 600 675 685 685 700 705 750	L4 725 800 810 825 875 830	L5 1650 1725 1735 1735 1750 1800 1755	 Pneumatic Seat Height Adjustment Tilt Tension Control Seat and Back Tilt as a Unit Upright Position Tilt Lock Rated for 250 lbs 	WIDTH: 24.0 DEPTH: 29.5 HEIGHT: 43.0-47.5 SEAT WIDTH: 20.0 SEAT DEPTH: 19.5 SEAT HEIGHT: 17.0-21.5 BACK WIDTH: 23.0 BACK HEIGHT: 24.0 COM: 3.2 YD COL: 54.0 SQ FT WEIGHT: 56.0 LB
2610 K1	HIGH-BACK KNEE TILT CONTROL Ultimate seating comfort suited for the executive or manager. Allows for a full range of movement with a sharp, simple look.	ARMLESS A4 A8B A8S A16 A16P A36	A/COM 600 675 685 685 700 750 705	765 (775 (775 (790 (840 (820 830 830 845 895	D 835 910 920 920 935 985 940	E 935 1010 1020 1035 1085 1040	F 1050 1125 1135 1135 1150 1200 1155	6 1175 1250 1260 1260 1275 1325 1280	L3/C0L 650 725 735 735 800 800	L4 775 850 850 860 875 925 880	L5 1700 1775 1785 1800 1850 1805	 Pneumatic Seat Height Adjustment Tilt Tension Control Seat and Back Tilt as a Unit 5 Locking Positions Safety Tilt Release Reduced Rise of Front of Seat Rated for 300 lbs 	WIDTH: 24.0 DEPTH: 29.5 HEIGHT: 42.5-45.5 SEAT WIDTH: 20.0 SEAT DEPTH: 19.5 SEAT HEIGHT: 17.5-20.5 BACK WIDTH: 23.0 BACK HEIGHT: 24.0 COM: 3.2 YD COL: 54.0 SQ FT WEIGHT: 61.0 LB

PACKAGING	OPTIONS
STER CODE	

ω	
0	
٥	\square
ст 	\sum
5	
٥	

axis

PACKAGING NOTES

CODE	DESCRIPTION	LIST UPCHARGE
AB	ASSEMBLED IN BAG FOR WILL CALL	\$0
BAC	BACK ASSEMBLED IN CARTON	\$0

ARM OPTIONS



2-Way Height Adjustable Arm with Soft Touch Pad




Black Soft Touch C-Shape Arm

CASTER OPTIONS



50mm Hooded Casters



2-Way Height Adjustable Arm A8B - Black A8S - Silver



Black Soft Touch C-Shape Arm with Upholstered Pad 1/2 inch thick and 13" long

50mm Hooded

Hard Floor Casters C1S

\$35



A36, 8-Way Adjustable Soft-Touch sliding and pivoting arm with pads



50mm Hooded Self-Locking Hard Floor Casters

ADDITIONAL OPTIONS



Ballistic Nylon Covered Outside Back - Black Color



BA2B - Black Powder-Coat BA2P - Polished BA2S - Silver Powder-Coat



ALL PLASTIC - AP

GSA SIN # 711-19

- Back styles include: all plastic, upholstered, or mesh back
- Choice of plastic or upholstered seat
- Right hand tablet arm available with optional basket
- 6 powder coated frame finishes
- Warranted up to 250 lbs
- CAL TB 133 Fire Code approved



CREATING BELLA MODEL NUMBER S FRAME COLOR UPHOLSTERY MESH COLOR GRADE CASTERS MODEL NUMBER 13 GT-

CODE	DESCRIPTION	LIST UPCHARGE
AB	ASSEMBLED IN BAG FOR WILL CALL	\$0
AC	ASSEMBLED IN CARTON	\$0
	AB	AB ASSEMBLED IN BAG FOR WILL CALL

MODEL	CONTROL	DESCRIPTION	ARM	PLASTIC	FEATURES	DIMENSIONS	ARM OPTIONS	CASTER OPTIONS
1310	GT	GUEST STACKING Plastic back with plastic seat.	ARMLESS A12 A14 TAB-A00 TAB-A12 TAB-A14	P I I I I I 210 I I I I I I I 255 I I I I I I I I 290 I I I I I I I I 330 I	 Non-Marring Floor Glides Stack 4 High on Floor Stacks 10 High on Optional Dolly Wall Saver Back Legs Integrated Handle in Back of Chair Rated for 250 lbs 	ARMLESS W/ ARMS WIDTH: 21.0 25.0 DEPTH: 26.0 26.0 HEIGHT: 34.0 34.0 SEAT WIDTH: 18.0 18.0 SEAT DEPTH: 16.0 18.5 BACK WIDTH: 19.0 19.0 BACK HEIGHT: 17.5 17.5 COM: N/A N/A WEIGHT: 13.0 LB 15.0 LB	Fixed Arm A12 Fixed Arm A14 Fixed Arm A14 Feinforced Soft Touch Extended Arm	Standard 50mm Hooded Casters
1315	GT	GUEST STACKING WITH CASTERS Plastic back with plastic seat.	ARMLESS A12 A14 TAB-A00 TAB-A12 TAB-A14	P I I I I I 255 I	 50mm Hooded Casters Stack 4 High on Floor Stacks 10 High on Optional Dolly Integrated Handle in Back of Chair Rated for 250 lbs 	WIDTH: 21.0 25.0 DEPTH: 26.0 26.0 HEIGHT: 34.0 34.0 SEAT WIDTH: 18.0 18.0 SEAT DEPTH: 16.0 16.0 SEAT DEPTH: 19.0 19.0 BACK WIDTH: 17.5 17.5 COM: N/A N/A WEIGHT: 13.0 LB 15.0 LB	TAB-A00 S120 Right Folding Tablet Arm in Black Only. Available for either frame finish BF/SE. Tot Stackable with Tablet ADDITIONAL OPTIONS TAB-A14 S160 Right Folding Tablet Arm wi A14 Left Arm. Available for either frame finish BF/SE. Tot Stackable with Tablet ADDITIONAL OPTIONS	C5S \$30 50mm Hooded Hard Floor Casters ACCESSORIES
1360	GT	GUEST STACKING Mesh back with plastic seat.	ARMLESS A12 A14 TAB-A00 TAB-A12 TAB-A14	P I I I I I 275 I	 Non-Marring Floor Glides Stack 4 High on Floor Stacks 10 High on Optional Dolly Wall Saver Back Legs Choice of 6 Mesh Back Colors Rated for 250 lbs 	WIDTH: 21.0 25.0 DEPTH: 26.0 26.0 HEIGHT: 34.0 34.0 SEAT WIDTH: 18.0 18.0 SEAT DEPTH: 16.0 16.0 SEAT HEIGHT: 18.5 18.5 BACK WIDTH: 19.0 19.0 BACK HEIGHT: 17.5 17.5 COM: N/A N/A WEIGHT: 13.0 LB 15.0 LB	\$60 Side Hanging Wire Basket for model 1310, 1315, 1360, 1365. Attach to left or right side.	\$250 Stacking Dolly Stack Chair 10 High
1365	GT	GUEST STACKING WITH CASTERS Mesh back with plastic seat.	ARMLESS A12 A14 TAB-A00 TAB-A12 TAB-A14	P I I I I 320 I I I I I 365 I I I I I 400 I I I I I 440 I I I I I 465 I I I I I 480 I I I I I ONLY AVAILABLE IN M1 I I I I I	 50mm Hooded Casters Stack 4 High on Floor Stacks 10 High on Optional Dolly Choice of 6 Mesh Back Colors Rated for 250 lbs 	WIDTH: 21.0 25.0 DEPTH: 26.0 26.0 HEIGHT: 34.0 34.0 SEAT WIDTH: 18.0 18.0 SEAT DEPTH: 16.0 16.0 SEAT HEIGHT: 18.5 18.5 BACK WIDTH: 19.0 19.0 BACK HEIGHT: 17.5 17.5 COM: N/A N/A WEIGHT: 13.0 LB 15.0 LB	CAUTION: Careless stacking of chairs may scratch and MESH COLORS BLACK GRAY SILVER GREEN M11 M12 M13 M14	

*Standard twenty five (25) business days applies only to Metallic Brown, Gunmetal, Dover Gray and White frame color options.



















9to5seating.com 888.925.SEAT



bella

ALL PLASTIC - AP

GSA SIN # 711-19

- Back styles include: all plastic, upholstered, or mesh back
- Choice of plastic or upholstered seat
- 6 powder coated frame finishes
- Seat flips up for nesting
- Warranted up to 250 lbs
- CAL TB 133 Fire Code approved



CREATING BELLA MODEL NUMBER

RAME COL			PAGNAU	ING NOTES	
BLACK BF	SILVER	METALLIC BROWN*	CODE	DESCRIPTION	LIST UPCHARGE
			AB	ASSEMBLED IN BAG FOR WILL CALL	\$0
METAL* GMF	DOVER GRAY* DGF	WHITE* WF	AC	ASSEMBLED IN CARTON	\$0

MODEL CO	CONTROL	DESCRIPTION	ARM	PLASTIC	FEATURES	DIMENSIONS	ARM OPTIONS	CASTER OPTIONS
1320	GT	GUEST NESTING Plastic back with plastic seat.	ARMLESS A12 A14	P Image: Second se	 Flip Up Seat for Nesting and Compact Storage 50mm Hooded Casters Integrated Handle in Back of Chair Rated for 250 lbs 	ARMLESS W/ ARMS WIDTH: 21.0 25.0 DEPTH: 26.0 26.0 HEIGHT: 34.0 34.0 SEAT WIDTH: 18.0 18.0 SEAT DEPTH: 16.0 16.0 SEAT HEIGHT: 18.5 18.5 BACK WIDTH: 19.0 19.0 BACK HEIGHT: 17.5 T.5 COM: N/A N/A WEIGHT: 19.0 LB 22.0 LB	Fixed Arm Fixed Arm Alta State	Standard Somm Hooded Casters
1370	GT	GUEST NESTING Mesh back with plastic seat.	ARMLESS A12 A14	P I I I I I 340 I I I I I I 385 I I I I I I 420 I I I I I I iiiiiiiiiiiiiiiiiiiiiiiiiiiiiiiiiiii	 Flip Up Seat for Nesting and Compact Storage 50mm Hooded Casters Choice of 6 Mesh Back Colors Rated for 250 lbs 	WIDTH: 21.0 25.0 DEPTH: 26.0 26.0 HEIGHT: 34.0 34.0 SEAT WIDTH: 18.0 18.0 SEAT DEPTH: 16.0 16.0 SEAT HEIGHT: 18.5 18.5 BACK WIDTH: 19.0 19.0 BACK HEIGHT: 17.5 17.5 COM: N/A N/A WEIGHT: 19.0 LB 22.0 LB	NESTING FOOTPRINT	50mm Hooded Hard Floor Casters ACCESSORIES
							First Chair 24", Each Additional Chair, Add 6"	
							CAUTION: Careless nesting of chairs may scratch and o	damage frames.
							BLACK GRAY SILVER GREEN M11 M12 M13 M14	RED BLUE M15 M16











9to5seating.com 888.925.SEAT

900**5**°

bella

ALL PLASTIC - AP

GSA SIN # 711-18

- Training, task, multipurpose, stool, management and conference seating
- Back styles include: all plastic, upholstered, or mesh back
- Choice of plastic or upholstered seat
- 6 powder coated frame finishes
- Warranted up to 250 lbs
- CAL TB 133 Fire Code approved



CREATING BELLA MODEL N MODEL NUMBER 135

NOWR	:K													
	ARMS FRAM	ME COLOR UPHOLS	TERY MESH COLOR	GR	ADE Ca	ASTERS PACKAGING 0	PTIONS							
- A	- A A P - M P - C 6													
	FRAME COL	ORS		_	PACKAG	GING NOTES								
	BLACK SILVER		METALLIC BROWN*		CODE	DESCRIPTION	LIST UPCHARGE							
	BF	SF	MBF		AB	ASSEMBLED IN BAG FOR WILL CALL	\$0							
	GUNMETAL* GMF	DOVER GRAY* DGF	WHITE* WF		BAC	ASSEMBLED IN CARTON	\$0							
				1	(

MODEL	CONTROL	DESCRIPTION	ARM	PLASTIC		 FEATURES	DIMENSIONS	ARM OPTIONS	CASTER OPTIONS
1325	B2	LOW-BACK BASIC CONTROL Plastic back with plastic seat.	ARMLESS A12 A14	P 335 380 415 1		 Pneumatic Seat Height Adjustment Basic Control Swivels 360 Degrees Rated for 250 lbs 	WIDTH: 25.0 DEPTH: 26.0 HEIGHT: 34.0-38.5 SEAT WIDTH: 18.0 SEAT DEPTH: 16.0 SEAT HEIGHT: 18.5-23.0 BACK WIDTH: 19.0 BACK HEIGHT: 17.5 COM: N/A WEIGHT: 24.5 LB	Fixed Arm Fixed Arm	Standard 60mm Hoodless Casters
1325	53	LOW-BACK SWIVEL TILT CONTROL Plastic back with plastic seat.	ARMLESS A12 A14	P 370 415 450		 Pneumatic Seat Height Adjustment Tilt Tension Control Seat and Back Tilt as a Unit Upright Position Tilt Lock Rated for 250 lbs 	WIDTH: 25.0 DEPTH: 26.0 HEIGHT: 34.0-38.5 SEAT WIDTH: 18.0 SEAT DEPTH: 16.0 SEAT HEIGHT: 17.0-21.5 BACK WIDTH: 19.0 BACK HEIGHT: 17.5 COM: N/A WEIGHT: 25.5 LB	ADDITIONAL OPTIONS BA10B BA10P BA10S	60mm Hoodless Hard Floor Casters
1375	B2	LOW-BACK BASIC CONTROL Mesh back with plastic seat.	ARMLESS A12 A14	P 400 445 480 480 100 000000000000000000000000000000000000	M1	 Pneumatic Seat Height Adjustment Basic Control Swivels 360 Degrees Choice of 6 Mesh Back Colors Rated for 250 lbs 	WIDTH: 25.0 DEPTH: 26.0 HEIGHT: 34.0-38.5 SEAT WIDTH: 18.0 SEAT DEPTH: 16.0 SEAT HEIGHT: 18.5-23.0 BACK WIDTH: 19.0 BACK HEIGHT: 17.5 COM: N/A WEIGHT: 24.5 LB	\$100 26" High Profile Aluminum BA10B - Black Powder-Coat BA10P - Polished BA10S - Silver Powder-Coat	
1375	53	LOW-BACK SWIVEL TILT CONTROL Mesh back with plastic seat.	ARMLESS A12 A14	P 435 480 515 515 9000000000000000000000000000000000000	M1	 Pneumatic Seat Height Adjustment Tiit Tension Control Seat and Back Tiit as a Unit Upright Position Tilt Lock Choice of 6 Mesh Back Colors Rated for 250 lbs 	WIDTH: 25.0 DEPTH: 26.0 HEIGHT: 34.0-38.5 SEAT WIDTH: 18.0 SEAT DEPTH: 16.0 SEAT HEIGHT: 17.0-21.5 BACK WIDTH: 19.0 BACK HEIGHT: 17.5 COM: N/A WEIGHT: 25.5 LB	MESH COLORS BLACK GRAY SILVER GREEN M11 M12 M13 M14	RED BLUE M15 M16

*Standard twenty five (25) business days applies only to Metallic Brown, Gunmetal, Dover Gray and White frame color options.



s e a t l n g

bella







ALL PLASTIC - AP

GSA SIN # 711-18

- Training, task, multipurpose, stool, management and conference seating
- Back styles include: all plastic, upholstered, or mesh back
- Choice of plastic or upholstered seat
- 6 powder coated frame finishes
- Warranted up to 250 lbs
- CAL TB 133 Fire Code approved





NOWR	:K													
	ARMS FRAM	ME COLOR UPHOLST	TERY MESH COLOR	GR	ADE Ca	ASTERS PACKAGING 0	PTIONS							
2 – A * FOR A	- A A P - M P - M P - C 6													
	FRAME COL	ORS		_	PACKAG	SING NOTES								
	BLACK BF	SILVER	METALLIC BROWN*		CODE	DESCRIPTION	LIST UPCHARGE							
			MBF		AB	ASSEMBLED IN BAG FOR WILL CALL	\$0							
	GUNMETAL* GMF	DOVER GRAY* DGF			BAC	ASSEMBLED IN CARTON	\$0							
				1	(

MODEL	CONTROL	DESCRIPTION	ARM	PLASTIC	FEATURES	DIMENSIONS	ARM OPTIONS	CASTER OPTIONS
1326	B2	10" TRAVEL HIGH STOOL BASIC CONTROL Use for work surfaces up to 42 inches high. Plastic back with plastic seat.	ARMLESS A12 A14	P I I I I I I 460 I I I I I I I 505 I I I I I I I 540 I I I I I I I I I I I I I I I I I I I I I I I I I I I I I I I I I I I I I I I I I I I <td> Pneumatic Seat Height Adjustment Height Adj 20" Diameter Footring Rated for 250 lbs </td> <td>WIDTH: 25.0 DEPTH: 26.0 HEIGHT: 40.5-50.5 SEAT WIDTH: 18.0 SEAT DEPTH: 16.0 SEAT HEIGHT: 23.5-33.5 BACK WIDTH: 19.0 BACK HEIGHT: 17.5 COM: N/A WEIGHT: 30.5 LB</td> <td>Fixed Arm Fixed Arm Reinforced Soft Touch Extended Arm</td> <td>C6 STD Standard 60mm Hoodless Casters</td>	 Pneumatic Seat Height Adjustment Height Adj 20" Diameter Footring Rated for 250 lbs 	WIDTH: 25.0 DEPTH: 26.0 HEIGHT: 40.5-50.5 SEAT WIDTH: 18.0 SEAT DEPTH: 16.0 SEAT HEIGHT: 23.5-33.5 BACK WIDTH: 19.0 BACK HEIGHT: 17.5 COM: N/A WEIGHT: 30.5 LB	Fixed Arm Fixed Arm Reinforced Soft Touch Extended Arm	C6 STD Standard 60mm Hoodless Casters
1328	B2	8" TRAVEL LOW STOOL BASIC CONTROL Use for work surfaces up to 36 inches high. Plastic back with plastic seat.	ARMLESS A12 A14	P I I I I I 460 I I I I I I 505 I I I I I I 540 I I I I I I I I I I I I I I I I I I I I I I I I I I I I I I I I I I I I I I I I I I I I I I I I I I I I I I I	 Pneumatic Seat Height Adjustment Height Adj 20" Diameter Footring Rated for 250 lbs 	WIDTH: 25.0 DEPTH: 26.0 HEIGHT: 36.5-44.5 SEAT WIDTH: 18.0 SEAT DEPTH: 16.0 SEAT HEIGHT: 19.5-27.5 BACK WIDTH: 19.0 BACK HEIGHT: 17.5 COM: N/A WEIGHT: 29.5 LB	ADDITIONAL OPTIONS BA10B BA10P BA10S	60mm Hoodless Hard Floor Casters
1376	B2	10" TRAVEL HIGH STOOL BASIC CONTROL Use for work surfaces up to 42 inches high. Mesh back with plastic seat.	ARMLESS A12 A14	P Image: Sector Sec	 Pneumatic Seat Height Adjustment Height Adj 20" Diameter Footring Choice of 6 Mesh Back Colors Rated for 250 lbs 	WIDTH: 25.0 DEPTH: 26.0 HEIGHT: 40.5-50.5 SEAT WIDTH: 18.0 SEAT DEPTH: 16.0 SEAT HEIGHT: 23.5-33.5 BACK WIDTH: 19.0 BACK HEIGHT: 17.5 COM: N/A WEIGHT: 30.5 LB	\$100 26" High Profile Aluminum BA10B - Black Powder-Coat BA10P - Polished BA10S - Silver Powder-Coat	
1378	B2	8" TRAVEL LOW STOOL BASIC CONTROL Use for work surfaces up to 36 inches high. Mesh back with plastic seat.	ARMLESS A12 A14	P I I I I I I 525 I I I I I I I 570 I I I I I I I 605 I I I I I I I 605 I I I I I I I I I I I I I I I I I I I I I I I I I I I I I I I I I I I I I I I I I I I I	 Pneumatic Seat Height Adjustment Height Adj 20" Diameter Footring Choice of 6 Mesh Back Colors Rated for 250 lbs 	WIDTH: 25.0 DEPTH: 26.0 HEIGHT: 36.5-44.5 SEAT WIDTH: 18.0 SEAT DEPTH: 16.0 SEAT HEIGHT: 19.5-27.5 BACK WIDTH: 19.0 BACK HEIGHT: 17.5 COM: N/A WEIGHT: 29.5 LB	MESH COLORS BLACK GRAY SILVER GREEN M11 M12 M13 M14	RED BLUE M15 M16

*Standard twenty five (25) business days applies only to Metallic Brown, Gunmetal, Dover Gray and White frame color options.











9to5seating.com 888.925.SEAT

bella



UPHOLSTERED SEAT - US

GSA SIN # 711-19

- Back styles include: all plastic, upholstered, or mesh back
- Choice of plastic or upholstered seat
- Right hand tablet arm available with optional basket
- 6 powder coated frame finishes
- Warranted up to 250 lbs
- CAL TB 133 Fire Code approved






RAME COL			$ \longrightarrow $	FAUNAU	ING NOTES	
BLACK	BLACK SILVER	METALLIC BROWN*		CODE	DESCRIPTION	LIST UPCHARGE
		MBF		AB	ASSEMBLED IN BAG FOR WILL CALL	\$0
GUNMETAL* GMF	DOVER GRAY* DGF	WHITE* WF		AC	ASSEMBLED IN CARTON	\$0

MODEL	CONTROL	DESCRIPTION	ARM	FABRIC							FEATURES	DIMENSIONS	ARM OPTIONS	CASTER OPTIONS
1310	GT	GUEST STACKING Plastic back with upholstered seat.	ARMLESS A12 A14 TAB-A00 TAB-A12 TAB-A14	A/COM 260 305 340 380 405 420	8 285 330 365 405 430 445	C 305 350 385 425 450 465	D 330 375 410 450 475 490	E 360 405 440 505 520	F 395 440 475 515 540 555	G 430 475 510 550 575 590	 Non-Marring Floor Glides Stack 4 High on Floor Stacks 10 High on Optional Dolly Wall Saver Back Legs Integrated Handle in Back of Chair Rated for 250 lbs. 	ARMLESS W/ ARMS WIDTH: 21.0 25.0 DEPTH: 26.0 26.0 HEIGHT: 34.0 34.0 SEAT WIDTH: 18.0 18.0 SEAT DEPTH: 16.0 16.0 SEAT HEIGHT: 18.5 18.5 BACK WIDTH: 19.0 19.0 BACK HEIGHT: 17.5 COM: 0.8 YDS WEIGHT: 15.0 LB 17.0 LB	Fixed Arm A14 Fixed Arm A14 Reinforced Soft Touch Extended Arm	Standard SOmm Hooded Casters
1315	GT	GUEST STACKING WITH CASTERS Plastic back with upholstered seat.	ARMLESS A12 A14 TAB-A00 TAB-A12 TAB-A14	A/COM 305 350 385 425 450 465	B 330 375 410 450 475 490	C 350 395 430 470 495 510	D 375 420 455 495 520 535	E 405 450 485 525 550 565	F 440 485 520 560 585 600	G 475 520 555 595 620 635	 50mm Hooded Casters Stack 4 High on Floor Stacks 10 High on Optional Dolly Integrated Handle in Back of Chair Rated for 250 lbs. 	WIDTH: 21.0 25.0 DEPTH: 26.0 26.0 HEIGHT: 34.0 34.0 SEAT WIDTH: 18.0 18.0 SEAT DEPTH: 16.0 16.0 SEAT HEIGHT: 18.5 18.5 BACK WIDTH: 19.0 19.0 BACK HEIGHT: 17.5 17.5 COM: 0.8 YDS 0.8 YDS WEIGHT: 15.0 LB 17.0 LB	TAB-A00 S120 Right Folding Tablet Arm in Black Only. Available for either frame finish BF/SE. Not Stackable with Tablet ADDITIONAL OPTIONS Stackable Stackable with Tablet ADDITIONAL OPTIONS	C5S \$30 50mm Hooded Hard Floor Casters ACCESSORIES
1360	GT	GUEST STACKING Mesh back with upholstered seat.	ARMLESS A12 A14 TAB-A00 TAB-A12 TAB-A14	A/COM 325 370 405 445 470 485 ONLY AV/	B 350 395 430 470 495 510	C 370 415 450 515 530	D 395 440 475 515 540 555	E 425 470 505 545 570 585	F 460 505 540 580 605 620	G 495 540 5755 615 640 655 Image: I	 Non-Marring Floor Glides Stack 4 High on Floor Stacks 10 High on Optional Dolly Wall Saver Back Legs Choice of 6 Mesh Back Colors Rated for 250 lbs. 	WIDTH: 21.0 25.0 DEPTH: 26.0 26.0 HEIGHT: 34.0 34.0 SEAT WIDTH: 18.0 18.0 SEAT DEPTH: 16.0 16.0 SEAT HEIGHT: 18.5 18.5 BACK WIDTH: 19.0 19.0 BACK HEIGHT: 17.5 17.5 COM: 0.8 YDS 0.8 YDS WEIGHT: 15.0 LB 17.0 LB	\$60 Side Hanging Wire Basket for model 1310, 1315, 1360, 1365. Attach to left or right side.	Stacking Dolly Stack Chair 10 High
1365	GT	GUEST STACKING WITH CASTERS Mesh back with upholstered seat.	ARMLESS A12 A14 TAB-A00 TAB-A12 TAB-A14	A/COM 370 415 450 490 515 530 ONLY AVA	B 395 440 475 515 540 555	C 415 460 495 535 560 575	D 440 485 520 560 585 600	E 470 515 550 615 630	F 505 550 585 625 650 665	G 540 585 620 660 685 700	 50mm Hooded Casters Stack 4 High on Floor Stacks 10 High on Optional Dolly Choice of 6 Mesh Back Colors Rated for 250 lbs. 	WIDTH: 21.0 25.0 DEPTH: 26.0 26.0 HEIGHT: 34.0 34.0 SEAT WIDTH: 18.0 18.0 SEAT DEPTH: 16.0 16.0 SEAT HEIGHT: 18.5 18.5 BACK WIDTH: 19.0 19.0 BACK HEIGHT: 17.5 17.5 COM: 0.8 YDS 0.8 YDS WEIGHT: 15.0 LB 17.0 LB	CAUTION: Careless stacking of chairs may scratch and MESH COLORS BLACK GRAY SILVER GREEN M11 M12 M13 M14	

*Standard twenty five (25) business days applies only to Metallic Brown, Gunmetal, Dover Gray and White frame color options.



NOTE: Due to the nature of vinyl upholstery, stacking may cause impressions on the seat. 9to5 Seating does not warrant the effects of the stacking on vinyl upholstery.













9to5seating.com 888.925.SEAT

9005°

bella

bella name your game, bella is ready to play

UPHOLSTERED SEAT - US

GSA SIN # 711-19

- Back styles include: all plastic, upholstered, or mesh back
- Choice of plastic or upholstered seat
- 6 powder coated frame finishes
- Seat flips up for nesting Warranted up to 250 lbs
- CAL TB 133 Fire Code approved



CREATING BELLA MODEL NUMBER MODEL NUMBER CONTROL ARMS FRAME COLOR UPHOLSTERY MESH COLOR GRADE CASTERS

RAME COL			FAU	AU	NG NOTES	
BLACK	SILVER	METALLIC BROWN*	co	DE	DESCRIPTION	LIST UPCHARGE
BF	SF	MBF	A	В	ASSEMBLED IN BAG FOR WILL CALL	\$0
GUNMETAL* GMF	DOVER GRAY* DGF	WHITE* WF	A	.C	ASSEMBLED IN CARTON	\$0

MODEL	CONTROL	DESCRIPTION	ARM	FABRIC							FEATURES	DIMENSIONS	ARM OPTIONS	CASTER OPTIONS
1320	GT	GUEST NESTING Plastic back with upholstered seat.	ARMLESS A12 A14	A/COM 325 370 405	395	C 3700 415 450	440		F 460 505 540	6 495 540 575	 Flip Up Seat for Nesting and Compact Storage 50mm Hooded Casters Integrated Handle in Back of Chair Rated for 250 lbs 	ARMLESS W/ ARMS WIDTH: 21.0 25.0 DEPTH: 26.0 26.0 HEIGHT: 34.0 34.0 SEAT WIDTH: 18.0 18.0 SEAT DEPTH: 16.0 16.0 SEAT HEIGHT: 18.5 18.5 BACK WIDTH: 19.0 19.0 BACK HEIGHT: 17.5 17.5 COM: 0.8 YDS 0.8 YDS WEIGHT: 21.0 LB 24.0 LB	Fixed Arm Reinforced Soft Touch Extended Arm	C5 Standard 50mm Hooded Casters
1370	GT	GUEST NESTING Mesh back with upholstered seat.	ARMLESS A12 A14	A/COM 390 435 470	460	C 435 480 515	D 4600 5055 540	E 4900 5335 5700 8	F 525 570 605	6 560 605 640	 Flip Up Seat for Nesting and Compact Storage 50mm Hooded Caster Choice of 6 Mesh Back Colors Rated for 250 lbs 	WIDTH: 21.0 25.0 DEPTH: 26.0 26.0 HEIGHT: 34.0 34.0 SEAT WIDTH: 18.0 18.0 SEAT DEPTH: 16.0 16.0 SEAT HEIGHT: 18.5 18.5 BACK WIDTH: 19.0 19.0 BACK HEIGHT: 17.5 17.5 COM: 0.8 YDS 0.8 YDS WEIGHT: 21.0 LB 24.0 LB	NESTING FOOTPRINT	50mm Hooded Hard Floor Casters ACCESSORIES
													First Chair 24", Each Additional Chair, Add 6"	
													CAUTION: Careless nesting of chairs may scratch and d MESH COLORS BLACK GRAY SILVER GREEN M11 M12 M13 M14	amage frames. RED BLUE M15 M16











9to5seating.com 888.925.SEAT

900**5**°

bella



UPHOLSTERED SEAT - US

GSA SIN # 711-18

- Training, task, multipurpose, stool, management and conference seating
- Back styles include: all plastic, upholstered, or mesh back
- Choice of plastic or upholstered seat
- 6 powder coated frame finishes
- Warranted up to 250 lbs
- CAL TB 133 Fire Code approved





	ARMS FRAM		TERY MESH COLOR	GR	ADE C	ASTERS PACKAGING OF	PTIONS
* FOR A	RMLESS CODE USE A00	ORS	MODELS 1375		РАСКА	GING NOTES	
	BLACK BF	SILVER SF	METALLIC BROWN* MBF		CODE	DESCRIPTION	LIST UPCHARGE
	GUNMETAL* GMF	DOVER GRAY* DGF	WHITE* WF		AB BAC	ASSEMBLED IN BAG FOR WILL CALL ASSEMBLED IN CARTON	\$0 \$0
1				1	1		

MODEL	CONTROL	DESCRIPTION	ARM	FABRIC							FEATURES	DIMENSIONS	ARM OPTIONS	CASTER OPTIONS
1325	B2	LOW-BACK BASIC CONTROL Plastic back with upholstered seat.	ARMLESS A12 A14	A/COM 385 430 465	B 410 455 490	475	455 4 500 £	485 5 530 5	20 5 65 6	G Image: Second se	 Pneumatic Seat Height Adjustment Basic Control Swivels 360 Degrees Rated for 250 lbs 	WIDTH: 25.0 DEPTH: 26.0 HEIGHT: 34.0-38.5 SEAT WIDTH: 18.0 SEAT DEPTH: 16.0 SEAT HEIGHT: 18.5-23.0 BACK WIDTH: 19.0 BACK HEIGHT: 17.5 COM: 0.8 YDS WEIGHT: 26.5 LB	Fixed Arm Fixed Arm Fixed Arm	Standard Bomm Hoodless Casters
1325	53	LOW-BACK SWIVEL TILT CONTROL Plastic back with upholstered seat.	ARMLESS A12 A14	A/COM 420 465 500	B 445 490 525	510	535 8	565 6	55 5 00 6	G I 900 I 935 I 700 I 900 I 900 <t< td=""><td> Pneumatic Seat Height Adjustment Tilt Tension Control Seat and Back Tilt as a Unit Upright Position Tilt Lock Rated for 250 lbs </td><td>WIDTH: 25.0 DEPTH: 26.0 HEIGHT: 34.0-38.5 SEAT WIDTH: 18.0 SEAT DEPTH: 16.0 SEAT HEIGHT: 17.0-21.5 BACK WIDTH: 19.0 BACK HEIGHT: 17.5 COM: 0.8 YDS WEIGHT: 27.5 LB</td><td>ADDITIONAL OPTIONS BA10B BA10P BA10S</td><td>60mm Hoodless Hard Floor Casters</td></t<>	 Pneumatic Seat Height Adjustment Tilt Tension Control Seat and Back Tilt as a Unit Upright Position Tilt Lock Rated for 250 lbs 	WIDTH: 25.0 DEPTH: 26.0 HEIGHT: 34.0-38.5 SEAT WIDTH: 18.0 SEAT DEPTH: 16.0 SEAT HEIGHT: 17.0-21.5 BACK WIDTH: 19.0 BACK HEIGHT: 17.5 COM: 0.8 YDS WEIGHT: 27.5 LB	ADDITIONAL OPTIONS BA10B BA10P BA10S	60mm Hoodless Hard Floor Casters
1375	B2	LOW-BACK BASIC CONTROL Mesh back with upholstered seat.	ARMLESS A12 A14	A/COM 450 495 530	B 475 520 555	540 575	520 5 565 5	550 5 595 6	85 6 30 6	G 20 20 50 50 50 50 50 50 50 50 50 50 50 50 50	 Pneumatic Seat Height Adjustment Basic Control Swivels 360 Degrees Choice of 6 Mesh Back Colors Rated for 250 lbs 	WIDTH: 25.0 DEPTH: 26.0 HEIGHT: 34.0-38.5 SEAT WIDTH: 18.0 SEAT DEPTH: 16.0 SEAT HEIGHT: 18.5-23.0 BACK WIDTH: 19.0 BACK HEIGHT: 17.5 COM: 0.8 YDS WEIGHT: 26.5 LB	\$100 26" High Profile Aluminum Base BA10B - Black Powder-Coat BA10P - Polished BA10S - Silver Powder-Coat	
1375	53	LOW-BACK SWIVEL TILT CONTROL Mesh back with upholstered seat.	ARMLESS A12 A14	A/COM 485 530 565	B 510 555 590	575 610	555 5 600 6	585 6 630 6	20 6 65 7	G	 Pneumatic Seat Height Adjustment Tilt Tension Control Seat and Back Tilt as a Unit Upright Position Tilt Lock Choice of 6 Mesh Back Colors Rated for 250 lbs 	WIDTH: 25.0 DEPTH: 26.0 HEIGHT: 34.0-38.5 SEAT WIDTH: 18.0 SEAT DEPTH: 16.0 SEAT HEIGHT: 17.0-21.5 BACK WIDTH: 19.0 BACK HEIGHT: 17.5 COM: 0.8 YDS WEIGHT: 27.5 LB	MESH COLORS BLACK GRAY SILVER GREEN M11 M12 M13 M14	RED BLUE M15 M16

*Standard twenty five (25) business days applies only to Metallic Brown, Gunmetal, Dover Gray and White frame color options.









9to5seating.com 888.925.SEAT



bella

73

bella name your game, bella is ready to play

UPHOLSTERED SEAT - US

GSA SIN # 711-18

- Training, task, multipurpose, stool,
- Back styles include: all plastic, upholstered, Back styles include, an plastic, uphols or mesh back
 Choice of plastic or upholstered seat
 6 powder coated frame finishes

- Warranted up to 250 lbs
 CAL TB 133 Fire Code approved





			GR		ASTERS PACKAGING OI	PTIONS
FRAME COL	ORS	MODELS 1376/1378		РАСКА	GING NOTES	
BLACK BF	SILVER	METALLIC BROWN* MBF		CODE	DESCRIPTION	LIST UPCHARGE
	DOVER GRAY*	WHITE*		AB	ASSEMBLED IN BAG FOR WILL CALL	\$0
GUNMETAL* GMF	DOVER GRAY	WF		BAC	ASSEMBLED IN CARTON	\$0
			/	1		

MODEL	CONTROL	DESCRIPTION	ARM	FABRIC							FEATURES	DIMENSIONS	ARM OPTIONS CASTER OPTIONS
1326	B2	10" TRAVEL HIGH STOOL BASIC CONTROL Use for work surfaces up to 42 inches high. Plastic back with upholstered seat.	ARMLESS A12 A14	A/COM 510 555 590	B 535 580 615	C 555 600 635	D 580 625 660	E 610 655 690	F 645 690 725	G 680 725 760 740 760 <td> Pneumatic Seat Height Adjustment Height Adj 20" Diameter Footring Rated for 250 lbs </td> <td>WIDTH: 25.0 DEPTH: 26.0 HEIGHT: 40.5-50.5 SEAT WIDTH: 18.0 SEAT DEPTH: 16.0 SEAT HEIGHT: 23.5-33.5 BACK WIDTH: 19.0 BACK HEIGHT: 17.5 COM: 0.8 YDS WEIGHT: 32.5 LB</td> <td>Fixed Arm Fixed Arm</td>	 Pneumatic Seat Height Adjustment Height Adj 20" Diameter Footring Rated for 250 lbs 	WIDTH: 25.0 DEPTH: 26.0 HEIGHT: 40.5-50.5 SEAT WIDTH: 18.0 SEAT DEPTH: 16.0 SEAT HEIGHT: 23.5-33.5 BACK WIDTH: 19.0 BACK HEIGHT: 17.5 COM: 0.8 YDS WEIGHT: 32.5 LB	Fixed Arm Fixed Arm
1328	B2	8" TRAVEL LOW STOOL BASIC CONTROL Use for work surfaces up to 36 inches high. Plastic back with upholstered seat.	ARMLESS A12 A14	A/COM 510 555 590	B 535 580 615	C 555 600 635	D 580 625 660	E 610 655 690	F 645 690 725	G 680 725 760	 Pneumatic Seat Height Adjustment Height Adj 20" Diameter Footring Rated for 250 lbs 	WIDTH: 25.0 DEPTH: 26.0 HEIGHT: 36.5-44.5 SEAT WIDTH: 18.0 SEAT DEPTH: 16.0 SEAT HEIGHT: 19.5-27.5 BACK WIDTH: 19.0 BACK HEIGHT: 17.5 COM: 0.8 YDS WEIGHT: 31.5 LB	ADDITIONAL OPTIONS BA10B BA10P BA10S
1376	B2	10" TRAVEL HIGH STOOL BASIC CONTROL Use for work surfaces up to 42 inches high. Mesh back with upholstered seat.	ARMLESS A12 A14	A/COM 575 620 655	B 600 645 680	C 620 665 700	D 645 690 725	E 675 720 755	F 710 755 790	G	 Pneumatic Seat Height Adjustment Height Adj 20" Diameter Footring Choice of 6 Mesh Back Colors Rated for 250 lbs 	WIDTH: 25.0 DEPTH: 26.0 HEIGHT: 40.5-50.5 SEAT WIDTH: 18.0 SEAT DEPTH: 16.0 SEAT HEIGHT: 23.5-33.5 BACK WIDTH: 19.0 BACK HEIGHT: 17.5 COM: 0.8 YDS WEIGHT: 32.5 LB	\$100 26" High Profile Aluminum Base BA10B - Black Powder-Coat BA10P - Polished BA10S - Silver Powder-Coat
1378	B2	8" TRAVEL LOW STOOL BASIC CONTROL Use for work surfaces up to 36 inches high. Mesh back with upholstered seat.	ARMLESS A12 A14	A/COM 575 620 655 0012 0012 0012 0012	B 600 645 680	C 620 665 700	D 645 690 725	E 675 720 755	F 710 755 790	G 745 790 825	 Pneumatic Seat Height Adjustment Height Adj 20" Diameter Footring Choice of 6 Mesh Back Colors Rated for 250 lbs 	WIDTH: 25.0 DEPTH: 26.0 HEIGHT: 36.5-44.5 SEAT WIDTH: 18.0 SEAT DEPTH: 16.0 SEAT HEIGHT: 19.5-27.5 BACK WIDTH: 19.0 BACK HEIGHT: 17.5 COM: 0.8 YDS WEIGHT: 31.5 LB	MESH COLORS BLACK GRAY SILVER GREEN RED BLUE M11 M12 M13 M14 M15 M16

*Standard twenty five (25) business days applies only to Metallic Brown, Gunmetal, Dover Gray and White frame color options.









9to5seating.com 888.925.SEAT

bella




FULLY UPHOLSTERED - UP

GSA SIN # 711-19

- Back styles include: all plastic, upholstered, or mesh back
- Choice of plastic or upholstered seat
- Right hand tablet arm available with optional basket
- 6 powder coated frame finishes
- Warranted up to 250 lbs
- CAL TB 133 Fire Code approved



CREATING BELLA MODEL NUMBER MODEL NUMBER IE COLOR UPHOLSTERY -UP-M



MODEL	CONTROL	DESCRIPTION	ARM	FABRIC								FEATURES DIMENSIONS
1310	GT			A/COM	B	C	D	E	F	G	*	ARMLESS WiDTH: 21.0 25
			ARMLESS	315	345	365	395	430	470	510		Stack 4 High on Floor DEPTH: 26.0 26
		GUEST	A12	360	390	410	440	475	515	555		Stacks 10 High on Optional Dolly HEIGHT: 34.0 34
	<u>\</u>	STACKING	A14	395	425	445	475	510	550	590		Wall Saver Back Legs SEAT WIDTH: 18.0 18 Integrated Handle in Back of Chair SEAT DEDTH: 16.0 16
<u> </u>	<u>}</u>	Upholstered back with	TAB-A00	435	465	485	515	550	590	630		Rated for 250 lbs SEAT HEIGHT: 18.5 18
	1 Am	upholstered seat.	TAB-A12	460	490	510	540	575	615	655		BACK WIDTH: 19.0 19
			TAB-A14	475	505	525	555	590	630	670		BACK HEIGHT: 17.5 17
88	ű þ											COM: 0.9 YDS 0. Weight: 17.0 LB 20
		:		:								WEIGHT. 17.0 LD 20
1315	GT			A/COM	В	С	D	E	F	G	7	• 50mm Hooded Casters WIDTH: 21.0 25
.010		0.1507	ARMLESS	360	390	410	440	475	515	555		Stack 4 High on Floor DEPTH: 26.0 26 Stacks 10 High on Optional Dolly HEIGHT: 34.0 34
		GUEST STACKING	A12	405	435	455	485	520	560	600		Stacks 10 High on Optional Dolly HEIGHT: 34.0 34 Integrated Handle in Back of Chair SEAT WIDTH: 18.0 18
\sim	<u>\</u>	WITH CASTERS	A14	440	470	490	520	555	595	635		Rated for 250 lbs SEAT WDTH: 10.0 16 SEAT DEPTH: 16.0 16
l	N,		TAB-A00	480	510	530	560	595	635	675		SEAT HEIGHT: 18.5 18
	K	Upholstered back with	TAB-A12	505	535	555	585	620	660	700		BACK WIDTH: 19.0 15
		upholstered seat.	TAB-A14	520	550	570	600	635	675	715		BACK HEIGHT: 17.5 17 Com: 0.9 yds 0.
												WEIGHT: 17.0 LB 20
		•	:	÷								



	PACKAG	ING NOTES	
ROWN*	CODE	DESCRIPTION	LIST UPCHARGE
*	AB	ASSEMBLED IN BAG FOR WILL CALL	\$0
	AC	ASSEMBLED IN CARTON	\$0
		K CHAIRS SHIP UP TO 3 PER CARTON	' <u> </u>

NOTE: Due to the nature of vinyl upholstery, stacking may cause impressions on the seat. 9to5 Seating does not warrant the effects of the stacking on vinyl upholstery.

ARM OPTIONS





TAB-A14 \$160

A14 Left Arm. Available for

either frame finish BF/SF.

Right Folding Tablet Arm in Right Folding Tablet Arm w/ Black Only. Available for either frame finish BF/SF. *Not Stackable with Tablet *Not Stackable with Tablet

ADDITIONAL OPTIONS



Side Hanging Wire Basket for model 1310, 1315, 1360, 1365. Attach to left or right side.

CASTER OPTIONS



Standard 50mm Hooded Casters



50mm Hooded Hard Floor Casters

ACCESSORIES



Stacking Dolly Stack Chair 10 High



Ganging Clip - 2 per set GC1 - Armless-to-Armless GC2 - Arm-to-Arm

CAUTION: Careless stacking of chairs may scratch and damage frames.

bella




bella name your game, bella is ready to play

FULLY UPHOLSTERED - UP

GSA SIN # 711-18

- Back styles include: all plastic, upholstered, or mesh back
- Choice of plastic or upholstered seat
- 6 powder coated frame finishes
- Seat flips up for nesting Warranted up to 250 lbs
- CAL TB 133 Fire Code approved





BLACK SILVER METALLIC BROWN* BF SF MBF	CODE	DESCRIPTION	LIST UPCHARGE
BF SF MBF			
	AB	ASSEMBLED IN BAG FOR WILL CALL	\$0
GUNMETAL* DOVER GRAY* WHITE* GMF DGF WF	AC	ASSEMBLED IN CARTON	\$0

MODEL	CONTROL	DESCRIPTION	ARM	FABRIC								FEATURES	DIMENSIONS
1320	GT	GUEST NESTING Upholstered back with upholstered seat.	ARMLESS A12 A14	A/COM 380 425 460	B 410 455 490	C 430 475 510	D 460 505 540	E 495 540 575	F 535 580 615	6 575 620 655		 Flip Up Seat for Nesting and Compact Storage 50mm Hooded Casters Integrated Handle in Back of Chair Rated for 250 lbs 	ARMLESS W/ ARMS WIDTH: 21.0 25.0 DEPTH: 26.0 26.0 HEIGHT: 34.0 34.0 SEAT WIDTH: 18.0 18.0 SEAT DEPTH: 16.0 16.0 SEAT HEIGHT: 18.5 18.5 BACK WIDTH: 19.0 19.0 BACK HEIGHT: 17.5 17.5 COM: 0.9 YDS 0.9 YDS WEIGHT: 24.0 LB 27.0 LB
													<u> </u>

ARM OPTIONS



Fixed Arm

Reinforced Soft Touch

Extended Arm

CASTER OPTIONS

9005°

bella



Standard 50mm Hooded Casters



50mm Hooded Hard Floor Casters

ACCESSORIES

NESTING FOOTPRINT



First Chair 24", Each Additional Chair, Add 6"

CAUTION: Careless nesting of chairs may scratch and damage frames.



FULLY UPHOLSTERED - UP

GSA SIN # 711-18

- Training, task, multipurpose, stool, management and conference seating
- Back styles include: all plastic, upholstered, or mesh back
- Choice of plastic or upholstered seat
- 6 powder coated frame finishes
- Warranted up to 250 lbs
- CAL TB 133 Fire Code approved



<u>.ORS</u>	
SILVER	METALLIC BRO
SF	MBF
DOVER GRAY*	WHITE*
DGF	WF
	SF DOVER GRAY*

MODEL	CONTROL	DESCRIPTION	ARM	FABRIC								FEATURES	DIMENSIONS
1325	B2			A/COM	В	C	D	E	F	G	,	Pneumatic Seat Height Adjustment	WIDTH: 25.0
			ARMLESS	440	470	490	520	555	595	635		Basic Control Swivels 360 Degrees Rated for 250 lbs	DEPTH: 26.0
		LOW-BACK	A12	485	515	535	565	600	640	680		Nated for 250 lbs	HEIGHT: 34.0-38.5 SEAT WIDTH: 18.0
	1	BASIC CONTROL	A14	520	550	570	600	635	675	715			SEAT DEPTH: 16.0
4)),	Linkelatered back with											SEAT HEIGHT: 18.5-23.0
	E	Upholstered back with upholstered seat.											BACK WIDTH: 19.0
× ·	T												BACK HEIGHT: 17.5
	6												COM: 0.9 YDS Weight: 30.0 LB
	<u> </u>												
1325	S3			A/COM	В	C	D	E	F	G		Pneumatic Seat Height Adjustment	WIDTH: 25.0
			ARMLESS	475	505	525	555	590	630	670		Tilt Tension Control Seat and Back Tilt as a Unit	DEPTH: 26.0
	•	LOW-BACK	A12	520	550	570	600	635	675	715		Upright Position Tilt Lock	HEIGHT: 34.0-38.5 SEAT WIDTH: 18.0
	1	SWIVEL TILT CONTROL	A14	555	585	605	635	670	710	750		Rated for 250 lbs	SEAT DEPTH: 16.0
L')),	Upholstered back with											SEAT HEIGHT: 17.0-21.5
	<pre></pre>	upholstered seat.											BACK WIDTH: 19.0
													BACK HEIGHT: 17.5
	6												COM: 0.9 YDS Weight: 31.0 LB
0	0												
				:									



WN⁺	CODE	DESCRIPTION	LIST UPCHARGE
	AB	ASSEMBLED IN BAG FOR WILL CALL	\$0
	BAC	ASSEMBLED IN CARTON	\$0
			·

ARM OPTIONS



Extended Arm

CASTER OPTIONS

9005°

bella





60mm Hoodless Hard Floor Casters

ADDITIONAL OPTIONS



26" High Profile Aluminum Base BA10B - Black Powder-Coat BA10P - Polished BA10S - Silver Powder-Coat

bella name your game, bella is ready to play

FULLY UPHOLSTERED - UP

GSA SIN # 711-18

- Training, task, multipurpose, stool, management and conference seating
- Back styles include: all plastic, upholstered, or mesh back
- Choice of plastic or upholstered seat
- 6 powder coated frame finishes
- Warranted up to 250 lbs
- CAL TB 133 Fire Code approved





		TERY MESH COLOR P - M L COLOR * ONLY SELECT FOR MODELS 1360/1365	GR.	ADE C/	ASTERS PACKAGING O	PTIONS
FRAME COL	ORS			РАСКА	GING NOTES	
BLACK BF	SILVER	METALLIC BROWN* MBF		CODE	DESCRIPTION	LIST UPCHARGE
				AB	ASSEMBLED IN BAG FOR WILL CALL	\$0
GUNMETAL* GMF	DOVER GRAY* DGF	WHITE* WF		BAC	ASSEMBLED IN CARTON	\$0
			J	l		

MODEL	CONTROL	DESCRIPTION	ARM	FABRIC								FEATURES	DIMENSIONS
1326	B2			A/COM	В	C	D	E	F	G		Pneumatic Seat Height Adjustment	WIDTH: 25.0
1020	~		ARMLESS	565	595	615	645	680	720	760		Height Adj 20" Diameter FootringRated for 250 lbs	DEPTH: 26.0
Ŭ	\mathcal{N}	10" TRAVEL HIGH STOOL BASIC CONTROL	A12	610	640	660	690	725	765	805		 Nated for 250 lbs 	HEIGHT: 40.5-50.5 SEAT WIDTH: 18.0
	U)	BAGIC CONTICL	A14	645	675	695	725	760	800	840			SEAT DEPTH: 16.0
-		Use for work surfaces up to 42											SEAT HEIGHT: 23.5-33.5
		inches high. Upholstered back with upholstered seat.											BACK WIDTH: 19.0 BACK HEIGHT: 17.5
		uproistereu seat.											COM: 0.9 YDS
9 8	ଦ୍ୟୁ ଶ												WEIGHT: 36.0 LB
		•		:	,		,	,	,		,		
1328	B2			A/COM	В	C	D	E	F	G		Pneumatic Seat Height AdjustmentHeight Adj 20" Diameter Footring	WIDTH: 25.0 DEPTH: 26.0
-	0	8" TRAVEL LOW STOOL	ARMLESS	565	595	615	645	680	720	760		Rated for 250 lbs	HEIGHT: 36.5-44.5
		BASIC CONTROL	A12	610	640	660	690	725	765	805			SEAT WIDTH: 18.0
	¥Z		A14	645	675	695	725	760	800	840			SEAT DEPTH: 16.0
I	W Th	Use for work surfaces up to 36 inches high. Upholstered back with											SEAT HEIGHT: 19.5-27.5 BACK WIDTH: 19.0
		upholstered seat.											BACK HEIGHT: 17.5
The second													COM: 0.9 YDS
9 U	0 0 0												WEIGHT: 35.0 LB
													• •

ARM OPTIONS



Extended Arm

CASTER OPTIONS

s e a t l n g

bella





60mm Hoodless Hard Floor Casters

ADDITIONAL OPTIONS



26" High Profile Aluminum Base BA10B - Black Powder-Coat BA10P - Polished BA10S - Silver Powder-Coat

brio mesh back chairs tailored to you

MESH BACK

GSA SIN # 711-18

- Task, stool, management and conference seating
- Mesh back
- Rolling flex back follows user's shoulder movements
- Reverse seat slider for more petite seat,
- standard on all models
- Optional height adjustable lumbar
- Warranted up to 250 lbs





	ONTROL	DESCRIPTION	ARM	FABRIC								FEATURES DIMENSIONS	
2060	Y1			T01	A/COM	в	C	D	E	F	G	Pneumatic Seat Height Adjustment WIDT	1: 25.0
2000	11	MID-BACK	ARMLESS	440	490	515	535	560	590	625	660		1: 26.0
			A2 520 570 595 615 640 670 705 740 • Back and Seat Tilt in 3:1 Ratio	 Univident Description Title Levels 	1: 39.0-43.5								
		CONTROL	A8B / A8S	525	575	600	620	645	675	710	745	Molded Ecom Seat	SEAT WIDTH: 20.0
							640					Optional Height Adjustable Lumbar	1: 14.5-17.0 1: 17.0-21.5
	Щ	Use for a variety of general office	A9B / A9S	545	595	620		665	695	730	765	Rated for 250 lbs BACK WIDT	
	TE .	task seating, including private	A10	525	575	600	620	645	675	710	745	BACK HEIGH	
	1	office and conference room seating.	A36	545	595	620	640	665	695	730	765	CO	I: 0.8 YDS
4 0 0 0	9 o		A37	565	615	640	660	685	715	750	785	WEIGH	1: 36.5 LB
												i	
2060	Y3			T01	A/COM	В	C	D	E	F	G		1: 25.0
		MID-BACK	ARMLESS	510	560	585	605	630	660	695	730		1: 26.0
		FULL SYNCHRO TILT	A2	590	640	665	685	710	740	775	810	3 Locking Positions SEAT WIDT	1: 39.0-43.5
		CONTROL	A8B / A8S	595	645	670	690	715	745	780	815	Safety Tilt Release SEAT DEPT	1: 15.5-18.0
	7	line for a constant of the first	A9B / A9S	615	665	690	710	735	765	800	835	Molded Foam Seat	16 .5-21.0
		Use for a variety of general office task seating, including private	A10	595	645	670	690	715	745	780	815	Rated for 250 lbs BACK WIDT	BACK WIDTH: 18.0
	TT -	office and conference room seating.		BACK HEIGH	BACK HEIGHT: 22.0								
	J.S.		A37	635	685	710	730	755	785	820	855		I: 0.8 YDS I: 38.0 LB
0 ~ ~ (0 -		1101	000	000			100	100	020	000	WEIGH	1: 30.0 LB
-		: :		<u> </u>				1	,			E.	
		:			A/COM	D		[e	Pneumatic Seat Height Adjustment WIDT	: 25.0
2060	M1			T01	A/COM	B	C	D	E	F	G	5 ,	l: 25.0 l: 26.0
2060	M1	MID-BACK	ARMLESS	540	590	615	635	660	E 690	725	760	Tilt Tension Control DEPT Seat and Back Tilt as a Unit HEIGH	
2060	M1	MID-BACK MULTIFUNCTION CONTROL	A2	540 620	590 670	615 695	635 715	660 740	770	725 805	760 840	Tilt Tension Control DEPT Seat and Back Tilt as a Unit Floating seat position tilt lock SEAT WIDT	l: 26.0 f: 39.0-43.5
2060	M1	MULTIFUNCTION CONTROL	A2 A8B / A8S	540 620 625	590 670 675	615 695 700	635 715 720	660 740 745	770 775	725 805 810	760 840 845	Tilt Tension Control DEPT Seat and Back Tilt as a Unit Floating seat position tilt lock Infinite Back Angle Adj w/ Free Float Seat Piyots from 0° to 6° Forward	 26.0 39.0-43.5 20.0 14.5-17.0
	M1	• • •	A2 A8B / A8S A9B / A9S	540 620 625 645	590 670 675 695	615 695 700 720	635 715 720 740	660 740 745 765	770 775 795	725 805 810 830	760 840 845 865	Tilt Tension Control DEPT Seat and Back Tilt as a Unit Floating seat position tilt lock Infinite Back Angle Adj w/ Free Float Seat Pivots from 0° to 6° Forward Seat HEIGH Molded Foam Seat	1: 26.0 1: 39.0-43.5 1: 20.0 1: 14.5-17.0 1: 17.0-21.5
	M1	MULTIFUNCTION CONTROL Fully articulating seat and back	A2 A8B / A8S	540 620 625 645 625	590 670 675	615 695 700	635 715 720 740 720	660 740 745	770 775	725 805 810	760 840 845	 Tilt Tension Control DEPTI Seat and Back Tilt as a Unit HeiGH Floating seat position tilt lock Infinite Back Angle Adj w/ Free Float Seat Pivots from 0° to 6° Forward Seat Pivots from 0° to 6° Forward Molded Foam Seat Optional Height Adjustable Lumbar 	I: 26.0 I: 39.0-43.5 I: 20.0 I: 14.5-17.0 I: 17.0-21.5 I: 18.0
	M1	MULTIFUNCTION CONTROL Fully articulating seat and back for the highest level of ergonomic	A2 A8B / A8S A9B / A9S	540 620 625 645	590 670 675 695	615 695 700 720	635 715 720 740	660 740 745 765	770 775 795	725 805 810 830	760 840 845 865	Tilt Tension Control DEPT Seat and Back Tilt as a Unit Floating seat position tilt lock Infinite Back Angle Adj w/ Free Float Seat Pivots from 0° to 6° Forward Seat Pivots from 0° to 6° Forward Molded Foam Seat Optional Height Adjustable Lumbar Rated for 250 lbs	I: 26.0 I: 39.0-43.5 I: 20.0 I: 14.5-17.0 I: 17.0-21.5 I: 18.0

STERS	PACKAGING	OPTIONS
6		

brio

PACKAGING NOTES

CODE	DESCRIPTION	LIST UPCHARGE
AB	ASSEMBLED IN BAG FOR WILL CALL	\$0
BAC	BACK ASSEMBLED IN CARTON	\$0

ARM OPTIONS



2-Way Adjustable Arm Height Adjustable (for use with Y1, Y3, M1 and P1 controls)



8-Way Adjustable Arms Soft-Touch sliding and pivoting arm pads.



A8 2-Way Height Adjustable Arm, A9 4-Way Adjustable Height Adjustable with 4" Interior Width Adjustment A8B -Black, A8S -Silver A9B -Black, A9S -Silver



10 -Way Adjustable Arms Soft-Touch sliding and pivoting arm pads and 4" arm width knob under seat.



Black Soft Touch Cantilever style C-Shaped Arm

CASTER OPTIONS



60mm Hoodless Casters



60mm Hoodless Hard Floor Casters

ADDITIONAL OPTIONS



Height Adjustable Lumbar Support



26" High Profile Aluminum Base BA10B - Black Powder-Coat BA10P - Polished BA10S - Silver Powder-Coat

GSA SIN # 711-18

- Task, stool, management and conference seating
- Mesh back
- Rolling flex back follows user's shoulder movements
- Reverse seat slider for more petite seat,
- standard on all models
- Optional height adjustable lumbar
- Warranted up to 250 lbs





	CONTROL	DESCRIPTION	ARM	FABRIC								FEATURES DIMENSIONS
2066	¥1			T01	A/COM	в	C	D	E	F	G	Pneumatic Seat Height Adjustment WIDTH: 25.0
2000	11		ARMLESS	565	615	640	660	685	715	750	785	• Tilt Tension Control DEPTH: 26.0
	A	10" TRAVEL HIGH STOOL	A2	645	695	720	740	765	795	830	865	Back and Seat Tilt in 3:1 Ratio HEIGHT: 48.5-58.5 Upright Position Tilt Lock
	H	SIMPLE SYNCHRO	A8B / A8S	650	700	725	745	770	800	835	870	Molded Form Seat
	KL.	TILT CONTROL										Optional Height Adjustable Lumbar SEAT DEPTH: 14.5-17.0 SEAT HEIGHT: 26.6-36.5
		Use for work surfaces up to	A9B / A9S	670	720	745	765	795	820	855	890	Height Adj 20" Diameter Footring
		42 inches high.	A10	650	700	720	745	770	800	835	870	Rated for 250 lbs BACK WIDTH: 10.0 BACK HEIGHT: 22.0
			A36	670	720	740	765	790	820	855	890	COM: 0.8 YDS
r f g	6 9 9		A37	690	740	760	785	810	840	875	910	WEIGHT: 43.5 LB
		:	:	:								
2066	P1			T01	A/COM	В	C	D	E	F	G	Pneumatic Seat Height Adjustment WIDTH: 25.0
			ARMLESS	600	650	675	695	720	750	785	820	Infinite Back Angle with Free Float DEPTH: 26.0 Optional Height Adjustable Lumbar
M	Â	10" TRAVEL HIGH STOOL	A2	680	730	755	775	800	830	865	900	Height Adi 20" Diameter Featring
	H	POSTURE BACK CONTROL	A8B / A8S	685	735	760	780	805	835	870	905	Rated for 250 lbs SEAT WIDTH: 20.0 SEAT DEPTH: 14.5-17.0
			A9B / A9S	705	755	780	800	825	855	890	925	SEAT DEPTR. 14.3-17.0 SEAT HEIGHT: 26.5-36.5
		Use for work surfaces up to	A3D 7 A33	685	735	760	780	805	835	870	905	BACK WIDTH: 18.0
		42 inches high.										BACK HEIGHT: 22.0
			A36	705	755	780	800	825	855	890	925	COM: 0.8 YDS
$\sim w \sim \sim$		•	A37	. 725								
~ 1 . 3	0 4 0		A37	725	805	830	820	845	875	910	945	WEIGHT: 45.5 LB
	Y1	8" TRAVEL LOW STOOL SIMPLE SYNCHRO TILT CONTROL Use for work surfaces up to 36 inches high.	ARMLESS A2 A8B / A8S A9B / A9S A10 A36 A37	T01 565 645 650 670 650 670 690	A/COM 615 695 700 720 720 720 720	830 B 640 720 725 745 720 740 760	820 C 660 740 745 765 745 765 785	845 D 685 765 770 795 770 790 810	 875 E 715 795 800 820 800 820 820 840 	910 F 750 830 835 855 855 855 855 875	945 G 785 865 870 890 890 910	 WEIGHT: 45.5 LB Pneumatic Seat Height Adjustment Tilt Tension Control Back and Seat Tilt in 3:1 Ratio Upright Position Tilt Lock Molded Foam Seat Optional Height Adjustable Lumbar Height Adj 20" Diameter Footring Rated for 250 lbs BACK WIDTH: 18.0 BACK WIDTH: 18.0 BACK HEIGHT: 22.0 COM: 0.8 YDS WEIGHT: 42.8 LB
		SIMPLE SYNCHRO TILT CONTROL Use for work surfaces up to	ARMLESS A2 A8B / A8S A9B / A9S A10 A36	T01 565 645 650 670 650 670 690	A/COM 615 695 700 720 720 720 720 720	B 640 720 725 745 720 740 740 760	C 660 740 745 765 765 765 785	D 685 765 770 795 770 790 810	E 715 795 800 820 800 820 820 840	F 750 830 835 855 835 855 875	G 785 865 870 890 870 890 910	 Pneumatic Seat Height Adjustment Tilt Tension Control Back and Seat Tilt in 3:1 Ratio Upright Position TilL Lock Molded Foam Seat Optional Height Adjustable Lumbar Height Adj 20" Diameter Footring Rated for 250 lbs WIDTH: 25.0 WIDTH: 25.0 BEACK WIDTH: 20.0 SEAT DEPTH: 14.5-17.0 SEAT DEPTH: 14.5-17.0 SEAT MIDTH: 22.5-30.5 BACK WIDTH: 18.0 BACK WIDTH: 18.0 BACK HEIGHT: 22.0 COM: 0.8 YDS WEIGHT: 42.8 LB
2068		SIMPLE SYNCHRO TILT CONTROL Use for work surfaces up to	ARMLESS A2 A8B / A8S A9B / A9S A10 A36 A37	T01 565 645 650 670 650 670 690 701	A/COM 615 695 700 720 720 720 720 720 720	B 640 720 725 745 745 740 740 760 B	С 660 740 745 765 745 765 785	D 685 765 770 795 770 790 810	E 715 795 800 820 820 820 820 840	F 750 830 835 855 835 835 835 835	6 785 865 870 890 870 890 910	 Pneumatic Seat Height Adjustment Tilt Tension Control Back and Seat Tilt in 3:1 Ratio Upright Position Tilt Lock Molded Foam Seat Optional Height Adjustable Lumbar Height Adj 20" Diameter Footring Rated for 250 lbs WIDTH: 25.0 WIDTH: 25.0 DEPTH: 26.0 HEIGHT: 44.5-52.5 SEAT WIDTH: 20.0 SEAT DEPTH: 14.5-17.0 SEAT DEPTH: 14.5-17.0 SEAT DEPTH: 14.5-17.0 SEAT HEIGHT: 22.5-30.5 BACK WIDTH: 18.0 BACK HEIGHT: 22.0 COM: 0.8 YDS
		SIMPLE SYNCHRO TILT CONTROL Use for work surfaces up to 36 inches high.	ARMLESS A2 A8B / A8S A9B / A9S A10 A36 A37 ARMLESS	T01 565 645 650 670 650 670 690 701 690	A/COM 615 695 700 720 720 720 720 720 720 740	B 640 720 725 745 720 740 760 B 675	C 660 740 745 765 745 765 785 785	D 685 765 770 795 770 810 810	E 715 795 800 820 820 820 820 840 840	F 750 830 835 855 835 855 875 F 785	G 785 865 870 890 870 890 910 910	 Pneumatic Seat Height Adjustment Tilt Tension Control Back and Seat Tilt in 3:1 Ratio Upright Position Tilt Lock Molded Foam Seat Optional Height Adjustable Lumbar Height Adj 20" Diameter Footring Rated for 250 lbs Pneumatic Seat Height Adjustment Pneumatic Seat Height Adjustment Pneumatic Seat Height Adjustment Infinite Back Angle with Free Float Optional Height Adjustable Lumbar Infinite Back Angle with Free Float Optional Height Adjustable Lumbar
		SIMPLE SYNCHRO TILT CONTROL Use for work surfaces up to 36 inches high. 8" TRAVEL LOW STOOL	ARMLESS A2 A8B / A8S A9B / A9S A10 A36 A37 ARMLESS A2	T01 565 645 650 670 650 670 690 690 T01 600 680	A/COM 615 695 700 720 720 720 720 740 650 650 730	B 640 720 725 745 720 740 760 B 675 755	C 660 740 745 765 745 765 785 785	D 685 765 770 795 770 810 810	E 715 795 800 820 820 820 820 820 840	F 750 830 835 855 835 855 875 875 875	G 785 865 870 890 870 890 910 910	 Pneumatic Seat Height Adjustment Tilt Tension Control Back and Seat Tilt in 3:1 Ratio Upright Position Tilt Lock Molded Foam Seat Optional Height Adjustable Lumbar Height Adj 20" Diameter Footring Rated for 250 lbs Pneumatic Seat Height Adjustment Infinite Back Angle with Free Float Optional Height Adjustable Lumbar Height Adj 20" Diameter Footring Rated for 250 lbs
		SIMPLE SYNCHRO TILT CONTROL Use for work surfaces up to 36 inches high.	ARMLESS A2 A8B / A8S A9B / A9S A10 A36 A37 A37 ARMLESS A2 A8B / A8S	T01 565 645 650 670 650 670 690 701 690	A/COM 615 695 700 720 720 720 720 720 740 650 730 735	B 640 725 745 720 740 760	C 660 740 745 765 765 785 785 C 695 775 780	D 685 765 770 795 770 810 810 720 800 805	E 715 795 800 820 800 820 840 840 840 840	F 750 830 835 855 835 855 875	G 785 865 870 890 870 890 910 910	 Pneumatic Seat Height Adjustment Tilt Tension Control Back and Seat Tilt in 3:1 Ratio Upright Position TilL Lock Molded Foam Seat Optional Height Adjustable Lumbar Height Adj 20" Diameter Footring Rated for 250 lbs Pneumatic Seat Height Adjustment Infinite Back Angle with Free Float Optional Height Adj 20" Diameter Footring Height Adj 20" Diameter Footring Rated for 250 lbs
		SIMPLE SYNCHRO TILT CONTROL Use for work surfaces up to 36 inches high. 8" TRAVEL LOW STOOL	ARMLESS A2 A8B / A8S A9B / A9S A10 A36 A37 ARMLESS A2	T01 565 645 650 670 650 670 690 690 T01 600 680	A/COM 615 695 700 720 720 720 720 740 650 650 730	B 640 720 725 745 720 740 760 B 675 755	C 660 740 745 765 745 765 785 785	D 685 765 770 795 770 810 810	E 715 795 800 820 820 820 820 820 840	F 750 830 835 855 835 855 875 875 875	G 785 865 870 890 870 890 910 910	 Pneumatic Seat Height Adjustment Tilt Tension Control Back and Seat Tilt in 3:1 Ratio Upright Position Tilt Lock Molded Foam Seat Optional Height Adjustable Lumbar Height Adj 20" Diameter Footring Rated for 250 lbs Pneumatic Seat Height Adjustment Infinite Back Angle with Free Float Optional Height Adj 20" Diameter Footring Height Adj 20" Diameter Footring Rated for 250 lbs
		SIMPLE SYNCHRO TILT CONTROL Use for work surfaces up to 36 inches high. 8" TRAVEL LOW STOOL POSTURE BACK CONTROL	ARMLESS A2 A8B / A8S A9B / A9S A10 A36 A37 A37 ARMLESS A2 A8B / A8S	T01 565 645 650 670 650 670 690 701 690	A/COM 615 695 700 720 720 720 720 720 740 650 730 735	B 640 725 745 720 740 760	C 660 740 745 765 765 785 785 C 695 775 780	D 685 765 770 795 770 810 810 720 800 805	E 715 795 800 820 800 820 840 840 840 840	F 750 830 835 855 835 855 875	G 785 865 870 890 870 890 910 910	 Pneumatic Seat Height Adjustment Tilt Tension Control Back and Seat Tilt in 3:1 Ratio Upright Position Tilt Lock Molded Foam Seat Optional Height Adjustable Lumbar Height Adj 20" Diameter Footring Rated for 250 lbs Pneumatic Seat Height Adjustment Infinite Back Angle with Free Float Optional Height Adj 20" Diameter Footring Height Adj 20" Diameter Footring Rated for 250 lbs
		SIMPLE SYNCHRO TILT CONTROL Use for work surfaces up to 36 inches high. 8" TRAVEL LOW STOOL POSTURE BACK CONTROL Use for work surfaces up to	ARMLESS A2 A8B / A8S A9B / A9S A10 A36 A37 A37 ARMLESS A2 A8B / A8S A9B / A9S	T01 565 645 650 670 650 670 690 690 701 680 685 705	A/COM 615 695 700 720 720 720 720 720 720 720 720 720 720 720 720 720 720 720 735 755	B 640 720 745 720 740 760 B 675 760 755 760	C 660 740 745 765 765 785 785 C 695 775 780 800	D 685 765 770 795 770 790 810 810 800 800 805 825	E 715 800 820 800 820 840 840 840 840 835 835	F 750 830 835 855 835 855 875 875 875 875 875 875 875 875 875 875 875 875 870 890	G 785 865 870 890 870 890 910 910 910 820 900 905 925	 Pneumatic Seat Height Adjustment Tilt Tension Control Back and Seat Tilt in 3:1 Ratio Upright Position Tilt Lock Molded Foam Seat Optional Height Adjustable Lumbar Height Adj 20" Diameter Footring Rated for 250 lbs Pneumatic Seat Height Adjustment Infinite Back Angle with Free Float Optional Height Adj 20" Diameter Footring Height Adj 20" Diameter Footring Rated for 250 lbs

ST00L

brio

mesh back chairs tailored to you

STERS	PACKAGING	OPTIONS
6		

ω	
0	
٥	\square
ст —	\Box
-	
٥	

brio

PACKAGING NOTES

DESCRIPTION	LIST UPCHARGE
ASSEMBLED IN BAG FOR WILL CALL	\$0
BACK ASSEMBLED IN CARTON	\$0
	ASSEMBLED IN BAG FOR WILL CALL

ARM OPTIONS



2-Way Adjustable Arm Height Adjustable (for use with Y1, Y3, M1 and P1 controls)



8-Way Adjustable Arms Soft-Touch sliding and pivoting arm pads.



A8 2-Way Height Adjustable Arm, A9 4-Way Adjustable Height Adjustable with 4" Interior Width Adjustment A8B -Black, A8S -Silver A9B -Black, A9S -Silver



10 -Way Adjustable Arms Soft-Touch sliding and pivoting arm pads and 4" arm width knob under seat.



Black Soft Touch Cantilever style C-Shaped Arm

CASTER OPTIONS



60mm Hoodless Casters



Hard Floor Casters

ADDITIONAL OPTIONS



Height Adjustable Lumbar Support



26" High Profile Aluminum Base BA10B - Black Powder-Coat BA10P - Polished BA10S - Silver Powder-Coat

bristol seamless integration into your office's architecture

MID-BACK

GSA SIN # 711-18

- Management, task, stool, and conference seating
- Ratchet back height adjustment on all models
- Warranted up to 250 lbs with S2, R1, P1
- Warranted up to 300 lbs with M1, Y2 • CAL TB 133 Fire Code approved



CREATING BRISTOL MODEL NUMBER MODEL NUMBER 2360- A - C 6 -

MODEL	CONTROL	DESCRIPTION	ARM	FABRIC/LE	ATHER									FEATURES	DIMENSIONS
		I I		A/COM	в	C	D	E	F	G	L3/COL	L4	L5	Pneumatic Seat Height Adjustment	WIDTH: 25.0
2360	S2		ARMLESS	505	550	580	625	675	735	800	665	740	900	Tilt Tension Control	DEPTH: 26.0
			A8B / A8S	590	635	665	710	760	820	885	750	825	985	 Seat and Back Tilt as a Unit 	HEIGHT: 39.0-46.0
	\int	MID-BACK SWIVEL TILT CONTROL	A9B / A9S											Upright Position Tilt Lock	SEAT WIDTH: 20.0
		SWIVEL HEI CONTROL		610	655	685	730	780	840	905	770	845	1005	 Ratchet Back Height Lumbar Adjustment 	SEAT DEPTH: 19.0
	H	Use for a variety of general office	A10	590	635	665	710	760	820	885	750	825	985	Rated for 250 lbs	SEAT HEIGHT: 17.0-21.5
$ \rightarrow $	/-/-	task seating, including private	A19	705	750	780	825	875	935	1000	865	940	1100		BACK WIDTH: 20.0
		office and conference room seating.	A36	610	655	685	730	780	840	905	770	845	1005		BACK HEIGHT: 19.0-21.5
		,	A37	630	675	705	750	800	860	925	790	865	1025		COM: 1.4 YDS
9.9	6 9 9								L	1					COL: 20.0 SQ FT
				SEAT SLID	ER (SS)	- ADD \$6	0								WEIGHT: 30.0 LB
				A/COM	В	C	D	E	F	G	L3/COL	L4	L5	Pneumatic Seat Height Adjustment	WIDTH: 25.0
2360	R1	MID-BACK	ARMLESS	555	600	630	675	725	785	850	715	790	950	Tilt Tension Control Sect and Reak Tilt as a Unit	DEPTH: 26.0
		ROCKING CONTROL	A8B / A8S	640	685	715	760	810	870	935	800	875	1035	 Seat and Back Tilt as a Unit Floating Seat Position Tilt Lock 	HEIGHT: 39.0-46.0
	U		A9B / A9S	660	705	735	780	830	890	955	820	895	1055	 Infinite Back Angle Adj w/ Free Float 	SEAT WIDTH: 20.0
	//	For managerial and task	A10	640	685	715	760	810	870	935	800	875	1035	Ratchet Back Height Lumbar	SEAT DEPTH: 19.0
	H	applications. Similar to a swivel												Adjustment	SEAT HEIGHT: 18.0-22.5 BACK WIDTH: 20.0
	1	tilt control, with the added comfort	A19	755	800	830	875	925	985	1050	915	990	1150	Rated for 250 lbs	BACK HEIGHT: 19.0-21.5
	Son I	of infinite back angle and	A36	660	705	735	780	830	890	955	820	895	1055		COM: 1.4 YDS
TR.		tilt adjustment.	A37	680	725	755	800	850	910	975	840	915	1075		COL: 20.0 SQ FT
9 O	0 4 0														WEIGHT: 35.0 LB
		:		SEAT SLID	ER (SS)	- ADD \$6	0								:
				A/COM	В	C	D	E	F	G	L3/COL	L4	L5	Pneumatic Seat Height Adjustment	WIDTH: 25.0
2360	Y2		ARMLESS	585	630	660	705	755	815	880	745	820	980	Side Tilt Tension Control	DEPTH: 26.0
		MID-BACK	A8B / A8S	670	715	745	790	840	900	965	830	905	1065	Back and Seat Tilt in 2:1 ratio4 Locking Positions	HEIGHT: 39.0-46.0
	\int	HEAVY DUTY SYNCHRO	A9B / A9S	690	735	765	810	860	920	985	850	925	1085	Safety Tilt Release	SEAT WIDTH: 20.0
-		TILT CONTROL	A10	670						965	830	905		Ratchet Back Height Lumbar	SEAT DEPTH: 19.0
	H	Use for a variety of general office			715	745	790	840	900				1065	Adjustment	SEAT HEIGHT: 18.0-22.5
	1 - J	task seating, including private office	A19	785	830	860	905	955	1015	1080	945	1020	1180	Rated for 300 lbs	BACK WIDTH: 20.0
- Charles		and conference room seating.	A36	690	735	765	810	860	920	985	850	925	1085		BACK HEIGHT: 19.0-21.5
AND I		and conterence room sealing.	A37	710	755	785	830	880	940	1005	870	945	1105		COM: 1.4 YDS COL: 20.0 SQ FT
9 O	a f a														WEIGHT: 39.0 LB
		:		SEAT SLID	ER (SS)	- ADD \$6	0								
				A/COM	В	C	D	E	F	G	L3/COL	L4	L5	Pneumatic Seat Height Adjustment	WIDTH: 25.0
2360	M1		ARMLESS	605	650	680	725	775	835	900	765	840	1000	Tilt Tension Control	DEPTH: 26.0
		MID-BACK	A8B / A8S	690	735	765	810	860	920	985	850	925	1085	 Seat and Back Tilt as a Unit Floating Seat Position Tilt Lock 	HEIGHT: 39.0-46.0
	\int	MULTIFUNCTION CONTROL	A9B / A9S	710	755	785	830	880	940	1005	870	945	1105	 Infinite Back Angle Adj w/ Free Float 	SEAT WIDTH: 20.0
-h	//		A10	690	735	765	810	860	920	985	850	925	1085	 Seat Pivots from 0° to 6° Forward 	SEAT DEPTH: 19.0 SEAT HEIGHT: 18.0-22.5
	7	Fully articulating seat and back							1035		965	1040	1200	Ratchet Back Height Lumbar	BACK WIDTH: 20.0
	Let	for the highest level of ergonomic	A19	805	850	880	925	975		1100				Adjustment	BACK HEIGHT: 19.0-21.5
50 °	345	needs. Control allows user to pivot seat forward from 0° to 6°.	A36	710	755	785	830	880	940	1005	870	945	1105	Rated for 300 lbs	COM: 1.4 YDS
Ē			107	720	775	805	850	900	960	1025	890	965	1125		
		seat for ward norm of to o .	A37	730	775	005	000	500	000	1020	000	000	1123		COL: 20.0 SQ FT

PACKAGING	- [
ſ	PACKAGING NOTES											
	CODE	DESCRIPTION	LIST UPCHARGE									
	AB	ASSEMBLED IN BAG FOR WILL CALL	\$0									
	PAC	PARTIALLY ASSEMBLED IN CARTON	\$0									
	BAC	BACK ASSEMBLED IN CARTON	\$40									

ARM OPTIONS



A8 2-Way Height Adjustable Arm, A9 4-Way Adjustable Height Adjustable with 4" Interior Width Adjustment A8B -Black, A8S -Silver A9B -Black, A9S -Silver



3-Way Adjustable Arms Soft-Touch sliding and pivoting arm pads.

CASTER OPTIONS



Standard 60mm Hoodless Casters



Black Soft Touch Cantilever Style C-Shape Arm



10 -Way Adjustable Arms Soft-Touch sliding and pivoting arm pads and 4" arm width knob under seat.



60mm Hoodless Hard Floor Casters

ADDITIONAL OPTIONS



Seat Slider 2.5" Side Paddle Activated



Upholstered Outer Back in Black Ballistic Nylon BN1 - with Grade A ONLY BN2 - with Grade B and Up



26" High Profile Aluminum Base BA10B - Black Powder-Coat BA10P - Polished BA10S - Silver Powder-Coat



9005°

bristol

Polished Aluminum C-Shape Arm

bristol seamless integration into your office's architecture

HIGH-BACK

GSA SIN # 711-18

- Management, task, stool, and conference seating
- Ratchet back height adjustment on all models
- Warranted up to 250 lbs with S2, R1, P1
- Warranted up to 300 lbs with M1, Y2
- CAL TB 133 Fire Code approved



MODEL	CONTROL	DESCRIPTION	ARM	FABRIC/LE	ATHER								FEATURE	S	DIMENSIONS	
		1		A/COM	в	C	D	E	F	G	L3/COL	L4	L5 Prov	matic Seat Height Adjustment	WIDTH:	25.0
2380	\$2		ARMLESS	555	605	635	685	740	800	865	715	800		ension Control	DEPTH:	
\sim 1	0		A8B / A8S	640	690	720	770	825	885	950	800	885		and Back Tilt as a Unit		42.0-49.0
		HIGH-BACK											• Uprig	ht Position Tilt Lock	SEAT WIDTH:	20.0
		SWIVEL TILT CONTROL	A9B / A9S	660	710	740	790	845	905	970	820	905		net Back Height Lumbar	SEAT DEPTH:	19.0
- TA			A10	640	690	720	770	825	885	950	800	885	1020	stment I for 250 lbs	SEAT HEIGHT:	17.0-21.5
		Use for a variety of general office	A19	755	805	835	885	940	1000	1065	915	1000	1135	101 230 105	BACK WIDTH:	20.0
	La for	task seating, including private office	A36	660	710	740	790	845	905	970	820	905	1040		BACK HEIGHT:	23.0-25.5
Å		and conference room seating.	A37	680	730	760	810	865	925	990	840	925	1060		COM:	1.5 YDS
	6														COL:	19.0 SQ FT
0	0			SEAT SLID	ER (SS)	- ADD \$6	0								WEIGHT:	31.0 LB
				A/COM	В	C	D	E	F	G	L3/COL	L4	L5 • Pneu	matic Seat Height Adjustment	WIDTH:	25.0
2380	R1		ARMLESS	605	655	685	735	790	850	915	765	850		ension Control	DEPTH:	26.0
	0			690	740	770	820	875	935	1000	850	935	• Seat	and Back Tilt as a Unit	HEIGHT:	42.0-49.0
_	//	ROCKING CONTROL	A8B / A8S										• Float	ng Seat Position Tilt Lock	SEAT WIDTH:	20.0
	//		A9B / A9S	710	760	790	840	895	955	1020	870	955	Ratel	e Back Angle Adj w/ Free Float net Back Height Lumbar	SEAT DEPTH:	19.0
─_h	H	For managerial and task applications. Similar to a swivel	A10	690	740	770	820	875	935	1000	850	935	1070	stment	SEAT HEIGHT:	18.0-22.5
-		tilt control, with the added comfort	A19	805	855	885	935	990	1050	1115	965	1050	1105	d for 250 lbs	BACK WIDTH:	20.0
77		of infinite back angle and	A36	710	760	790	840	895	955	1020	870	955	1090		BACK HEIGHT:	
		tilt adjustment.	A37	730	780	810	860	915	975	1040	890	975	1110			1.5 YDS
	6		A37													19.0 SQ FT
0	0			SEAT SLID	ER (SS)	- ADD \$6	0								WEIGHT:	36.0 LB
				A/COM	в	C	D	E	F	G	L3/COL	L4	L5 • Pneu	matic Seat Height Adjustment	WIDTH:	25.0
2380	Y2	HIGH-BACK	ARMLESS	635	685	715	765	820	880	945	795	880	1015	Tilt Tension Control	DEPTH:	26.0
	0	HEAVY DUTY SYNCHRO	A8B / A8S	720	770	800	850	905	965	1030	880	965	• Back	and Seat Tilt in 2:1 ratio	HEIGHT:	42.0-49.0
		TILT CONTROL											• 4 LOC	king Positions y Tilt Release	SEAT WIDTH:	20.0
			A9B / A9S	740	790	820	870	925	985	1050	900	985	Batch	net Back Height Lumbar	:	19.0
<u> </u>	H	Use for a variety of general	A10	720	770	800	850	905	965	1030	880	965	1100	stment	SEAT HEIGHT:	
$ \rightarrow $		office task seating, including	A19	835	885	915	965	1020	1080	1145	995	1080	1215 • Rated	d for 300 lbs	BACK WIDTH:	
J.		private office and conference	A36	740	790	820	870	925	985	1050	900	985	1120			23.0-25.5
		room seating.	A37	760	810	840	890	945	1005	1070	920	1005	1140			1.5 YDS
8 3	6 1 3	-													COL: WEIGHT:	19.0 SQ FT
				SEAT SLID	ER (SS)	- ADD \$6	0								weight.	30.0 LB
				A/COM	В	C	D	Е	F	G	L3/COL	L4		matic Seat Height Adjustment	WIDTH:	25.0
380	M1		ARMLESS	655	705	735	785	840	900	965	815	900	1035	ension Control	DEPTH:	26.0
	0	HIGH-BACK	A8B / A8S	740	790	820	870	925	985	1050	900	985	• Seat	and Back Tilt as a Unit		42.0-49.0
	//	MULTIFUNCTION CONTROL											11044	ng Seat Position Tilt Lock e Back Angle Adj w/ Free Float	SEAT WIDTH:	
	//		A9B / A9S	760	810	840	890	945	1005	1070	920	1005	Seat	Pivots from 0° to 6° Forward	SEAT DEPTH:	
A	H	Fully articulating seat and back	A10	740	790	820	870	925	985	1050	900	985	1120	net Back Height Lumbar	SEAT HEIGHT:	
$ \rightarrow $	I/L	for the highest level of ergonomic	A19	855	905	935	985	1040	1100	1165	1015	1100		stment	BACK WIDTH:	
3		needs. Control allows user to pivot	A36	760	810	840	890	945	1005	1070	920	1005	1140 • Rated	d for 300 lbs	BACK HEIGHT:	
		seat forward from 0° to 6°.	A37	780	830	860	910	965	1025	1090	940	1025	1160			1.5 YDS
9_9	6 8 3														COL: WEIGHT:	19.0 SQ FT 40.0 LB
		1		E SEAT SLID	ER (SS)	- ADD \$6	0									.0.0 LD

PACKAGING OPTIONS CASTER CODE PACKAGING NOTES										
ĺ	CODE	DESCRIPTION	LIST UPCHARGE							
	AB	ASSEMBLED IN BAG FOR WILL CALL	\$0							
	PAC	PARTIALLY ASSEMBLED IN CARTON	\$0							
	BAC	BACK ASSEMBLED IN CARTON	\$40							

ARM OPTIONS



A8 2-Way Height Adjustable Arm, A9 4-Way Adjustable Height Adjustable with 4" Interior Width Adjustment A8B -Black, A8S -Silver A9B -Black, A8S -Silver



8-Way Adjustable Arms Soft-Touch sliding and pivoting arm pads.

CASTER OPTIONS



Standard 60mm Hoodless Casters



Black Soft Touch Cantilever Style C-Shape Arm



10 -Way Adjustable Arms Soft-Touch sliding and pivoting arm pads and 4" arm width knob under seat.



60mm Hoodless Hard Floor Casters

ADDITIONAL OPTIONS



Seat Slider 2.5" Side Paddle Activated



Upholstered Outer Back in Black Ballistic Nylon BN1 - with Grade A ONLY BN2 - with Grade B and Up



26" High Profile Aluminum Base BA10B - Black Powder-Coat BA10P - Polished BA10S - Silver Powder-Coat



Polished Aluminum C-Shape Arm

9005°

bristol

STOOL

seamless integration into your office's architecture

GSA SIN # 711-18

- Management, task, stool, and conference seating
- Ratchet back height adjustment on all models
- Warranted up to 250 lbs with S2, R1, P1
 CAL 133 approved in fabric



CREATING BRISTOL MODEL NUMBER MODEL NUMBER CONTROL ARMS GRADE CASTERS 2 3 6 - P 1 - A - C 6 - C 6 - -

MODEL	CONTROL	DESCRIPTION	ARM	FABRIC/LE	ATHER									FEATURES	DIMENSIONS
2366	P1	10" TRAVEL HIGH STOOL WITH POSTURE BACK CONTROL Use for work surfaces up to 42 inches high.	ARMLESS A8B / A8S A9B / A9S A10 A19 A36 A37	A/COM 670 755 775 755 870 775 775 795	B 720 805 825 805 920 825 845	C 750 835 855 835 950 855 855 855	D 800 885 905 885 1000 905 925	E 855 940 960 940 1055 960 980	F 915 1000 1020 1000 1115 1020 1040	G 980 1065 1085 1065 1180 1085 1105	L3/C0L 830 915 935 915 1030 935 955	L4 905 990 1010 990 1105 1010 1030	L5 1065 1150 1170 1150 1265 1170 1190	 Pneumatic Seat Height Adjustment Infinite back angle adjust with free float Ratchet Back Height Lumbar Adjustment Height Adjustable Footring Rated for 250 lbs 	WIDTH: 25.0 DEPTH: 26.0 HEIGHT: 48.5-61.0 SEAT WIDTH: 20.0 SEAT DEPTH: 19.0 SEAT HEIGHT: 28.0-38.0 BACK WIDTH: 20.0 BACK HEIGHT: 19.0-21.5 COM: 1.4 YDS COL: 20.0 S0 FT
a 4 a	0 4 0			SEAT SLID)er (SS) -	NOT AVA	AILABLE								WEIGHT: 42.0 LB
2368	P1	8" TRAVEL LOW STOOL WITH POSTURE BACK CONTROL Use for work surfaces up to 36 inches high.	ARMLESS A8B / A8S A9B / A9S A10 A19 A36 A37	A/COM 670 755 775 755 870 775 795 SEAT SLID	B 720 805 825 805 920 825 845	C 7500 8355 8355 9500 8355 8555 8750	D 800 885 905 885 1000 905 925	E 855 940 960 940 1055 960 980	F 915 1000 1020 1000 1115 1020 1040	 G 980 1065 1085 1180 1085 1105 	L3/C0L 830 915 935 915 1030 935 955	L4 905 990 1010 990 1105 1010 1030	L5 1065 1150 1170 1150 1265 1170 1190	 Pneumatic Seat Height Adjustment Infinite back angle adjust with free float Ratchet Back Height Lumbar Adjustment Height Adjustable Footring Rated for 250 lbs 	WIDTH: 25.0 DEPTH: 26.0 HEIGHT: 44.5-55.0 SEAT WIDTH: 20.0 SEAT DEPTH: 19.0 SEAT HEIGHT: 24.0-32.0 BACK WIDTH: 20.0 BACK HEIGHT: 19.0-21.5 COM: 1.4 YDS COL: 20.0 SQ FT WEIGHT: 43.0 LB

PACKAGING OPTIONS											
PACKAGING NOTES											
	CODE	DESCRIPTION	LIST UPCHARGE								
	AB	ASSEMBLED IN BAG FOR WILL CALL	\$0								
	PAC	PARTIALLY ASSEMBLED IN CARTON	\$0								
	BAC	BACK ASSEMBLED IN CARTON	\$40								

ARM OPTIONS



A8 2-Way Height Adjustable Arm, A9 4-Way Adjustable Height Adjustable with 4" Interior Width Adjustment A8B -Black, A8S -Silver A9B -Black, A9S -Silver



8-Way Adjustable Arms Soft-Touch sliding and pivoting arm pads.

CASTER OPTIONS



Standard 60mm Hoodless Casters



Black Soft Touch Cantilever Style C-Shape Arm



10 -Way Adjustable Arms Soft-Touch sliding and pivoting arm pads and 4" arm width knob under seat.



60mm Hoodless Hard Floor Casters

ADDITIONAL OPTIONS



Upholstered Outer Back in Black Ballistic Nylon BN1 - with Grade A ONLY BN2 - with Grade B and Up



26" High Profile Aluminum Base BA10B - Black Powder-Coat BA10P - Polished BA10S - Silver Powder-Coat



9005°

bristol

Polished Aluminum C-Shape Arm

CREATING CAYMAN MODEL NUMBER

cayman contemporary, ergonomic, and built with attention to detail

MID-BACK

GSA SIN # 711-18

- Conference and executive seating
- Warranted up to 250 lbs, S1
- Warranted up to 300 lbs, K1
- Aluminum base standard matches arm finish





MODEL	CONTROL	DESCRIPTION	ARM	FABRIC/LE	ATHER									FEATURES	DIMENSIONS	
	01			A/COM	в	С	D	E	F	G	L3/COL	L4	L5	Pneumatic Seat Height Adjustment	WIDTH:	
2800	S1		A20	695	755	795	855	925	1000	1085	850	905	1195	Tilt Tension ControlSeat and Back Tilt as a Unit	DEPTH: HEIGHT:	
		MID-BACK												Upright Position Tilt Lock	SEAT WIDTH:	
	n	SWIVEL TILT CONTROL	A21	695	755	795	855	925	1000	1085	850	905	1195	Rated for 250 lbs	SEAT WIDTH: SEAT DEPTH:	
															SEAT HEIGHT:	
Ų		Use for a variety of general office													BACK WIDTH:	
L		seating, including private office and													BACK HEIGHT:	
Щ	At a	conference room seating.													COM:	
															· · · ·	25.0 SQ FT
90	0 4 0														WEIGHT:	
		: :		:										Pneumatic Seat Height Adjustment	WIDTH:	24.0
800	K1			A/COM	В	C	D	E	F	G	L3/COL	L4	L5	Tilt Tension Control	DEPTH:	
	IX I	MID-BACK	A20	745	805	845	905	975	1050	1135	900	955	1245	Seat and Back Tilt as a Unit	HEIGHT:	
		KNEE TILT CONTROL												5 Locking Positions	SEAT WIDTH:	
	N	KNEE HEI CONTROL	A21	745	805	845	905	975	1050	1135	900	955	1245	Safety Tilt Release	SEAT DEPTH:	
lh	\mathbb{N}	Ultimate seating comfort suited for												 Reduced Rise of Front of Seat 	SEAT HEIGHT:	
ΙH		the executive or manager. Allows												Rated for 300 lbs	BACK WIDTH:	
		for a full range of movement with a													BACK HEIGHT:	
¥	A C	sharp, simple look.													COM:	
																25.0 SQ FT
9 0 0	0 4 0														WEIGHT:	
		· · ·		· ·											•	
	07			A/COM	В	C	D	E	F	G	L3/COL	L4	L5	Cantilever Frame Design	WIDTH:	
800	GT		100						000					Non-Marring Floor GlidesRated for 250 lbs	DEPTH:	
			A20	625	685	725	785	855	930	1015	780	835	1125		HEIGHT:	
	0	GUEST	A21	625	685	725	785	855	930	1015	780	835	1125		SEAT WIDTH:	
															SEAT DEPTH:	
h	\mathbb{A}	Well suited for guest seating.										1			SEAT HEIGHT:	
Ш		Comes standard with													BACK WIDTH: BACK HEIGHT:	
		non-marking glides.													· · · · · · · · · · · · · · · · · · ·	
															COM:	1.9 YDS 25.0 SQ FT
															COL: WEIGHT:	
		· · · · · · · · · · · · · · · · · · ·		SHIPS PAR	RTIALLY	ASSEMB	LED BAC	OR AB							WEIGHT:	30.U LD

PACKAGING	OPTIONS
040750 0005	

ω	
0	
٥	\square
ст	\square
5	
٥	

PACKAGING NOTES

CODE	DESCRIPTION	LIST UPCHARGE
AB	ASSEMBLED IN BAG FOR WILL CALL	\$0
BAC	BACK ASSEMBLED IN CARTON	\$0

RM OPTIONS



ack Powder Coated Arm Leather Pad



Polished Aluminum Arm w/ Leather Pad

ASTER OPTIONS



mm Hooded Casters



" Aluminum Base A2B - Black Powder-Coated A2P - Polished



50mm Hooded Hard Floor Casters



50mm Hooded Self-Locking Hard Floor Casters

95

Cayman contemporary, ergonomic, and built with attention to detail

HIGH-BACK

GSA SIN # 711-18

- Conference and executive seating
- Warranted up to 250 lbs, S1Warranted up to 300 lbs, K1
- Aluminum base standard matches arm finish





MODEL	CONTROL	DESCRIPTION	ARM	FABRI	/LEATHE	R								FEATURES	DIMENSIONS	
2810	S1			A/CO	VI B	C	D	E	F	G	L3/COL	L4	L5	Pneumatic Seat Height AdjustmentTilt Tension Control	WIDTH: DEPTH:	
			A20	745	815	6 860	930	1005	1090	1185	900	965	1385	Seat and Back Tilt as a Unit		43.0-47.5
	n	HIGH-BACK SWIVEL TILT CONTROL	A21	745	815	6 860	930	1005	1090	1185	900	965	1385	Upright Position Tilt LockRated for 250 lbs	SEAT WIDTH:	
	N/													- Hated for 250 lbs	SEAT DEPTH:	
D	H	Use for a variety of general office													SEAT HEIGHT: BACK WIDTH:	
_ ____		seating, including private office													BACK WIDTH:	
	A.	and conference room seating.														2.1 YDS
	6000														•	42.0 SQ FT
0 0				1	1	L.	1	L	1	L		ţ.		WEIGHT:	43.0 LB	
		:	;	:											:	
10	К1			A/CO	и в	C	D	E	F	G	L3/COL	L4	L5	 Pneumatic Seat Height Adjustment Tilt Tension Control 	WIDTH: DEPTH:	
10	K1	HIGH-BACK	A20	795	865	i 910	980	1055	1140	1235	950	1015	1435	Seat and Back Tilt as a Unit		43.0-46.0
	U	KNEE TILT CONTROL	A21	795	-		980	1055	1140	1235	950	1015	1435	5 Locking Positions	SEAT WIDTH:	21.0
1	N/													Safety Tilt ReleaseReduced Rise of Front of Seat	SEAT DEPTH:	
D.		Ultimate seating comfort suited for												Rated for 300 lbs	SEAT HEIGHT:	
_Ц		the executive or manager. Allows													BACK WIDTH: BACK HEIGHT:	
Ţ		for a full range of movement with a sharp, simple look.													1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	42.0 SQ FT
															COL:	48.0 LB
5	~ ~ ~														WEIGHT:	

PACKAGING	OPTIONS
	-
ASTER CODE	

Ø	
0	
٥	\square
ст	\mathbf{a}
5	
٥	

cayman

PACKAGING NOTES

CODE	DESCRIPTION	LIST UPCHARGE
AB	ASSEMBLED IN BAG FOR WILL CALL	\$0
BAC	BACK ASSEMBLED IN CARTON	\$0

ARM OPTIONS



Black Powder Coated Arm w/ Leather Pad



Polished Aluminum Arm w/ Leather Pad

CASTER OPTIONS



50mm Hooded Casters



27" Aluminum Base BA2B - Black Powder-Coated BA2P - Polished



50mm Hooded Hard Floor Casters



50mm Hooded Self-Locking Hard Floor Casters



UPHOLSTERED BACK NEW

GSA SIN # 711-18 Pending

- Stylish durable poly outer back
- Ratchet height adjustable back
- Weight balanced knee tilt or Synchro control
- Durable hubless casters
- Optional seat slider
- Fixed or adjustable t-arms
- Black or gray accent colors
- Molded foam back over mesh suspension
 Warranted up to 300 lbs



CREATING CORE MODEL NUMBER MODEL NUMBER CONTROL ARMS PLASTIC COLOR GRADE CASTERS 2 6 0 A P A C .

PLASTIC COLORS CODE DESCRIPTION PGA GRAY

BLACK

PBA

MODEL	CONTROL	DESCRIPTION	ARM	FABRIC										FEATURES	DIMENSIONS	
NEW MODEL					(_	[[(_	(_	1	[((Pneumatic Seat Height Adjustment	WIDTH:	27.5
2260	W1			A/COM	В	C	D	E	F	G	L3/COL	L4	L5	Weight Balanced Control with Body	DEPTH:	27.5
		RATCHET BACK	ARMLESS	495	530	550	585	620	660	705	595	795	845	Adjust	HEIGHT:	42.75~48.00
	M	•	A22	545	580	600	635	670	710	755	645	845	895	 Back and Seat Tilt in 3:1 Ratio 	SEAT WIDTH:	19.0
		WEIGHT BALANCED	A23	570	605	625	660	695	735	780	670	870	920	2 Position Tilt Lock	SEAT DEPTH:	16.8
-														 Ratchet Back Height Lumbar 	SEAT HEIGHT:	18.25-22.75
		Use for a variety of general office	A36	600	635	655	690	725	765	810	700	900	950	Adjustment	BACK WIDTH:	18.0
	Canton Contraction	seating, including private office	A37	620	655	675	710	745	785	830	720	920	970	Molded Foam Seat Molded Foam Back Over Mesh	BACK HEIGHT:	24.0
-	A A A A A A A A A A A A A A A A A A A	and conference room seating												Molded Foart Back Over Mesh Suspension	COM:	1 YD
														Hubless Casters	COL:	8 SQ FT
ð °	° ° °													Rated for 300 lbs	WEIGHT:	39.0 LB
		•	•	SEAT SLI)ER (SS) -	• ADD \$60)								•	
NEW MODEL				A/COM	в	C	D	E	F	G	L3/COL	L4	L5	 Dreumstie Cost Usiekt Adjustment 	WIDTH:	
2260	K2	RATCHET BACK												Pneumatic Seat Height Adjustment Knoc Tilt Control	DEPTH:	
		ENHANCED KNEE	ARMLESS	525	560	580	615	650	690	735	625	825	875	Knee Tilt ControlSeat and Back Tilt as One Unit	HEIGHT:	42.75~48.00
	M	TILT CONTROL	A22	575	610	630	665	700	740	785	675	875	925	 3 Position Tilt Lock 	SEAT WIDTH:	19.0
		HEI CONTROL	A23	600	635	655	690	725	765	810	700	900	950	Ratchet Back Height Lumbar	SEAT DEPTH:	16.8
		Litizate costing comfort outed for												Adjustment	SEAT HEIGHT:	18.25-22.75
		Ultimate seating comfort suited for	A36	630	665	685	720	755	795	840	730	930	980	Molded Foam Seat	BACK WIDTH:	18.0
		the executive or manager. Allows	A37	650	685	705	740	775	815	860	750	950	1000	Molded Foam Back Over Mesh	BACK HEIGHT:	24.0
	and the second s	for full range of movement with												Suspension	COM:	1 YD
		sharp, simple look												Hubless Casters	COL:	8 SQ FT
g 0	° ° °				[Rated for 300 lbs	WEIGHT:	39.0 LB
		•	•	SEAT SLI	JER (SS) -	• ADD \$60)								•	
EW MODEL					r	r	F		r	r	r		r	Pneumatic Seat Height Adjustment	WIDTH:	27.5
2260	Y5			A/COM	В	C	D	E	F	G	L3/COL	L4	L5	 Full Synchro with Independent 	DEPTH:	27.5
		RACHET BACK	ARMLESS	575	610	630	665	700	740	785	675	875	925	Angle Adjust	HEIGHT:	42.75~48.00
	M	ADJUSTABLE BACK	A22	625	660	680	715	750	790	835	725	925	975	2:1 Back to Seat RatioStandard Seat Slider Adds 3" Adjustment	SEAT WIDTH:	19.0
		SYNCHRO TILT CONTROL								}			-	4 Locking Positions	SEAT DEPTH:	16.8
L		High function full synchro control	A23	650	685	705	740	775	815	860	750	950	1000	Ratchet Back Height Lumbar Adjustment	SEAT HEIGHT:	18.25-22.75
T		with independent back angle adjust.	A36	680	715	735	770	805	845	890	780	980	1030	Molded Foam Seat	BACK WIDTH:	18.0
		Use for general office, task, or	A37	700	735	755	790	825	865	910	800	1000	1050	 Molded Foam Back Over Mesh 	BACK HEIGHT:	24.0
-th-	<u>A</u>	management												Suspension	COM:	
STON .	a los	management												Side Tension Control		8 SQ FT
9 U	0 0 0													Hubless Casters	WEIGHT:	
		:	:	SEAT SLI)ER (SS) -	• STANDA	RD							Rated for 300 lbs	:	
EW MODEL					1 -	1		[_	[[_	I		[WIDTH:	26.0
2260	GT			A/COM	В	C	D	E	F	G	L3/COL	L4	L5	4 Leg Frame Design Non-Marring Floor Glides	DEPTH:	28.0
			SWA	450	485	505	540	575	615	660	550	750	800	Non-Marring Floor Glides Black or Gray Accents	HEIGHT:	39.0
														Black of Gray Accents Black or Silver Frame	SEAT WIDTH:	20.0
	$ \emptyset $	GUEST												Rated for 300 lbs	SEAT DEPTH:	16.5
	\\														SEAT HEIGHT:	17.5
		Four leg steel frame side chair													BACK WIDTH:	20.0
	LAL-h														BACK HEIGHT:	
	7/														:	
	// //															8 SQ FT
J LL	L/ L														WEIGHT:	
		÷	:	: SHIPS PA	RTIALLY /	ASSEMBL	ED PAC	OR AB /	SWA - ST	TANDARD	WITH ARM	S			:	

AVAILABLE JANUARY 2017

	0	PACKAG	ING NOTES	
		CODE	DESCRIPTION	LIST UPCHARGE
N		AB	ASSEMBLED IN BAG FOR WILL CALL	\$0
		PAC	PARTIALLY ASSEMBLED IN CARTON	\$0
		BAC	BACK ASSEMBLED IN CARTON	\$40
	(

Δ23

6-way adjustable arm for

height, width, and sliding arm pads in black or gray

\$75

ARM OPTIONS



Fixed Arm with Soft Polyurethane pad in black or gray



8-Way Adjustable Arms Soft-Touch sliding and pivoting arm pads.

CASTER OPTIONS



Standard 60mm Black Hubless Casters



60mm Hoodless Casters



Standard 60mm Hubless Gray Casters



60mm Hoodless Hard Floor Casters

ADDITIONAL OPTIONS



27" Mid-Profile Plastic Base B - Black Plastic G - Gray Plastic



27" High Profile Polished Aluminum Base



Seat Slider 2.5" Side Paddle Activated

9005°

core

cortina simple, straightforward ergonomics and functionality

MID-BACK

GSA SIN # 711-18

- Task, conference and executive seating
- Aluminum base standard
- Warranted up to 250 lbs with S2, GT
- Warranted up to 300 lbs with M1, Y2
- CAL TB 133 Fire Code approved • GT available in black or chrome frame



CREATING CORTINA MODEL NUMBER 2900-A

MODEL	CONTROL	DESCRIPTION	ARM	FABRIC/LE	EATHER									FEATURES	DIMENSIONS	
				A/COM	в	C	D	E	F	G	L3/COL	L4	L5	Pneumatic Seat Height Adjustment	WIDTH: 25.0	
2900	S2		ARMLESS	600	655	690	745	805	870	940	750	850	990	Tilt Tension Control	DEPTH: 26.0	
			ARMILLOS A8B / A8S	1	740	-		890		+				 Seat and Back Tilt as a Unit 	HEIGHT: 39.0-4	13.5
	\cap	MID-BACK		685		775	830		955	1025	835	935	1075	Upright Position Tilt Lock	SEAT WIDTH: 20.5	
		SWIVEL TILT CONTROL	A9B / A9S	705	760	795	850	910	975	1045	855	955	1095	Rated for 250 lbs	SEAT DEPTH: 19.0	
R R		line for a constant of more and office	A16	700	755	790	845	905	970	1040	850	950	1090		SEAT HEIGHT: 18.0-2	22.5
		Use for a variety of general office seating, including private office and	A19	800	855	890	945	1005	1070	1140	950	1050	1190		BACK WIDTH: 18.5	
		conference room seating.	A36	705	760	795	850	910	975	1045	855	955	1095		BACK HEIGHT: 21.0	
		conference room sealing.	A37	725	780	815	870	930	995	1065	875	975	1115		COM: 1.6 YD	
6 1 3	6 1 3														COL: 20.0 S	
				SEAT SLID	ER (SS)	- NOT AV	AILABLE								WEIGHT: 44.0 L	.В
				A/COM	В	C	D	E	F	G	L3/COL	L4	L5	Pneumatic Seat Height Adjustment	WIDTH: 25.0	
2900	Y2		ARMLESS	680	735	770	825	885	950	1020	830	865	1070	Back and Seat Tilt in 2:1 ratio	DEPTH: 26.0	
		MID-BACK	A8B / A8S	765	820	855	910	970	1035	1105	915	950	1155	4 Locking Positions Sofety Tilt Pologeo	HEIGHT: 39.0-4	13.5
	\cap	SYNCHRO TILT CONTROL	A9B / A9S	785	840	875	930	990	1055	1125	935	970	1175	Safety Tilt ReleaseReduced Rise of Front of Seat	SEAT WIDTH: 20.5	
	//		A16	780	835	870	925	985	1050	1120	930	965	1170	Synchro Control	SEAT DEPTH: 19.0	
		Use for a variety of general office	A19	880	935	970	1025	1085	1150	1220		1065	1270	Side Tension Adjustment	SEAT HEIGHT: 18.0-2	22.5
	H	seating, including private office and								1	1030			Rated for 300 lbs	BACK WIDTH: 18.5 BACK HEIGHT: 21.0	
- The second sec	The second se	conference room seating.	A36	785	840	875	930	990	1055	1125	935	970	1175		COM: 1.6 YD	1
			A37	805	860	895	950	1010	1075	1145	955	990	1195		COL: 20.0 S	
0 9 0	0 0														WEIGHT: 49.0 L	
		:	:	SEAT SLID	DER (SS)	- NOT AV	AILABLE								:	
				A/COM	В	C	D	E	F	G	L3/COL	L4	L5	Pneumatic Seat Height Adjustment	WIDTH: 25.0	
2900	M1		ARMLESS	700	755	790	845	905	970	1040	850	885	1090	Tilt Tension Control	DEPTH: 26.0	
		MID-BACK	A8B / A8S	785	840	875	930	990	1055	1125	935	970	1175	 Seat and Back Tilt as a Unit Infinite Tilt Position Lock 	HEIGHT: 39.0-4	13.5
	\cap	MULTIFUNCTION CONTROL	A9B / A9S	805	860	895	950	1010	1075	1145	955	990	1195	Infinite Back Angle Adj w/ Free Float	SEAT WIDTH: 20.5	
		Fully articulating cost and book	A16	800	855	890	945	1005	1070	1140	950	985	1190	 Seat Pivots from 0° to 6° Forward 	SEAT DEPTH: 19.0 SEAT HEIGHT: 18.5-2	22.0
		Fully articulating seat and back for the highest level of ergonomic	A19	900	955	990	1045	1105	1170	1240	1050	1085	1290	Rated for 300 lbs	BACK WIDTH: 18.5	23.0
		needs. Control allows user to pivot													BACK HEIGHT: 21.0	
77	ତ ଟ	seat forward from 0° to 6°.	A36	805	860	895	950	1010	1075	1145	955	990	1195		COM: 1.6 YD)
6 TON	and a		A37	825	880	915	970	1030	1095	1165	975	1010	1215		COL: 20.0 S	
ď	đ			SEAT SLID	ER (SS)	- NOT AV	AILABLE								WEIGHT: 52.0 L	.B
				:										Cantilever Frame Design	WIDTH: 24.0	
2900	GT			A/COM	В	C	D	E	F	G	L3/COL	L4	L5	 Cantilever Frame Design Non-Marring Floor Glides 	DEPTH: 24.0	
2000	<u>u</u> 1		A20	650	705	740	795	855	920	990	800	900	1040	Rated for 250 lbs	HEIGHT: 20.0	
		GUEST									+				SEAT WIDTH: 20.5	
	\cap		A21	650	705	740	795	855	920	990	800	900	1040		SEAT DEPTH: 19.0	
		Well suited for guest seating. Comes													SEAT HEIGHT: 18.0	
d h		standard with non-marring glides.													BACK WIDTH: 18.5	
	1/	A20 Black powder coat													BACK HEIGHT: 21.0	
	in the second se	A21 Chrome													COM: 1.6 YD)
															COL: 20.0 S	SQ FT
	\sim			SHIPS FUI			L					L			WEIGHT: 49.0 L	В

PACKAG	ING NOTES	
CODE	DESCRIPTION	LIST UPCHARGE
AB	ASSEMBLED IN BAG FOR WILL CALL	\$0
BAC	BACK ASSEMBLED IN CARTON	\$40

ARM OPTIONS



A8 2-Way 2- Way Height Adjustable Arm A8B - Black, A8S - Silver A9 4-Way Adjustable Arm A9B - Black, A9S - Silver



8-Way Adjustable Arms Soft-Touch sliding and pivoting arm pads.

CASTER OPTIONS



Standard w/ BA19 Base 60mm Hoodless Casters



Black Soft Touch C-Shape Arm



Soft-Touch sliding and pivoting arm pads and 4" arm width knob under seat.



Polished Aluminum C-Shape Arm



10 -Way Adjustable Arms



60mm Hoodless Hard Floor Casters

ADDITIONAL OPTIONS



27" Black Nylon Spider Base comes standard w/ C1 50mm Hooded Casters



26" High Profile Black Nylon Base comes standard w/ C6 65mm Hoodless Casters

9to5seating.com 888.925.SEAT

9005

cortina

cortina

simple, straightforward ergonomics and functionality

HIGH-BACK

GSA SIN # 711-18

- Task, conference and executive seating
- Aluminum base standard
- Warranted up to 250 lbs with S2, GT
- Warranted up to 300 lbs with M1, Y2
- CAL TB 133 Fire Code approved





MODEL	CONTROL	DESCRIPTION	ARM	FABRIC/LI	ATHER									FEATURES	DIMENSIONS	
				A/COM	В	C	D	E	F	G	L3/COL	L4	L5	Pneumatic Seat Height Adjustment	WIDTH: 25.0	
2910	S2		ARMLESS	650	705	740	795	860	930	1005	820	900	1100	Tilt Tension Control	DEPTH: 25.0	
	\cap	HIGH-BACK	A8B / A8S	735	790	825	880	945	1015	1090	905	985	1185	 Seat and Back Tilt as a Unit Upright Position Tilt Lock 	HEIGHT: 47.0-51.5	
		SWIVEL TILT CONTROL	A9B / A9S	755	810	845	900	965	1035	1110	925	1005	1205	Opright Position Tilt Lock Rated for 250 lbs	SEAT WIDTH: 20.5	
			A16	750	805	840	895	960	1030	1105	920	1000	1200		SEAT DEPTH: 19.0	
TL IT		Use for a variety of general office													SEAT HEIGHT: 18.0-22.5	
[]		seating, including private office	A19	850	905	940	995	1060	1130	1205	1020	1100	1300		BACK WIDTH: 18.5	
		and conference room seating.	A36	755	810	845	900	965	1035	1110	925	1005	1205		BACK HEIGHT: 29.0 Com: 1.7 yd	
			A37	775	830	865	920	985	1055	1130	945	1025	1225		COL: 23.0 SQ FT	
, 9	0 0 0														WEIGHT: 48.0 LB	
		:		SEAT SLIE	ÈR (SS)	- NOT AV	ÀILABLE	1 1			1		1		:	
				A/COM	В	C	D	E	F	G	L3/COL	L4	L5	Pneumatic Seat Height Adjustment	WIDTH: 25.0	
2910	Y2		ARMLESS	730	785	820	875	940	1010	1085	900	950	1180	Back and Seat Tilt in 2:1 ratio	DEPTH: 25.0	
	\cap	HIGH-BACK	A8B / A8S	815	870	905	960	1025	1095	1170	985	1035	1265	4 Locking PositionsSafety Tilt Release	HEIGHT: 47.0-51.5	
		SYNCHRO TILT CONTROL	A9B / A9S	835	890	925	980	1045	1115	1190	1005	1055	1285	 Reduced Rise of Front of Seat 	SEAT WIDTH: 20.5	
			A16	830	885	920	975	1040	1110	1185	1000	1050	1280	Synchro Control	SEAT DEPTH: 19.0 SEAT HEIGHT: 18.0-22.5	
		Use for a variety of general office	A19	930	985	1020	1075	1140	1210	1285	1100	1150	1380	Side Tension Adjustment	BACK WIDTH: 18.5	
		seating, including private office and												Rated for 300 lbs	BACK HEIGHT: 29.0	
2 C		conference room seating.	A36	835	890	925	980	1045	1115	1190	1005	1055	1285		COM: 1.7 YD	
			A37	855	910	945	1000	1065	1135	1210	1025	1075	1305		COL: 34.0 SQ FT	
9 0	° 4 °			SEAT SLIE	ER (SS)	- NOT AV	AILABLE								WEIGHT: 53.0 LB	
		1		A/COM	В	C	D	F	F	G	L3/COL	L4	L5	Pneumatic Seat Height Adjustment	WIDTH: 25.0	
2910	M1		ARMLESS	750	805	840	895	960	1030	1105	920	970	1200	Tilt Tension Control	DEPTH: 25.0	
	\cap	HIGH-BACK												 Seat and Back Tilt as a Unit 	HEIGHT: 47.0-51.5	
		MULTIFUNCTION CONTROL	A8B / A8S	835	890	925	980	1045	1115	1190	1005	1055	1285	Infinite Tilt Position Lock	SEAT WIDTH: 20.5	
	11		A9B / A9S	855	910	945	1000	1065	1135	1210	1025	1075	1305	Infinite Back Angle Adj w/ Free Float	SEAT DEPTH: 19.0	
I I I		Fully articulating seat and back	A16	850	905	940	995	1060	1130	1205	1020	1070	1300	 Seat Pivots from 0° to 6° Forward Rated for 300 lbs 	SEAT HEIGHT: 18.5-23.0	
\leq		for the highest level of ergonomic	A19	950	1005	1040	1095	1160	1230	1305	1120	1170	1400	- Hated for 600 h53	BACK WIDTH: 18.5	
		needs. Control allows user to pivot	A36	855	910	945	1000	1065	1135	1210	1025	1075	1305		BACK HEIGHT: 29.0	
		seat forward from 0° to 6°.	A37	875	930	965	1020	1085	1155	1230	1045	1095	1325		COM: 1.7 YD	
و ل	و ا														COL: 23.0 SQ FT	
~	~			SEAT SLID	ER (SS)	- NOT AV	AILABLE			1		1	l		WEIGHT: 56.0 LB	
				:												
				÷												

	NS)	
PACKAG	ING NOTES	
CODE	DESCRIPTION	LIST UPCHARGE
AB	ASSEMBLED IN BAG FOR WILL CALL	\$0
BAC	BACK ASSEMBLED IN CARTON	\$40
	CODE AB	AB ASSEMBLED IN BAG FOR WILL CALL

ARM OPTIONS



A8 2-Way 2- Way Height Adjustable Arm A8B - Black, A8S - Silver A9 4-Way Adjustable Arm A9B - Black, A9S - Silver



8-Way Adjustable Arms Soft-Touch sliding and pivoting arm pads.

CASTER OPTIONS



Standard w/ BA19 Base 60mm Hoodless Casters



Black Soft Touch C-Shape Arm



10 -Way Adjustable Arms Soft-Touch sliding and pivoting arm pads and 4" arm width knob under seat



Seating

cortina

Polished Aluminum C-Shape Arm



privoting arm pads and 4" arm width knob under seat.



60mm Hoodless Hard Floor Casters

ADDITIONAL OPTIONS



27" Black Nylon Spider Base comes standard w/ C1 50mm Hooded Casters



26" High Profile Black Nylon Base comes standard w/ C6 65mm Hoodless Casters

cosmo

contemporary style, elegance, and comfort

MESH BACK - MB NEW

GSA SIN # 711-18

- Task, executive and conference seating
- Back styles include: knit, mesh and upholstered
- Aluminum base standard
- Warranted up to 250 lbs with GT
- Warranted up to 300 lbs with X2
- CAL TB 133 Fire Code approved
- Seat Slider standard with X2



CREATING COSMO MODEL NUMBER MODEL NUMBER CONTROL ARMS BACK TYPE MESH COLOR GRADE CASTERS

MODEL CO	ONTROL	DESCRIPTION	ARM	FABRIC/LEATHER	FEATURES	DIMENSIONS	ARM OPTIONS
3250	X2	MID-BACK DYNAMIC SYNCHRO TILT CONTROL Use for a variety of general office task seating, including private office and conference room seating.	A31 A38		 Pneumatic Seat Height Adjustment Side Adjustable Tilt Tension Control Back and Seat Tilt in 2.6:1 Ratio 26° Tilt of Back, 10° Seat Tilt 11 Locking Positions 2 Position Forward Seat Angle Adj Standard Seat Slider Adds 3" Adj Rated for 300 lbs 	WIDTH: 26.0-28.5 DEPTH: 25.0 HEIGHT: 40.0-45.5 SEAT WIDTH: 20.0 SEAT DEPTH: 17.5-20.0 SEAT HEIGHT: 17.5-22.0 BACK WIDTH: 19.5 BACK HEIGHT: 22.0 COM: 0.8 YDS COL: 10.0 SQ FT WEIGHT: 42.0 LB	Black Soft Touch Fixed Fixed Arm with Soft Polyurethane Pad For Guest Model Only
3260	X2	HIGH-BACK DYNAMIC SYNCHRO TILT CONTROL Use for a variety of general office task seating, including private office and conference room seating.	A31 A38	Image: state stat	 Pneumatic Seat Height Adjustment Side Adjustable Tilt Tension Control Back and Seat Tilt in 2.6:1 Ratio 26° Tilt of Back, 10° Seat Tilt 11 Locking Positions 2 Position Forward Seat Angle Adj Standard Seat Slider Adds 3" Adj Rated for 300 lbs 	WIDTH: 26.0-28.5 DEPTH: 25.0 HEIGHT: 47.0-51.5 SEAT WIDTH: 20.0 SEAT DEPTH: 17.5-20.0 SEAT DEPTH: 17.5-22.0 BACK WIDTH: 19.5 BACK HEIGHT: 29.0 COM: 0.8 YDS COL: 10.0 SQ FT WEIGHT: 44.0 LB	CASTER OPTIONS ADDITIONAL OPTIO
	GT	GUEST CHAIR Well suited for guest seating. Comes standard with non-marring glides.	A33	Image: state stat	 Cantilever Frame Design Non-Marring Floor Glides Rated for 250 lbs 	WIDTH: 26.0 DEPTH: 28.0 HEIGHT: 39.0 SEAT WIDTH: 20.0 SEAT DEPTH: 18.0 SEAT HEIGHT: 17.5 BACK WIDTH: 19.5 BACK HEIGHT: 22.0 COM: 0.8 YDS COL: 10.0 SQ FT WEIGHT: 33.0 LB	Standard 60mm Hoodless 60mm Hoodless Hard Floor Casters Casters STRIPE MESH COLORS
							BLACK / GRAY MS2 BLACK / GREEN MS4 BLACK / RED MS5 BLACK / BLUE MS6 MESH COLORS BLACK M11 GRAY M12 SILVER M13 GREEN M14 RED M15 BLUE M16



PACKAG	GING NOTES	
CODE	DESCRIPTION	LIST UPCHARGE
AB	ASSEMBLED IN BAG FOR WILL CALL	\$0
BAC	BACK ASSEMBLED IN CARTON	\$0














TIONS

9to5seating.com 888.925.SEAT

101

900**5**°

cosmo

cosmo

contemporary style, elegance, and comfort

NEW THIN UPHOLSTERED BACK - UB

GSA SIN # 711-18

- Task, executive and conference seating
- Back styles include: knit, mesh and upholstered
- Aluminum base standard
- Warranted up to 250 lbs with GT
- Warranted up to 300 lbs with X2 CAL TB 133 Fire Code approved
- Seat Slider standard with X2





MODEL	CONTROL	DESCRIPTION	ARM	FABRIC/LEAT	THER		FEATURES	DIMENSIONS
NEW MODEL 3220	X2	MID-BACK DYNAMIC SYNCHRO TILT CONTROL Use for a variety of general office task seating, including private office and conference room seating.	A31 A38	785	L3/C0L 4 825 985 835 995 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 5 4 5	L5 Image: Constraint of the sector of the sect	 Pneumatic Seat Height Adjustment Side Adjustable Tilt Tension Control Back and Seat Tilt in 2.6:1 Ratio 26° Tilt of Back, 10° Seat Tilt 11 Locking Positions 2 Position Forward Seat Angle Adj Standard Seat Slider Adds 3" Adj Standard with Heavy Duty Hard Floor Casters Rated for 300 lbs 	WIDTH: 26-28.5 DEPTH: 25.0 HEIGHT: 40 - 44.5 SEAT WIDTH: 20.0 SEAT DEPTH: 17.5-20 SEAT HEIGHT: 17.5 - 22 BACK WIDTH: 19.5 BACK HEIGHT: 22.0 COM: 1 YD COL: 7 SQ FT WEIGHT: 42 LB
NEW MODEL 3230	X2	HIGH-BACK DYNAMIC SYNCHRO TILT CONTROL Use for a variety of general office task seating, including private office and conference room seating.	A31 A38	885	L3/COL L4 925 1085 935 1095		 Pneumatic Seat Height Adjustment Side Adjustable Tilt Tension Control Back and Seat Tilt in 2.6:1 Ratio 26° Tilt of Back, 10° Seat Tilt 11 Locking Positions 2 Position Forward Seat Angle Adj Standard Seat Slider Adds 3" Adj Standard with Heavy Duty Hard Floor Casters Rated for 300 lbs 	WIDTH: 26-28.5 DEPTH: 25.0 HEIGHT: 47.0 - 51.5 SEAT WIDTH: 20.0 SEAT DEPTH: 17.5-20 SEAT HEIGHT: 17.5 - 22 BACK WIDTH: 19.5 BACK HEIGHT: 29.0 COM: 1 YD COL: 7 SQ FT WEIGHT: 44 LB
NEW MODEL 3220	GT	GUEST CHAIR Well suited for guest seating. Comes standard with non-marring glides.	A33	685	L3/COL L4 725 885 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4	L5	 Cantilever Frame Design Non-Marring Floor Glides Rated for 250 lbs 	WIDTH: 26.0 DEPTH: 28.0 HEIGHT: 39.0 SEAT WIDTH: 20.0 SEAT DEPTH: 18.0 SEAT HEIGHT: 17.5 BACK WIDTH: 19.5 BACK HEIGHT: 22.0 COM: 1 YD COL: 7 SQ FT WEIGHT: 33 LB
					DLY (POLYEEUR			



ω	
Φ	
۵	\square
ст	\succ
	\cup
∍	
ø	

cosmo

PACKAGING NOTES

CODE	DESCRIPTION	LIST UPCHARGE
AB	ASSEMBLED IN BAG FOR WILL CALL	\$0
BAC	BACK ASSEMBLED IN CARTON	\$0

ARM OPTIONS



Black Soft Touch Fixed Cantilever Arm



Fixed Arm with Soft Polyurethane Pad For Guest Model Only



2-Way Height Adjustable Arm

CASTER OPTIONS



Standard 60mm Hoodless Casters



Hard Floor Casters

ADDITIONAL OPTIONS

COSMO contemporary style, elegance, and comfort

UPHOLSTERED BACK - UB

GSA SIN # 711-18

- Task, executive and conference seating
- Back styles include: knit, mesh and upholstered
- Aluminum base standard
- Warranted up to 250 lbs with GTWarranted up to 300 lbs with X2
- Seat Slider standard with X2





TILT CC Use for a office tas	A31 A38 A38 A38 A38 A38 A38 A38 A38 A38 A38	L3/COL 910 920	L4 1050 1060	L5 Image: Comparison of the state of	 Pneumatic Seat Height Adjustment Side Adjustable Tilt Tension Control Back and Seat Tilt in 2.6:1 Ratio 26° Tilt of Back, 10° Seat Tilt 11 Locking Positions 2 Position Forward Seat Angle Adj Standard Seat Silder Adds 3" Adj 	WIDTH: 26.0-28.5 DEPTH: 25.0 HEIGHT: 40.0-45.5 SEAT WIDTH: 20.0 SEAT DEPTH: 17.0-19.5 SEAT HEIGHT: 18.0-22.5
Use for a office tas private of	variety of general k seating, including ffice and conference				11 Locking Positions2 Position Forward Seat Angle Adj	SEAT DEPTH: 17.0-19.5
~ ~ .'			1 1		 Standard with Heavy Duty Hard Floor 	BACK WIDTH: 20.0
					Casters Rated for 300 lbs 	BACK HEIGHT: 22.0 COL: 28.0 SQ FT WEIGHT: 48.0 LB
HIGH-B	A31	L3/COL 1050	L4 1255	L5 1560	 Pneumatic Seat Height Adjustment Side Adjustable Tilt Tension Control Back and Seat Tilt in 2.6:1 Ratio 	WIDTH: 26.0-28.5 DEPTH: 25.0
	IIC SYNCHRO DNTROL Variety of general	1060	1265	1570	 26° Tilt of Back, 10° Seat Tilt 26° Tilt of Back, 10° Seat Tilt 11 Locking Positions 2 Position Forward Seat Angle Adj 	HEIGHT: 47.0-51.5 SEAT WIDTH: 20.0 SEAT DEPTH: 16.0-18.5 SEAT HEIGHT: 17.5-22.0
office tas	k seating, including ffice and conference				 Standard Seat Slider Adds 3" Adj Standard with Heavy Duty Hard Floor Casters 4 Way Adjustable Headrest 	BACK WIDTH: 20.0 BACK HEIGHT: 29.0 COL: 28.0 SQ FT
даада 3200 GT		L3/COL	L4	L5 . .	Rated for 300 lbs Cantilever Frame Design	WEIGHT: 55.0 LB WIDTH: 26.0
GUEST	CHAIR ed for guest seating.	760	900	1170	Non-Marring Floor GlidesRated for 250 lbs	DEPTH: 28.0 HEIGHT: 39.0 SEAT WIDTH: 20.0 SEAT DEPTH: 16.5
Comes st	tandard with ring glides.					SEAT HEIGHT: 17.5 BACK WIDTH: 20.0 BACK HEIGHT: 22.0 COL: 28.0 SQ FT
		SHIPS FUL	LY ASSEMBL	SLED EITHER AC OR AB		WEIGHT: 38.0 LB

CASTERS	PACKAGING	OPTIONS
]- C	-000-	
* GT MODELS DO NOT HAVE	A CASTER CODE	
* GEMODELS DO NOT HAVE	A CASTER CODE	

PA	СК	AG	IN	G	N	ОТ	ES	

CODE	DESCRIPTION	LIST UPCHARGE
AB	ASSEMBLED IN BAG FOR WILL CALL	\$0
BAC	BACK ASSEMBLED IN CARTON	\$0

ARM OPTIONS



Black Soft Touch Fixed Cantilever Arm



Fixed Arm with Soft Polyurethane Pad For Guest Model Only



2-Way Height Adjustable Arm

CASTER OPTIONS



Standard 60mm Hoodless Casters



60mm Hoodless Hard Floor Casters

ADDITIONAL OPTIONS



cosmo



ALL MESH

GSA SIN # 711-18

- Stool, Conference, and Lounge seatingChoice of 3 metal frame colors and 14 mesh colors
- Warranted up to 250 lbsCAL TB 133 Fire Code approved





MODEL	CONTROL	DESCRIPTION	MESH	ARM	MESH	FEATURES	DIMENSIONS	ARM OPTIONS
3300	53	MID-SIZE SWIVEL TILT CONTROL Use for a variety of general office seating, including private office and conference room seating.	M1 M1 M3 M3 M3 M3	ARMLESS A34 A35 ARMLESS A34 A35	M I I I I I 600 I I I I I I I 675 I I I I I I I I 700 I I I I I I I I 700 I I I I I I I I I 700 I <td< td=""><td> Pneumatic Seat Height Adjustment Tilt Tension Control Seat and Back Tilt as a Unit Upright Position Tilt Lock Rated for 250 lbs </td><td>WIDTH: 28.0 DEPTH: 27.5 HEIGHT: 34.0-36.75 SEAT WIDTH: 19.0 SEAT DEPTH: 16.0 SEAT HEIGHT: 16.5-21.0 BACK WIDTH: 18.0 BACK HEIGHT: 19.5 WEIGHT: 36.0 LB</td><td>Molded Nylon Fixed 6-way adjustable Loop Arm 6-way adjustable TATM, with soft touch PU caps</td></td<>	 Pneumatic Seat Height Adjustment Tilt Tension Control Seat and Back Tilt as a Unit Upright Position Tilt Lock Rated for 250 lbs 	WIDTH: 28.0 DEPTH: 27.5 HEIGHT: 34.0-36.75 SEAT WIDTH: 19.0 SEAT DEPTH: 16.0 SEAT HEIGHT: 16.5-21.0 BACK WIDTH: 18.0 BACK HEIGHT: 19.5 WEIGHT: 36.0 LB	Molded Nylon Fixed 6-way adjustable Loop Arm 6-way adjustable TATM, with soft touch PU caps
3300	K3	MID-SIZE KNEE TILT CONTROL Ultimate seating comfort suited for the executive or manager. Allows for full range of movement with sharp, simple look.	M1 M1 M3 M3 M3	ARMLESS A34 A35 ARMLESS A34 A35	M I I I I I 700 I I I I I I I 701 I I I I I I I I I 701 I </td <td> Pneumatic Seat Height Adjustment Side Activated Tilt Tension Control Seat and Back Tilt as a unit 3 Locking Positions Forward Pitch Seat Lock Reduced Rise of Front of Seat Rated for 250 lbs </td> <td>WIDTH: 28.0 DEPTH: 27.5 HEIGHT: 36.0-40.75 SEAT WIDTH: 19.0 SEAT DEPTH: 16.0 SEAT HEIGHT: 18.0-22.5 BACK WIDTH: 18.0 BACK HEIGHT: 19.5 WEIGHT: 43.0 LB</td> <td>Aradard Standard Bornen Hoodless Comm Hoodless Casters Comm Hoodless Casters Comm Hoodless Casters Comm Hoodless Casters Casters</td>	 Pneumatic Seat Height Adjustment Side Activated Tilt Tension Control Seat and Back Tilt as a unit 3 Locking Positions Forward Pitch Seat Lock Reduced Rise of Front of Seat Rated for 250 lbs 	WIDTH: 28.0 DEPTH: 27.5 HEIGHT: 36.0-40.75 SEAT WIDTH: 19.0 SEAT DEPTH: 16.0 SEAT HEIGHT: 18.0-22.5 BACK WIDTH: 18.0 BACK HEIGHT: 19.5 WEIGHT: 43.0 LB	Aradard Standard Bornen Hoodless Comm Hoodless Casters Comm Hoodless Casters Comm Hoodless Casters Comm Hoodless Casters Casters
3310	53	FULL-SIZE SWIVEL TILT CONTROL Use for a variety of general office seating, including private office and conference room seating.	M1 M1 M3 M3 M3	ARMLESS A34 A35 ARMLESS A34 A35	M I I I I I 650 I I I I I I 725 I I I I I I I 750 I I I I I I I I 685 I I I I I I I I I 760 I <tdi< td=""> I <tdi< td=""><td> Pneumatic Seat Height Adjustment Tilt Tension Control Seat and Back Tilt as a Unit Upright Position Tilt Lock Rated for 250 lbs </td><td>WIDTH: 28.0 DEPTH: 27.5 HEIGHT: 39.5-43.5 SEAT WIDTH: 19.0 SEAT DEPTH: 17.0 SEAT DEPTH: 16.5-21.0 BACK WIDTH: 18.0 BACK HEIGHT: 23.375 WEIGHT: 39.0 LB</td><td>Adjustable Lumbar End to the second seco</td></tdi<></tdi<>	 Pneumatic Seat Height Adjustment Tilt Tension Control Seat and Back Tilt as a Unit Upright Position Tilt Lock Rated for 250 lbs 	WIDTH: 28.0 DEPTH: 27.5 HEIGHT: 39.5-43.5 SEAT WIDTH: 19.0 SEAT DEPTH: 17.0 SEAT DEPTH: 16.5-21.0 BACK WIDTH: 18.0 BACK HEIGHT: 23.375 WEIGHT: 39.0 LB	Adjustable Lumbar End to the second seco
3310	КЗ	FULL-SIZE KNEE TILT CONTROL Ultimate seating comfort suited for the executive or manager. Allows for full range of movement with sharp, simple look.	M1 M1 M3 M3 M3	ARMLESS A34 A35 ARMLESS A34 A35	M I I I I I 750 I I I I I I I 750 I I I I I I I I 825 I </td <td> Pneumatic Seat Height Adjustment Side Activated Tilt Tension Control Seat and Back Tilt as a unit 3 Locking Positions Forward Prich Seat Lock Reduced Rise of Front of Seat Height Lumbar Adjustment Rated for 250 lbs </td> <td>WIDTH: 28.0 DEPTH: 27.5 HEIGHT: 41.5-45.5 SEAT WIDTH: 19.0 SEAT DEPTH: 17.0 SEAT HEIGHT: 18.0-22.5 BACK WIDTH: 18.0 BACK HEIGHT: 23.375 WEIGHT: 46.0 LB</td> <td>BLACK GRAY WHITE PBA PGA PWA MESH COLORS BLACK GRAY SILVER GREEN RED BLACK GRAY M13 M14 M15 GRAPHITE SLATE SNOW SAGE M31 M32 M33 M34 CARDINAL ROYAL TANGERINE PLUM</td>	 Pneumatic Seat Height Adjustment Side Activated Tilt Tension Control Seat and Back Tilt as a unit 3 Locking Positions Forward Prich Seat Lock Reduced Rise of Front of Seat Height Lumbar Adjustment Rated for 250 lbs 	WIDTH: 28.0 DEPTH: 27.5 HEIGHT: 41.5-45.5 SEAT WIDTH: 19.0 SEAT DEPTH: 17.0 SEAT HEIGHT: 18.0-22.5 BACK WIDTH: 18.0 BACK HEIGHT: 23.375 WEIGHT: 46.0 LB	BLACK GRAY WHITE PBA PGA PWA MESH COLORS BLACK GRAY SILVER GREEN RED BLACK GRAY M13 M14 M15 GRAPHITE SLATE SNOW SAGE M31 M32 M33 M34 CARDINAL ROYAL TANGERINE PLUM

PACKAGING NOTES											
CODE	DESCRIPTION	LIST UPCHARGE									
AB	ASSEMBLED IN BAG FOR WILL CALL	\$0									
BAC	BACK ASSEMBLED IN CARTON	\$0									



















cydia



ALL MESH - STOOLS

GSA SIN # 711-18

- Stool, Conference, and Lounge seatingChoice of 3 frame metal colors and 14 mesh colors
- Warranted up to 250 lbsCAL TB 133 Fire Code approved





MODEL CONTROL	DESCRIPTION	MESH	ARM	MESH	FEATURES	DIMENSIONS	ARM OPTIONS	
3306 53	10" TRAVEL HIGH STOOL SWIVEL TILT CONTROL Use for work surfaces up to 42 inches high.	M1 M1 M3 M3 M3 M3	ARMLESS A34 A35 ARMLESS A34 A35	MIII725IIIII800IIIII825IIIII750IIIII825IIIII825IIIII825IIIII826IIIII800IIIII<	 Pneumatic Seat Height Adjustment Tilt Tension Control Seat and Back Tilt as a Unit Upright Position Tilt Lock Knobless Height Adjustable Footring Rated for 250 lbs 	WIDTH: 28.0 DEPTH: 27.5 HEIGHT: 43.5-53.5 SEAT WIDTH: 19.0 SEAT DEPTH: 16.0 SEAT HEIGHT: 26.0-36.0 BACK WIDTH: 19.5 WEIGHT: 42.0 LB		A35 \$100 adjustable with soft touch os
3308 53	8" TRAVEL LOW STOOL SWIVEL TILT CONTROL Use for work surfaces up to 36 inches high.	M1 M1 M3 M3 M3 M3	ARMLESS A34 A35 ARMLESS A34 A35	M I I I I 725 I I I I I I 800 I I I I I I I 825 I I I I I I I I 825 I I I I I I I I 825 I I I I I I I I I 850 I <	 Pneumatic Seat Height Adjustment Tilt Tension Control Seat and Back Tilt as a Unit Upright Position Tilt Lock Knob less Height Adjustable Footring Rated for 250 lbs 	WIDTH: 28.0 DEPTH: 27.5 HEIGHT: 39.5-47.5 SEAT WIDTH: 19.0 SEAT DEPTH: 16.0 SEAT HEIGHT: 22.0-30.0 BACK WIDTH: 18.0 BACK HEIGHT: 19.5 WEIGHT: 41.0 LB		Hoodless Floor Casters 5 Star Base
							BA10 BA10	BA10B BA10P BA10S \$100 gh Profile Aluminum Base 3 - Black Powder-Coat 2 - Polished 3 - Silver Powder-Coat
			-				BLACK GRAY PBA PGA MESH COLORS BLACK GRAY M11 M12 GRAPHITE SLATE	
							M1 M31 M32 M3 CARDINAL M35 ROYAL M36	M33 M34 TANGERINE PLUM M37

GRADE	PACKAGING	OPTIONS
M –)-000

1	PACKAGING NOTES											
	CODE	DESCRIPTION	LIST UPCHARGE									
	AB	ASSEMBLED IN BAG FOR WILL CALL	\$0									
	BAC	BACK ASSEMBLED IN CARTON	\$0									













9005°

cydia





ALL MESH - GUEST

GSA SIN # 711-18

- Multi-Purpose Guest Seating
- Choice of 3 metal frame colors and 14 mesh colors
- Warranted up to 250 lbsCAL TB 133 Fire Code approved





FRAME COLORS								
	CODE	DESCRIPTI						
	BF	BLACK						
	GF	GRAY						
	WF	WHITE						

MODEL CONTROL DESCRIPTION	MESH ARM MESH	FEATURES	DIMENSIONS	
3300 GT MID-SIZE GUEST Well suited for guest seating.	M1 SWA M Image: Constraint of the second of the seco	Image:	WIDTH: 23.75 DEPTH: 26.5 HEIGHT: 35.0 SEAT WIDTH: 19.0 SEAT DEPTH: 16.0 SEAT HEIGHT: 18.5 BACK WIDTH: 18.0 BACK HEIGHT: 19.5 WEIGHT: 25.0 LB	
3310 GT FULL-SIZE GUEST Well suited for guest seating.	M1 SWA 550 M3 SWA 585 <	Image: Section of Sectio	WIDTH: 23.75 DEPTH: 26.5 HEIGHT: 39.0 SEAT WIDTH: 19.0 SEAT DEPTH: 17.0 SEAT HEIGHT: 18.5 BACK WIDTH: 18.0 BACK HEIGHT: 23.375 WEIGHT: 28.0 LB	ADDITIONAL OPTIONS
				ACCENT COLORS
				PBA PGA PWA MESH COLORS BLACK GRAY SILVER GREEN RED BLUE M11 M12 M12 M14 M15 M16
				M11M12M13M14M15M16M1GRAPHITESLATESNOWSAGEM33M3CARDINAL M35ROYAL M36TANGERINE M37PLUM M38PLUM M38

GRADE PACKAGIN ٦.

	PACKAGING NOTES										
DN		CODE	DESCRIPTION	LIST UPCHARGE							
		AB	ASSEMBLED IN BAG FOR WILL CALL	\$0							
		BAC	BACK ASSEMBLED IN CARTON	\$0							

cydia





NEW ALL MESH - LOUNGE & OTTOMAN

GSA SIN # 711-18

- Relaxed angle Guest Seating with Ottoman
 Choice of 3 frame colors and 14 mesh colors
- Polished aluminum base
- Self return base mount on both chair and ottomaWarranted up to 250 lbs
- CAL TB 133 Fire Code approved





MODEL	CONTROL	DESCRIPTION	MESH	ARM	MESH		FEATURES	DIMENSIONS	ARM OPTI	ONS					
3315	LG	FULL-SIZE LOUNGE Full scale lounge comfort with cool, breathable all mesh fabric at a reclining angle. Modern design addition to Lobby, Office or group areas.	M1 M1 M3 M3	ARMLESS A34 ARMLESS A34	M 660 735 705 780 - - - - - - - - - - - -	Image: selection of the selection	 Fixed Height Automatic Return-To-Center Swivel 11 Degree Fixed Seat Angle Polished Aluminum Base Easy Gliding, Non-Marring Feet Extra-Wide Scale Recycled/Recyclable Cast Aluminum Legs Rated for 250 lbs 	WIDTH: 25.5 DEPTH: 34.0 HEIGHT: 35.5 SEAT WIDTH: 20.0 SEAT DEPTH: 17.0 SEAT HEIGHT: 18.5 BACK WIDTH: 20.0 BACK HEIGHT: 18.5 WEIGHT: 32.0 LB	Molded Nylon Loop Arm	A34 \$75 Fixed					
3316	0T	OTTOMAN Ultimate comfort compliment to Lounge chair.	M1 M3		M 525 550		 Fixed Height Automatic Return-To-Center Swivel Polished Aluminum Base Easy Gliding, Non-Marring Feet Recycled/Recyclable Cast Aluminum Legs Rated for 250 lbs 	WIDTH: 21.5 Depth: 21.5 Height: 18.0 Weight: 13.0 LB	-						
									ACCENT C	OLORS	GRAY		WHITE		
									MESH CO	LORS	PGF	 	PWF		
									M1	BLACK M11 GRAPHITE M31	GRAY M12 SLATE M32	SILVER M13 SNOW M33	GREEN M14 SAGE M34	RED M15	BLUE M16
									МЗ	CARDINAL M35	ROYAL M36	TANGERINE M37			

GRADE	PACKAGING	OPTIONS
- M - [)-

PACKAGING NOTES											
CODE	DESCRIPTION	LIST UPCHARGE									
AB	ASSEMBLED IN BAG FOR WILL CALL	\$0									
BAC	BACK ASSEMBLED IN CARTON	\$0									



cydia



FULLY UPHOLSTERED

NEW

GSA SIN # 711-18

- Task Stool, Conference, and Lounge seating
- Choice of 3 frame colors and 14 mesh colors
- Warranted up to 250 lbs
- CAL TB 133 Fire Code approved





MODEL	CONTROL	DECONDION	MECH	ADM	MEGU/FAI							FEATURE 6	DIMENSIONS						
MODEL	CONTROL	DESCRIPTION	MESH	ARM	MESH/FAE	SKIC						FEATURES	DIMENSIONS	ARM OPTIONS					
3300	S3	MID-SIZE SWIVEL TILT	M1	ARMLESS	A/COM 750	B 785	C 805	D 840	E 875	F 915	G 960	 Pneumatic Seat Height Adjustment Tilt Tension Control Seat and Back Tilt as a Unit 	WIDTH: 28.0 Depth: 27.5 Height: 34.0-36.75		J.				
	Δ	CONTROL	M1	A34	825	860	880	915	950	990	1035	Upright Position Tilt Lock	SEAT WIDTH: 19.0	A3			35		
			M1	A35	850	885	905	940	975	1015	1060	Upholstered Pad Sewn to Mesh	SEAT DEPTH: 16.0		\$75		\$100		
TIIY	N/ T	Use for a variety of general office seating,	М3	ARMLESS	775	810	830	865	900	940	985		SEAT HEIGHT: 16.5-21.0 BACK WIDTH: 18.0	Molded Nylon Fixed		y adjustable			
		including private office	M3	A34	850	885	905	940	975	1015	1060		BACK HEIGHT: 19.5	Loop Arm	I-Arm PU ca	n, with soft touch aps	n		
		and conference room	М3	A35	875	910	930	965	1000	1040	1085		COM: 2.0 YDS						
6	6	seating.											COL: 12.0 SQ FT	CASTER OPTION	10				
0	0												WEIGHT: 36.0 LB	GASTEN OF HUN	<u> </u>				
3300	КЗ	MID-SIZE			A/COM	В	C	D	E	F	G	Pneumatic Seat Height Adjustment Side Activated Tilt Tension Control	WIDTH: 28.0 DEPTH: 27.5	E		I	<u> </u>	Ĩ	G1
		KNEE TILT CONTROL	M1 M1	ARMLESS	850	885	905	940	975	1015	1060	Seat and Back Tilt as a unit 3 Locking Positions	HEIGHT: 36.0-40.75	C	STD		6S		\$30
	A	CONTROL	M1	A34	925	960	980	1015	1050	1090	1135	Forward Pitch Seat Lock	SEAT WIDTH: 19.0 SEAT DEPTH: 16.0		\		\$35		
8 8		Ultimate seating comfort	M3	A35	950	985	1005	1040	1075	1115	1160	Reduced Rise of Front of Seat Height Lumbar Adjustment	SEAT HEIGHT: 18.0-22.5	Standard 60mm Hoodless		m Hoodless Floor Casters		Stationary Base 5 Star Base	Glides for
	V b	suited for the executive	M3	ARMLESS	875	910	930	965	1000	1040	1085		BACK WIDTH: 18.0	Casters					
	A	or manager. Allows for full range of movement	M3 M3	A34	950	985 1010	1005	1040 1065	1075	1115	1160	Upholstered Pad Sewn to Mesh	BACK HEIGHT: 19.5						
		with sharp, simple look.	WIJ	A35	975	1010	1030	1065	1100	1140	1185		COM: 2.0 YDS COL: 12.0 SQ FT	ADDITIONAL OP	FIONS				
0 0 0	0 0 0	····· •···· •·· •·· •·· •··											WEIGHT: 43.0 LB						
		•	•	•	•								•	-		BA	10B		
						1	1	1		1	1 . 1	Pneumatic Seat Height Adjustment	WIDTH: 28.0				10P		
3310	S3	FULL-SIZE			A/COM	B	C	D	E	F	G	Tilt Tension Control	DEPTH: 27.5				10S		
	A	SWIVEL TILT CONTROL	M1	ARMLESS	800	835	855	890	925	965	1010	Seat and Back Tilt as a Unit Upright Position Tilt Lock	HEIGHT: 39.5-43.5 SEAT WIDTH: 19.0		\$30		\$100		
		CONTROL	M1	A34	875	910	930	965	1000	1040	1085	Upholstered Pad Sewn Over Mesh	SEAT DEPTH: 17.0	Adjustable Lumbar		High Profile Alum			
ম ম		Use for a variety of	M1	A35	900	935	955	990	1025	1065	1110		SEAT HEIGHT: 16.5-21.0)B - Black Powd)P - Polished	ier-Coat		
	¥Þ	general office seating,	M3 M3	ARMLESS	835	870 945	890 965	925 1000	960 1035	1000 1075	1045		BACK WIDTH: 18.0		BA10	S - Silver Powde	ler-Coat		
Ĩ	I	including private office and conference room	M3	A34 A35	910 935	945 970	905	1025	1055	1100	1120 1145		BACK HEIGHT: 23.375 Com: 2.0 yds		0				
		seating.	Wio	ASS	930	970	990	1025	1000	1100	1145		COL: 14.0 SQ FT	ACCENT COLOR	<u> </u>				
° °	° ° °												WEIGHT: 39.0 LB		1	1		1	
				-										BLACK PBA	GRA PGA		WHITE PWA		
										1		Pneumatic Seat Height Adjustment	WIDTH: 28.0						
3310	К3	FULL-SIZE			A/COM	В	C	D	E	F	G	Side Activated Tilt Tension Control Sect and Real: Tilt as a unit	DEPTH: 27.5						
	A	KNEE TILT CONTROL	M1	ARMLESS	900	935	955	990	1025	1065	1110	Seat and Back Tilt as a unit 3 Locking Positions	HEIGHT: 41.5-45.5 SEAT WIDTH: 19.0	MESH COLORS					
		JUNINUL	M1	A34	975	1010		1065				Forward Pitch Seat Lock	SEAT DEPTH: 17.0				0		
<u> </u>		Ultimate seating comfort	M1	A35	1000	1035	1035	1035	1035	1035	1035	Reduced Rise of Front of Seat Height Lumbar Adjustment	SEAT HEIGHT: 18.0-22.5	BLAC M1		SILVER M13	GREEN M14	RED M15	BLUE M16
	WH D	suited for the executive	M3	ARMLESS	935	970	990	1025	1060	1100	1145	Upholstered Pad Sewn Over Mesh	BACK WIDTH: 18.0	GRAPH			SAGE		
		or manager. Allows for	M3	A34	1010	1045	1065	1100	1135	1175	1220		BACK HEIGHT: 23.375 Com: 2.0 yds	M1 GRAPH		M33	M34		
		full range of movement with sharp, simple look.	M3	A35	1035	1070	1090	1125	1160	1200	1245		COM: 2.0 YDS COL: 14.0 SQ FT	CARDI	NAL ROYAL	TANGERINE	PLUM		
0 d 0	5 8 0	···· ····											WEIGHT: 46.0 LB	M3 M3		M37	M38		
		-	-	•									•		· · · · · · · · · · · · · · · · · · ·				<u> </u>

PACKAGING NOTES										
CODE	DESCRIPTION	LIST UPCHARGE								
AB	ASSEMBLED IN BAG FOR WILL CALL	\$0								
BAC	BACK ASSEMBLED IN CARTON	\$0								













cydia

9 0 5 I n g





NEW FULLY UPHOLSTERED - STOOL

GSA SIN # 711-18

- Stool, Conference, and Lounge seatingChoice of 3 plastic colors and 14 mesh colors
- Warranted up to 250 lbsCAL TB 133 Fire Code approved





FRAME (COLORS		PACKAG	ING NOTES	
CODE	DESCRIPTION		CODE	DESCRIPTION	LIST UPCHARGE
BF	BLACK		AB	ASSEMBLED IN BAG FOR WILL CALL	\$0
GF	GRAY				
WF	WHITE		BAC	BACK ASSEMBLED IN CARTON	\$0
		JU			

MODEL	CONTROL	DESCRIPTION	MESH	ARM	MESH/FABRIC					FEATURES	DIMENSIONS	ARM OPTIC	INS				
3306	S3	10" TRAVEL HIGH STOOL SWIVEL TILT CONTROL Use for work surfaces up to 42 inches high.	M1 M1 M3 M3 M3	ARMLESS A34 A35 ARMLESS A34 A35	975 1010 900 935 975 1010	C D 930 965 1005 1040 1030 1065 955 990 1030 1065 1055 1090	1100 1025	1140 1065	G Image: Constraint of the sector of the secto	 Pneumatic Seat Height Adjustment Tilt Tension Control Seat and Back Tilt as a Unit Upright Position Tilt Lock Knob less Height Adjustable Footring Upholstered Pad Sewn to Mesh 	WIDTH: 28.0 DEPTH: 27.5 HEIGHT: 43.5-53.5 SEAT WIDTH: 19.0 SEAT DEPTH: 16.0 SEAT HEIGHT: 26.0-36.0 BACK WIDTH: 18.0 BACK HEIGHT: 19.5 COM: 2.0 YDS COL: 12.0 SQ FT	Molded Nylon F Loop Arm		6-way adjusta T-Arm, with sc PU caps			
3308	53	8" TRAVEL LOW STOOL SWIVEL TILT CONTROL Use for work surfaces up to 36 inches high.	M1 M1 M3 M3 M3 M3	ARMLESS A34 A35 ARMLESS A34 A35	975 1010 900 935 975 1010	C D 930 965 1005 1040 1030 1065 955 990 1030 1065 1055 1090	1100 1025 1100	1065	G 1085 1160 1185 1110 1185 1210	 Pneumatic Seat Height Adjustment Tilt Tension Control Seat and Back Tilt as a Unit Upright Position Tilt Lock Knob less Height Adjustable Footring Upholstered Pad Sewn to Mesh 	WEIGHT: 42.0 LB WIDTH: 28.0 DEPTH: 27.5 HEIGHT: 39.5-47.5 SEAT WIDTH: 19.0 SEAT MIDTH: 19.0 SEAT DEPTH: 16.0 SEAT HEIGHT: 22.0-30.0 BACK WIDTH: 18.0 BACK HEIGHT: 19.5 COM: 2.0 YDS COL: 12.0 SQ FT WEIGHT: 41.0 LB	Standard 60mm Hoodles Casters ADDITIONA		A		Stationary Bas 5 Star Base	G1 \$30 se Glides for
												Adjustable Lum	\$30 Ibar		\$100 le Aluminum Base & Powder-Coat hed		
													1	GRAY	WHITE		
												PB		PGF	PWF		
												MESH COL	ORS				
													BLACK M11		LVER GREE /13 M14		BLUE M16
												M1	GRAPHITE M31		NOW SAGE //33 M34		
												М3	CARDINAL M35		GERINE PLUN 1/37 M38		

MESH COLOR	GRADE	CASTERS	PACKAGING	OPTION
	- 🗌 -	C 6		













9to5seating.com 888.925.SEAT



cydia





NEW FULLY UPHOLSTERED - GUEST

GSA SIN # 711-18

- Multi-Purpose Guest Seating
- Choice of 3 metal frame colors 3 plastic and 14 mesh colors
- Warranted up to 250 lbs
- CAL TB 133 Fire Code approved



CREATING CYDIA MODEL NUMBER $- \left[\begin{array}{c} \text{ACCENT COLOR} & \text{FRAME COLOR} & \text{UPHOLSTERY} & \text{M} \end{array} \right]$ MODEL NUM 33 ----

FRAME COLORS CODE DESCRIPTIC BF BLACK GF GRAY WF WHITE

MODEL CONT	ROL DESCRIPTION	MESH	ARM	MESH/FABRIC						FEATURES	DIMENSIONS							
3300 GT	Well suited for guest seating.	M1 M3	SWA SWA	A/COM B 650 685 675 710 	730	740	775 8	15 8	G 8800 9999 9999 9999 9999 9999 9999 999	 Non-Marring Floor Glides Wall Saver Back Legs Upholstered Pad Sewn Over Mesh Rated for 250 lbs 	WIDTH: 23.75 DEPTH: 26.5 HEIGHT: 35.0 SEAT WIDTH: 19.0 SEAT DEPTH: 16.0 SEAT HEIGHT: 18.5 BACK WIDTH: 19.5 COM: 20.0 YDS COL: 22.0 SQ FT WEIGHT: 25.0 LB							
3310 GT	FULL-SIZE GUEST Well suited for guest seating.	M1 M3	SWA SWA	SWA - STANDARD A/COM B 700 735 735 770 	C 755 790	790	825 8	65 9	G 910 945 945 945 945 945 945 945 945 945 945	 Non-Marring Floor Glides Wall Saver Back Legs Upholstered Pad Sewn Over Mesh Rated for 250 lbs 	WIDTH: 23.75 DEPTH: 26.5 HEIGHT: 39.0 SEAT WIDTH: 19.0 SEAT DEPTH: 17.0 SEAT HEIGHT: 18.5 BACK WIDTH: 18.0 BACK HEIGHT: 23.375 COM: 2.0 YDS COL: 22.0 SQ FT WEIGHT: 28.0 LB	- Addition	AL OPTIONS					
												Adjustable Lu		GRAY		WHITE		
													BLACK M11 GRAPHITE M31 CARDINAL	PGA GRAY M12 SLATE M32	SILVER M13 SNOW M33 TANGERINE M37	PWA GREEN M14 SAGE M34 PLUM M38	RED M15	BLUE M16

MESH COLOR	RADE M –		
	PACKAG	ING NOTES	
гіол	CODE	DESCRIPTION	LIST UPCHARGE
K	AB	ASSEMBLED IN BAG FOR WILL CALL	\$0
	BAC	BACK ASSEMBLED IN CARTON	\$0

9005





NEW MID-BACK

GSA SIN # 711-18 Pending

- Classic styling to impact conference space
- Chrome wraparound arms
- Polished high profile base
- Warranted up to 250 lbs
- CAL TB 133 Fire Code approved





MODEL	CONTROL	DESCRIPTION	ARM	FABRIC										FEATURES	DIMENSIONS
2450	B2		ARMLESS	A/COM 420	B 470	C 500	D 550	E 605	F 665	G 730	L3/COL 460	L4 560	L5 785	 Pneumatic Seat Height Adjustment 360 Degree Swivel 	WIDTH: 21.5 DEPTH: 27.5
\square		MID-SIZE BASIC CONTROL	A24	520	570	600	650	705	765	830	560	660	885	Rated for 250 lbs	HEIGHT: 32.00~36.50 SEAT WIDTH: 19.0 SEAT DEPTH: 17.8
		Use for a variety of general office seating, including private office and conference room seating.													SEAT HEIGHT: 17-21.5 BACK WIDTH: 17.8 BACK HEIGHT: 16.5
6		contentine room seating.		NOTE: AVA	ILABLE J	JUNE 201	7								COM: 1.5 YD Col: 19 SQ FT Weight: 32.0 LBS
W MODEL 2450	S3			A/COM	В	C	D	E	F	G	L3/COL	L4	L5	Pneumatic Seat Height Adjustment	WIDTH: 21.5
2400	00		ARMLESS	455	505	535	585	640	700	765	495	595	820	Adjustable Tilt Tension Control	DEPTH: 27.5
[MID-SIZE SWIVEL TILT CONTROL	A24	555	605	635	685	740	800	865	595	695	920	Rated for 250 lbs	HEIGHT: 32.00~36.50 SEAT WIDTH: 19.0 SEAT DEPTH: 17.8
₩		Use for a variety of general office seating, including private office and													SEAT HEIGHT: 17-21.5 BACK WIDTH: 17.8 BACK HEIGHT: 16.5
5		conference room seating.													COM: 1.5 YD Col: 19 SQ FT Weight: 32.0 LBS
0	0	!		NOTE: AVA	ILABLE J	JANUARY	2017						1		WEIGHT, 52.0 Lb5
V MODEL 2450	GT			A/COM	В	С	D	E	F	G	L3/COL	L4	L5	Fixed Height	WIDTH: 21.5
		MID-SIZE	ARMLESS	490	540	570	620	675	735	800	530	630	855	Standard with GlidesAdjustable Tilt Tension Control	DEPTH: 27.5 HEIGHT: 33.0
		GUEST	A24	590	640	670	720	775	835	900	630	730	955	Rated for 250 lbs	SEAT WIDTH: 19.0
		Diddy guest adds swivel-													SEAT DEPTH: 17.8 SEAT HEIGHT: 18.0
	\square	tilt comfort. Modern													BACK WIDTH: 17.8
		design addition to Lobby,													BACK HEIGHT: 16.5 COM: 1.5 YD
	Н	Office or group areas.													COL: 19 SQ FT Weight: 32.0 Lbs



ω	
Φ	
۵	\square
	\mathbf{a}
	\cup
Q	

PACKAGING N	OTFS

CODE	DESCRIPTION	LIST UPCHARGE
AB	ASSEMBLED IN BAG FOR WILL CALL	\$0
BAC	BACK ASSEMBLED IN CARTON	\$0

ARM OPTIONS



Fixed Chrome Wraparound Arm

CASTER OPTIONS



Standard 60mm Hoodless Casters



60mm Hoodless Hard Floor Casters



60mm Chrome Accented Hoodless Casters

enduro

designed for 24/7 multi-shift use, enduro holds strong

MID-BACK

GSA SIN # 711-18

- Task, stool, and conference seating
- Warranted up to 350 lbs on M1 and Y2
- 24/7 Multi-shift use
- Cast aluminum base and heavy duty casters standard
- High impact plastic outer back cover standard
- CAL TB 133 Fire Code approved





MODEL	CONTROL	DESCRIPTION	ARM	FABRIC								FEATURES	DIMENSIONS	
1000	¥0			A/COM	в	c	D	E	F	G		Pneumatic Seat Height Adjustment	WIDTH:	28.0
1960	Y2	MID-BACK	ARMLESS	700	730	750	780	815	855	895		Side Tilt Tension Control	DEPTH:	25.5
		HEAVY DUTY SYNCHRO	A4							970		Back and Seat Tilt in 2:1 ratio	HEIGHT:	36.0-43.5
\frown	\bigcirc	TILT CONTROL		775	805	825	855	890	930			4 Locking PositionsSafety Tilt Release	SEAT WIDTH:	22.0
$\left(\right)$	(1)		A5	795	825	845	875	910	950	990		Ratchet Back Height Lumbar	SEAT DEPTH:	
ת אז		Use for a variety of general	A6	830	860	880	910	945	985	1025		Adjustment	SEAT HEIGHT:	
	4Hb	office task seating, including	A7	850	880	900	930	965	1005	1045		Rated for 350 lbs	BACK WIDTH:	
A C		private office and conference	A16	800	830	850	880	915	955	995			BACK HEIGHT:	
	5	room seating.	A90	900	930	950	980	1015	1055	1095			COM: WEIGHT:	0.9 YDS 38.0 LB
		:		:									:	
1960	M1			A/COM	в	C	D	E	F	G	Yester	Pneumatic Seat Height Adjustment	WIDTH:	28.0
1500	IVI I	MID-BACK	ARMLESS	740	770	790	820	855	895	935		Tilt Tension Control	DEPTH:	25.5
		MULTI-FUNCTION CONTROL	A4									Seat and Back Tilt as a Unit	HEIGHT:	36.0-43.5
\frown	$\mathbf{\cap}$			815	845	865	895	930	970	1010		Floating Seat Position Tilt Lock Infinite Reak Angle Adj w/ Erec Float	SEAT WIDTH:	22.0
()	$\langle \langle \rangle \rangle$	Fully articulating seat and back	A5	835	865	885	915	950	990	1030		 Infinite Back Angle Adj w/ Free Float Seat Pivots from 0° to 6° Forward 	SEAT DEPTH:	
		for the highest level of ergonomic needs. Forward seat pitch	A6	870	900	920	950	985	1025	1065		Ratchet Back Height Lumbar	SEAT HEIGHT:	
	W-b		A7	890	920	940	970	1005	1045	1085		Adjustment	BACK WIDTH:	
F	Viest ~	adjustment from 0 to 6 degrees.	A16	840	870	890	920	955	995	1035		Rated for 350 lbs	BACK HEIGHT:	
			A90	940	970	990	1020	1055	1095	1135			COM:	0.9 YDS 39.5 LB
1966	P1		1014 500	A/COM	В	C	D	E	F	G		 Pneumatic Seat Height Adjustment Infinite back angle adjust with free float 	WIDTH: DEPTH:	
\frown	\bigcirc		ARMLESS	800	830	850	880	915	955	995		Ratchet Back Height Lumbar		43.0-56.5
()	M1	10" STOOL	A4	875	905	925	955	990	1030	1070		Adjustment	SEAT WIDTH:	
	11.1	POSTURE BACK CONTROL										 Height Adjustable Footring 		
	/)		A5	895	925	945	975	1010	1050	1090			SEAT DEPTH:	20.0
			A5 A6	895 930	925 960	945 980	975 1010	1010 1045	1050 1085	1090 1125		Rated for 250 lbs	:	
		Use for work surfaces up to											SEAT DEPTH:	25.5-35.5
			A6	930	960	980	1010	1045	1085 1105	1125			SEAT DEPTH: SEAT HEIGHT: BACK WIDTH: BACK HEIGHT:	25.5-35.5 20.0 19.0-22.0
		Use for work surfaces up to	A6 A7 A16	930 950 900	960 980 930	980 1000 950	1010 1030 980	1045 1065 1015	1085 1105 1055	1125 1145 1095			SEAT DEPTH: SEAT HEIGHT: BACK WIDTH: BACK HEIGHT: COM:	25.5-35.5 20.0 19.0-22.0 0.9 YDS
		Use for work surfaces up to	A6 A7	930 950	960 980 930 1030	980 1000 950 1050	1010 1030 980 1080	1045 1065	1085 1105	1125 1145			SEAT DEPTH: SEAT HEIGHT: BACK WIDTH: BACK HEIGHT: COM:	25.5-35.5 20.0 19.0-22.0
		Use for work surfaces up to	A6 A7 A16	930 950 900 1000	960 980 930 1030	980 1000 950 1050	1010 1030 980 1080	1045 1065 1015	1085 1105 1055	1125 1145 1095			SEAT DEPTH: SEAT HEIGHT: BACK WIDTH: BACK HEIGHT: COM:	25.5-35.5 20.0 19.0-22.0 0.9 YDS
1968		Use for work surfaces up to	A6 A7 A16	930 950 900 1000	960 980 930 1030	980 1000 950 1050	1010 1030 980 1080	1045 1065 1015	1085 1105 1055	1125 1145 1095		Rated for 250 lbs Pneumatic Seat Height Adjustment	SEAT DEPTH: SEAT HEIGHT: BACK WIDTH: BACK HEIGHT: COM: WEIGHT: WIDTH:	25.5-35.5 20.0 19.0-22.0 0.9 YDS 37.5 LB 28.0
1968	P1	Use for work surfaces up to	A6 A7 A16	930 950 900 1000 SEAT SLID	960 980 930 1030 ER (SS) - N	980 1000 950 1050 OT AVAILA	1010 1030 980 1080 ABLE	1045 1065 1015 1115	1085 1105 1055 1155	1125 1145 1095 1195		 Rated for 250 lbs Pneumatic Seat Height Adjustment Infinite back angle adjust with free float 	SEAT DEPTH: SEAT HEIGHT: BACK WIDTH: BACK HEIGHT: COM: WEIGHT: WIDTH: DEPTH:	25.5-35.5 20.0 19.0-22.0 0.9 YDS 37.5 LB 28.0 25.5
1968		Use for work surfaces up to	A6 A7 A16 A90 ARMLESS	930 950 900 1000 SEAT SLID A/COM 800	960 980 930 1030 ER (SS) - N B 830	980 1000 950 1050 OT AVAILA C 850	1010 1030 980 1080 BLE D 880	1045 1065 1015 1115 E 915	1085 1105 1055 1155 F 955	1125 1145 1095 1195 G 995		 Rated for 250 lbs Pneumatic Seat Height Adjustment Infinite back angle adjust with free float Ratchet Back Height Lumbar 	SEAT DEPTH: SEAT HEIGHT: BACK WIDTH: BACK HEIGHT: COM: WEIGHT: WIDTH: DEPTH: HEIGHT:	25.5-35.5 20.0 19.0-22.0 0.9 YDS 37.5 LB 28.0 25.5 39.5-50.5
1968		Use for work surfaces up to 42 inches high.	A6 A7 A16 A90 ARMLESS A4	930 950 900 1000 SEAT SLID A/COM 800 875	960 980 930 1030 ER (SS) - N B 830 905	980 1000 950 1050 OT AVAILA C 850 925	1010 1030 980 1080 NBLE D 8880 9555	1045 1065 1015 1115 E 915 990	1085 1105 1055 1155 F 955 1030	1125 1145 1095 1195 995 1070		 Rated for 250 lbs Pneumatic Seat Height Adjustment Infinite back angle adjust with free float 	SEAT DEPTH: SEAT HEIGHT: BACK WIDTH: BACK HEIGHT: COM: WEIGHT: WIDTH: DEPTH: HEIGHT: SEAT WIDTH:	25.5-35.5 20.0 19.0-22.0 0.9 YDS 37.5 LB 28.0 25.5 39.5-50.5 22.0
1968		Use for work surfaces up to 42 inches high.	A6 A7 A16 A90 ARMLESS A4 A5	930 950 900 1000 SEAT SLID A/COM 800 875 895	960 980 930 1030 ER (SS) - N B 830 905 925	980 1000 950 1050 OT AVAILA \$50 925 945	1010 980 1080 BLE 880 955 975	1045 1065 1015 1115 E 915 990 1010	1085 1105 1055 1155 F 955 1030 1050	1125 1145 1095 1195 995 1070		 Rated for 250 lbs Pneumatic Seat Height Adjustment Infinite back angle adjust with free float Ratchet Back Height Lumbar Adjustment 	SEAT DEPTH: SEAT HEIGHT: BACK WIDTH: BACK HEIGHT: COM: WEIGHT: WIDTH: DEPTH: HEIGHT: SEAT WIDTH: SEAT DEPTH:	25.5-35.5 20.0 19.0-22.0 0.9 YDS 37.5 LB 28.0 25.5 39.5-50.5 22.0 20.0
1968	P1	Use for work surfaces up to 42 inches high.	A6 A7 A16 A90 ARMLESS A4 A5 A6	930 950 900 1000 SEAT SLID A/COM 800 875 895 930	960 980 930 1030 ER (SS) - N B 830 905 925 960	980 1000 950 1050 OT AVAILA C 850 925	1010 1030 980 1080 BLE 0 880 955 975 1010	1045 1065 1015 1115 E 915 990 1010 1045	1085 1105 1055 1155 F 955 1030 1050 1085	1125 1145 1095 1195 G 995 1070 1090 1125		 Rated for 250 lbs Pneumatic Seat Height Adjustment Infinite back angle adjust with free float Ratchet Back Height Lumbar Adjustment Height Adjustable Footring 	SEAT DEPTH: SEAT HEIGHT: BACK WIDTH: BACK HEIGHT: COM: WEIGHT: WIDTH: DEPTH: HEIGHT: SEAT WIDTH: SEAT DEPTH: SEAT HEIGHT:	25.5-35.5 20.0 19.0-22.0 0.9 YDS 37.5 LB 28.0 25.5 39.5-50.5 22.0 20.0 21.5-29.5
1968		Use for work surfaces up to 42 inches high. 8" STOOL POSTURE BACK CONTROL	A6 A7 A16 A90 ARMLESS A4 A5	930 950 900 1000 SEAT SLID A/COM 800 875 895	960 980 930 1030 ER (SS) - N B 830 905 925	980 1000 950 1050 OT AVAILA \$50 925 945	1010 980 1080 BLE 880 955 975	1045 1065 1015 1115 E 915 990 1010	1085 1105 1055 1155 F 955 1030 1050	1125 1145 1095 1195 995 1070		 Rated for 250 lbs Pneumatic Seat Height Adjustment Infinite back angle adjust with free float Ratchet Back Height Lumbar Adjustment Height Adjustable Footring 	SEAT DEPTH: SEAT HEIGHT: BACK WIDTH: BACK HEIGHT: COM: WEIGHT: WIDTH: DEPTH: HEIGHT: SEAT WIDTH: SEAT DEPTH: SEAT HEIGHT: BACK WIDTH:	25.5-35.5 20.0 19.0-22.0 0.9 YDS 37.5 LB 28.0 25.5 39.5-50.5 22.0 20.0 21.5-29.5 20.0
1968	P1	Use for work surfaces up to 42 inches high. 8" STOOL POSTURE BACK CONTROL Use for work surfaces up to	A6 A7 A16 A90 ARMLESS A4 A5 A6	930 950 900 1000 SEAT SLID A/COM 800 875 895 930	960 980 930 1030 ER (SS) - N B 830 905 925 960	980 1000 950 1050 0T AVAILA C 850 925 945 980	1010 1030 980 1080 BLE 0 880 955 975 1010	1045 1065 1015 1115 E 915 990 1010 1045	1085 1105 1055 1155 F 955 1030 1050 1085	1125 1145 1095 1195 G 995 1070 1090 1125		 Rated for 250 lbs Pneumatic Seat Height Adjustment Infinite back angle adjust with free float Ratchet Back Height Lumbar Adjustment Height Adjustable Footring 	SEAT DEPTH: SEAT HEIGHT: BACK WIDTH: BACK HEIGHT: COM: WEIGHT: WIDTH: DEPTH: HEIGHT: SEAT WIDTH: SEAT HEIGHT: BACK WIDTH: BACK HEIGHT:	25.5-35.5 20.0 19.0-22.0 0.9 YDS 37.5 LB 28.0 25.5 39.5-50.5 22.0 20.0 21.5-29.5 20.0 19.0-22.0
	P1	Use for work surfaces up to 42 inches high. 8" STOOL POSTURE BACK CONTROL Use for work surfaces up to	A6 A7 A16 A90 A80 A8 A4 A5 A6 A7	930 950 900 1000 SEAT SLID A/COM 800 875 895 930 930	960 930 1030 ER (SS) - N B 830 905 925 925 9260	980 1000 950 0T AVAILA C 850 925 945 980 1000	1010 1030 980 1080 BLE 0 880 955 975 1010	1045 1065 1015 1115 E 915 990 1010 1045 1065	1085 1105 1055 1155 F 955 1030 1050 1085 1085	1125 1145 1095 1195 995 1070 1090 1125		 Rated for 250 lbs Pneumatic Seat Height Adjustment Infinite back angle adjust with free float Ratchet Back Height Lumbar Adjustment Height Adjustable Footring 	SEAT DEPTH: SEAT HEIGHT: BACK WIDTH: BACK HEIGHT: COM: WEIGHT: WIDTH: DEPTH: HEIGHT: SEAT WIDTH: SEAT HEIGHT: BACK WIDTH: BACK HEIGHT: COM:	25.5-35.5 20.0 19.0-22.0 0.9 YDS 37.5 LB 28.0 25.5 39.5-50.5 22.0 20.0 21.5-29.5 20.0

)-[]	
	PACKA	GING NOTES	
	CODE	DESCRIPTION	LIST UPCHARGE
	AB	ASSEMBLED IN BAG FOR WILL CALL	\$0
	PAC	PARTIALLY ASSEMBLED IN CARTON	\$0
	BAC	BACK ASSEMBLED IN CARTON	\$40

ARM OPTIONS



2-way adjustable arm for height



6-way adjustable arm for height, pivots, and with *Ura-Soft* sliding arm pads

CASTER OPTIONS



Standard 60mm Hoodless Casters

ADDITIONAL OPTIONS



Seat Slider 2.5" Side Paddle Activated



Upholstered Outer Back Covered w/ Fabric





8-way adjustable arm for height, width, pivots, and with *Ura-Soft* sliding arm pads

50mm Hooded

Hard Floor

Casters

C1S

\$35





2-way height adjustable breakaway arm rotates back to allow easier fit under lower working surfaces



50mm Hooded Self-Locking Hard Floor Casters



1" extra foam on seat



Ballistic Nylon Applied Over a Portion of the Lower Backrest Surface



1" Visco elastic memory foam on seat



Ballistic Nylon Applied Over a Portion of the Lower Backrest Surface and Full Seat

9005°

enduro designed for 24/7 multi-shift use, enduro holds strong



CREATING ENDURO MODEL NUMBER

1980---A

MODEL NUMBER

HIGH-BACK

MODEL	CONTROL	DESCRIPTION	ARM	FABRIC								FEATURES DIMENSIONS
1980	Y2			A/COM	в	C	D	E	F	G		Pneumatic Seat Height Adjustment WIDTH: 28.0
		HIGH-BACK HEAVY DUTY SYNCHRO	ARMLESS	725	760	780	815	855	895	940		Side Tilt Tension Control DEPTH: 25.5 Back and Seat Tilt in 2:1 ratio HEIGHT: 40.0-47.5
\frown	\mathbf{O}	TILT CONTROL	A4	800	835	855	890	930	970	1015		4 Locking Positions SEAT WIDTH: 22.0
$\langle \rangle$	(1)	HEI CONTICE	A5	820	855	875	910	950	990	1035		Safety Tilt Release SEAT DEPTH: 20.0
5		Use for a variety of general	A6	855	890	910	945	985	1025	1070		Ratchet Back Height Lumbar Adjustment SEAT HEIGHT: 18.0-22.5
	ILTE	office task seating, including	Α7	875	910	930	965	1005	1045	1090		Rated for 350 lbs BACK WIDTH: 20.0
		private office and conference	A16	825	860	880	915	955	995	1040		BACK HEIGHT: 23.0-26.0
		room seating.	A90	925	960	980	1015	1055	1095	1140		COM: 1.0 YDS
9 0	° 8 °		100	520	500	000	1010	1000	1000	1140		WEIGHT: 39.0 LB
						1	í _	í _ 1	í _			
1980	M1			A/COM	В	C	D	E	F	G		Pneumatic Seat Height Adjustment WIDTH: 28.0 Tilt Tension Control DEPTH: 25.5
		HIGH-BACK	ARMLESS	765	800	820	855	895	935	980		Tilt Tension Control DEPTH: 25.5 Seat and Back Tilt as a Unit HEIGHT: 40.0-47.5
\frown	\bigcirc	MULTI-FUNCTION CONTROL	A4	840	875	895	930	970	1010	1055		Floating Seat Position Tilt Lock SEAT WIDTH: 22.0
		Fully articulating seat and back	A5	860	895	915	950	990	1030	1075		Infinite Back Angle Adj w/ Free Float SEAT DEPTH: 20.0
	for the highest level of ergonomic	A6 895 930 950 985 1025 1065 1110	JEAT HEIGHT. 10.0-22.3									
	4-b	needs. Forward seat pitch adjustment from 0 to 6 degrees.	Α7	915	950	970	1005	1045	1085	1130		Ratchet Back Height Lumbar BACK WIDTH: 20.0 Adjustment
	Ve Ser		A16	865	900	920	955	995	1035	1080		Bated for 350 lbs BACK HEIGHT: 23.0-26.0
	6 Too		A90	965	1000	1020	1055	1095	1135	1180		COM: 1.0 YDS WEIGHT: 41.0 LB

)-[)	
	PACKA	ING NOTES	
	CODE	DESCRIPTION	LIST UPCHARGE
	AB	ASSEMBLED IN BAG FOR WILL CALL	\$0
	PAC	PARTIALLY ASSEMBLED IN CARTON	\$0
	BAC	BACK ASSEMBLED IN CARTON	\$40

ARM OPTIONS

CASTER

-C4



2-way adjustable arm for height



6-way adjustable arm for height, pivots, and with *Ura-Soft* sliding arm pads

CASTER OPTIONS



60mm Hoodless Casters

ADDITIONAL OPTIONS



Seat Slider 2.5" Side Paddle Activated



Upholstered Outer Back Covered w/ Fabric



4-way adjustable arm for height and width



8-way adjustable arm for height, width, pivots, and with *Ura-Soft* sliding arm pads

50mm Hooded

Hard Floor

Casters

C1S

\$35



Black Soft Touch Cantilever style C-Shaped Arm



2-way height adjustable breakaway arm rotates back to allow easier fit under lower working surfaces



50mm Hooded Self-Locking Hard Floor Casters



1" extra foam on seat



Ballistic Nylon Applied Over a Portion of the Lower Backrest Surface



1" Visco elastic memory foam on seat



Ballistic Nylon Applied Over a Portion of the Lower Backrest Surface and Full Seat

900**5**°

indy flex back movement yields superior comfort


ALL PLASTIC - AP

GSA SIN # 711-19

- High density, multipurpose stacker
- Seat and back styles include: all plastic,
- upholstered seat w/ plastic back or fully upholstered seat and back
- Flex back provides 15 degrees of movement • 11 plastic colors, 2 frame finishes
- Warranted up to 250 lbs



CREATING INDY MODEL NUMBER MODEL NUMBER CONTROL FRAME COLOR UPHOLSTERY PLASTIC COLOR GRADE PACKAGING



MODEL	CONTROL	DESCRIPTION	FRAME COLOR	PLASTIC	FEATURES	DIMENSIONS	ACCESSORIES	
1010	GT	GUEST STACKING Armless sled shape frame with plastic back and plastic seat.	BF CF	P I I I I I 215 I I I I I I 225 I I I I I I I I I I I I I I I I I I I I I I I I I I <td> 15 Degrees of Flex in Back Non-Marring Floor Glides Stacks 9 High on Floor Stacks 33 High on Optional Dolly Maintaining Clearance Under an 80" Doorway Rated for 250 lbs </td> <td>WIDTH: 22.0 DEPTH: 21.5 HEIGHT: 33.0 SEAT WIDTH: 18.0 SEAT DEPTH: 17.5 SEAT HEIGHT: 18.0 BACK WIDTH: 17.0 BACK HEIGHT: 16.0 COM: N/A WEIGHT: 14.0 LB</td> <td>Stacking Dolly Stacks Chairs up to 33 high all plastic armless</td> <td>Ganging Clip - 4 per set Armless-to-Armless or Arm-to-Arm. 2" Between Chairs When Ganged</td>	 15 Degrees of Flex in Back Non-Marring Floor Glides Stacks 9 High on Floor Stacks 33 High on Optional Dolly Maintaining Clearance Under an 80" Doorway Rated for 250 lbs 	WIDTH: 22.0 DEPTH: 21.5 HEIGHT: 33.0 SEAT WIDTH: 18.0 SEAT DEPTH: 17.5 SEAT HEIGHT: 18.0 BACK WIDTH: 17.0 BACK HEIGHT: 16.0 COM: N/A WEIGHT: 14.0 LB	Stacking Dolly Stacks Chairs up to 33 high all plastic armless	Ganging Clip - 4 per set Armless-to-Armless or Arm-to-Arm. 2" Between Chairs When Ganged
1020	GT	GUEST STACKING Standard with armrests. Sled shape frame with plastic back and plastic seat.	BF CF	P Image: Second sec	 15 Degrees of Flex in Back Non-Marring Floor Glides Stacks 9 High on Floor Stacks 24 High on Optional Dolly Maintaining Clearance Under an 80" Doorway Plastic Armrests Covers Match Plastic Shell Color Rated for 250 lbs 	WIDTH: 22.0 DEPTH: 21.5 HEIGHT: 33.0 SEAT WIDTH: 18.0 SEAT DEPTH: 17.5 SEAT HEIGHT: 18.0 BACK WIDTH: 17.0 BACK HEIGHT: 16.0 COM: N/A WEIGHT: 15.0 LB	Clear Non-Marring Floor Glides	Clear Non-Marring Felt Covered Floor Glides
							PLASTIC COLORS BLACK CLASSIC SWAN BURGUNDY P01 P02 WHITE BOULDER WHISPER GRAY P05 P06	CORAL RED P03 D0VER SKY P03 SKY P03
							PALE WATER GREEN P09 P10	FEDERAL BLUE P11

	 PACKAG	ING NOTES	
DN	CODE	DESCRIPTION	LIST UPCHARGE
	AB	ASSEMBLED IN BAG FOR WILL CALL	\$0
	AC	ASSEMBLED IN CARTON	\$0
		S SHIP IIP TO 5 PER CARTON	











Plastic Glide with felt base for Sled Base Chair

9to5seating.com 888.925.SEAT

955

indy

131




UPHOLSTERED SEAT - US

GSA SIN # 711-19

- High density, multipurpose stacker
- Seat and back styles include: all plastic,
- upholstered seat w/ plastic back or fully upholstered seat and back
- Flex back provides 15 degrees of movement • 11 plastic colors, 2 frame finishes
- Warranted up to 250 lbs



CREATING INDY MODEL NUMBER MODEL NUMBER CONTROL FRAME COLOR UPHOLSTERY PLASTIC COLOR GRADE PACKAGING



MODEL	CONTROL	DESCRIPTION	FRAME COLOR	FABRIC						FEATURES	DIMENSIONS	ACCESSORIES	
	GT	GUEST STACKING Armless sled shape frame with plastic back and upholstered seat.	BF CF	275	B C 300 315 315 330 	D 340 355	E 365 380 4	F 395 410	G / 1425 / 1440 / 1400 / 1400 / 1400 / 1400	 15 Degrees of Flex in Back Non-Marring Floor Glides Stacks 7 High on Floor Stacks 20 High on Optional Dolly Maintaining Clearance Under an 80" Doorway Rated for 250 lbs 	WIDTH: 22.0 DEPTH: 21.5 HEIGHT: 33.0 SEAT WIDTH: 18.0 SEAT DEPTH: 17.5 SEAT HEIGHT: 18.0 BACK WIDTH: 17.0 BACK HEIGHT: 16.0 COM: 0.7 YDS WEIGHT: 19.0 LB	Stacking Dolly Stacks Upholstered Chairs up to 20 high	Ganging Clip - 4 per set Armless-to-Armless or Arm-to-Arm. 2" Between Chairs When Ganged
	GT	GUEST STACKING Standard with armrests. Sled shape frame with plastic back and upholstered seat.	BF CF	320	B C 345 360 360 375	D 385 400	E 410 425	F 440 455	G 470 485 485 </td <td> 15 Degrees of Flex in Back Non-Marring Floor Glides Stacks 7 High on Floor Stacks 20 High on Optional Dolly Maintaining Clearance Under an 80" Doorway Plastic Armrests Covers Match Plastic Shell Color Rated for 250 lbs </td> <td>WIDTH: 22.0 DEPTH: 21.5 HEIGHT: 33.0 SEAT WIDTH: 18.0 SEAT DEPTH: 17.5 SEAT HEIGHT: 18.0 BACK WIDTH: 17.0 BACK HEIGHT: 16.0 COM: 0.7 YDS WEIGHT: 20.0 LB</td> <td>Clear Non-Marring Floor Glides</td> <td>Gla \$25 Clear Non-Marring Felt Covered Floor Glides</td>	 15 Degrees of Flex in Back Non-Marring Floor Glides Stacks 7 High on Floor Stacks 20 High on Optional Dolly Maintaining Clearance Under an 80" Doorway Plastic Armrests Covers Match Plastic Shell Color Rated for 250 lbs 	WIDTH: 22.0 DEPTH: 21.5 HEIGHT: 33.0 SEAT WIDTH: 18.0 SEAT DEPTH: 17.5 SEAT HEIGHT: 18.0 BACK WIDTH: 17.0 BACK HEIGHT: 16.0 COM: 0.7 YDS WEIGHT: 20.0 LB	Clear Non-Marring Floor Glides	Gla \$25 Clear Non-Marring Felt Covered Floor Glides
												PLASTIC COLORSBLACK SWAN P01CLASSIC BURGUNDY P02WHITE WHISPER P05BOULDER GRAY P06PALE WATER GREEN P09CINNABAR ORANGE P10	CORAL RED P03SUNBONNET YELLOW P04P03P04DOVER SKY P07ESSEX BLUE P08FEDERAL BLUE P11FEDERAL SUNBONNET P08

		PACKAG	ING NOTES	
N		CODE	DESCRIPTION	LIST UPCHARGE
		AB	ASSEMBLED IN BAG FOR WILL CALL	\$0
		AC	ASSEMBLED IN CARTON	\$0
	U U		S SHIP IIP TO 4 PER CARTON	·

NOTE: Due to the nature of vinyl upholstery, stacking may cause impressions on the seat. 9to5 Seating does not warrant the effects of the stacking on vinyl upholstery.











Plastic Glide with felt base for Sled Base Chair

9to5seating.com 888.925.SEAT



indy




FULLY UPHOLSTERED - UP

GSA SIN # 711-19

- High density, multipurpose stacker
- Seat and back styles include: all plastic,
- upholstered seat w/ plastic back or fully upholstered seat and back
- Flex back provides 15 degrees of movement • 11 plastic colors, 2 frame finishes
- Warranted up to 250 lbs



CREATING INDY MODEL NUMBER MODEL NUMBER CONTROL FRAME COLOR UPHOLSTERY PLASTIC COLOR GRADE PACKAGING



MODEL	CONTROL	DESCRIPTION	FRAME COLOR	FABRIC							FEATURES	DIMENSIONS	ACCESSORIES		
1010	GT	GUEST STACKING Armless sled shape frame with upholstered back and seat.	BF CF	A/CON 325 340	B 350 365 365 4 4 5 4	C 3370 385	D 395 410	E 425 440	F 460 475	G 495 510	 15 Degrees of Flex in Back Non-Marring Floor Glides Stacks 7 High on Floor Stacks 20 High on Optional Dolly Maintaining Clearance Under an 80" Doorway Rated for 250 lbs 	WIDTH: 22.0 DEPTH: 21.5 HEIGHT: 33.0 SEAT WIDTH: 18.0 SEAT DEPTH: 17.5 SEAT HEIGHT: 18.0 BACK WIDTH: 17.0 BACK HEIGHT: 16.0 COM: 0.8 YDS WEIGHT: 19.0 LB	Stacking Dolly Stacks Upholstered Chairs up to 20 high	50 Ganging Armless-1 Arm-to-A Chairs W	Clip - 4 per set o-Armless or m. 2" Between nen Ganged
1020	GT	GUEST STACKING Standard with armrests. Sled shape frame with upholstered back and seat.	BF CF	A/CON 370 385	B 395 410 -	C 415 430	D 440 455	E 470 485	F 505 520	G 540 555	 15 Degrees of Flex in Back Non-Marring Floor Glides Stacks 7 High on Floor Stacks 20 High on Optional Dolly Maintaining Clearance Under an 80" Doorway Plastic Armrests Covers Match Plastic Shell Color Rated for 250 lbs 	WIDTH: 22.0 DEPTH: 21.5 HEIGHT: 33.0 SEAT WIDTH: 18.0 SEAT DEPTH: 17.5 SEAT HEIGHT: 18.0 BACK WIDTH: 17.0 BACK HEIGHT: 16.0 COM: 0.8 YDS WEIGHT: 20.0 LB	Clear Non-Marring Floor Glides	Clear Not	G13 \$25 -Marring red Floor Glides
													PLASTIC COLORS BLACK CLASS SWAN BURGUI P01 P02 WHITE BOULD WHISPER GRAY P05 P06 PALE WATER CINNAE GREEN ORANI P09 P10	DY RED P03 R DOVER SKY P07 R FEDERAL E BLUE	SUNBONNET YELLOW P04 ESSEX BLUE P08

	PACKAG	ING NOTES	
N	CODE	DESCRIPTION	LIST UPCHARGE
	AB	ASSEMBLED IN BAG FOR WILL CALL	\$0
	AC	ASSEMBLED IN CARTON	\$0
	IDY CHAIRS	S SHIP UP TO 4 PER CARTON	

NOTE: Due to the nature of vinyl upholstery, stacking may cause impressions on the seat. 9to5 Seating does not warrant the effects of the stacking on vinyl upholstery.











Plastic Glide with felt base for Sled Base Chair

9to5seating.com 888.925.SEAT



indy



ALL PLASTIC - AP

GSA SIN # 711-19

- High density, multipurpose stacker
- 11 plastic colors
- Warranted up to 250 lbsCafe stool Model







MODEL	CONTROL	DESCRIPTION	FRAME COLOR	PLASTIC	FEATURES	DIMENSIONS	ADDITIONAL OPTIONS
1060	GT	GUEST STACKING Armless sled shape frame with plastic back and plastic seat.	CF	P Image: Second se	 Stacks 9 High on Floor Stacks 33 High on Optional Dolly Maintaining Clearance Under an 80" Doorway Molded-in Handle Rated for 250 lbs 	WIDTH: 23.0 DEPTH: 21.0 HEIGHT: 31.0 SEAT WIDTH: 18.0 SEAT DEPTH: 16.5 SEAT HEIGHT: 18.0 BACK WIDTH: 18.0 BACK HEIGHT: 14.5 COM: N/A WEIGHT: 15.0 LB	G12 ft ft <t< th=""></t<>
1070	GT	GUEST STACKING Standard with armrests. Sled shape frame with plastic back and plastic seat.	CF	P Image: Constraint of the second of the	 Stacks 9 High on Floor Stacks 33 High on Optional Dolly Maintaining Clearance Under an 80" Doorway Plastic Armrests Covers Match Plastic Shell Color Molded-in Handle Rated for 250 lbs 	WIDTH: 24.0 DEPTH: 21.0 HEIGHT: 31.0 SEAT WIDTH: 18.0 SEAT DEPTH: 16.5 SEAT HEIGHT: 18.0 BACK WIDTH: 18.0 BACK HEIGHT: 14.5 COM: N/A WEIGHT: 17.0 LB	\$250 Stacking Dolly Stacks Chairs 20 up to high upholstered
	GT	STOOL Armless sled shape frame with plastic back and plastic seat.	CF	P Image: Constraint of the second	 Molded-in Handle Rated for 250 lbs 	WIDTH: 23.0 DEPTH: 21.0 HEIGHT: 42.5 SEAT WIDTH: 18.0 SEAT DEPTH: 16.5 SEAT HEIGHT: 29.0 BACK WIDTH: 18.0 BACK HEIGHT: 14.5 COM: N/A WEIGHT: 17.0 LB	\$20 Ganging Clip - 4 per set Armless only. 2" Between Chairs When Ganged BLACK CLASSIC CORAL SUNBONNET SWAN BURGUNDY RED YELLOW P01 P02 P03 P04 WHITE BOULDER DOVER ESSEX WHISPER GRAY SKY BLUE
1076	GT	STOOL WITH ARMS Standard with armrests. Sled shape frame with plastic back and plastic seat.	CF	P Image: Constraint of the second secon	 Plastic Armrests Covers Match Plastic Shell Color Molded-in Handle Rated for 250 lbs 	WIDTH: 24.0 DEPTH: 21.0 HEIGHT: 42.5 SEAT WIDTH: 18.0 SEAT DEPTH: 16.5 SEAT HEIGHT: 29.0 BACK WIDTH: 18.0 BACK HEIGHT: 14.5 COM: N/A WEIGHT: 18.0 LB	P05 P06 P07 P08 PALE WATER CINNABAR FEDERAL GREEN ORANGE BLUE P09 P10 P11

	PACKAGING NOTES											
N		CODE	DESCRIPTION	LIST UPCHARGE								
		AB	ASSEMBLED IN BAG FOR WILL CALL	\$0								
		AC	ASSEMBLED IN CARTON	\$0								
	KELLEY CHAIRS SHIP UP TO 5 PER CARTON											









9to5seating.com 888.925.SEAT

kelley

kelley nothing stacks up to kelley

UPHOLSTERED SEAT - US

GSA SIN # 711-19

- High density, multipurpose stacker
- 11 plastic colors
- Warranted up to 250 lbs



CREATING KELLEY MODEL NUMBER MODEL NUMBER CONTROL FRAME COLOR UPHOLSTERY PLASTIC COLOR GRADE PACKAGING OPTIONS



MODEL	CONTROL	DESCRIPTION	FRAME COLOR	FABRIC							FEATURES	DIMEN	SIONS	ADDITIONAL	L OPTIONS	5	
1060	GT	GUEST STACKING Armless sled shape frame with plastic back and upholstered seat.	CF	A/COM 225	B 255	C 275	D 305	E 340	F 375	G 415	 Stacks 7 High on Stacks 20 High on Maintaining Cleara Doorway Molded-in Handle Rated for 250 lbs 	n Optional Dolly ance Under an 80" SEA SEA BAC	WIDTH: 23.0 DEPTH: 21.0 HEIGHT: 31.0 IT WIDTH: 18.0 IT DEPTH: 16.5 T HEIGHT: 18.0 K WIDTH: 18.0 K HEIGHT: 14.5 COM: 0.9 YD WEIGHT: 15.0 LB	Clear Non-Marr Floor Glides	G12 \$15 ing DL4	Clear Non- Felt Cover	G13 \$25 Marring ed Floor Glides
1070	GT	GUEST STACKING Standard with armrests. Sled shape frame with plastic back and upholstered seat.	CF	A/COM 270	B 300	C 320	D 350	E 385	F 420	G 460	 Stacks 7 High on Stacks 20 High or Maintaining Clear Doorway Plastic Armrests C Shell Color Molded-in Handle Rated for 250 lbs 	n Optional Dolly ance Under an 80" Covers Match Plastic SEA SEA BAC	WIDTH: 24.0 DEPTH: 21.0 HEIGHT: 31.0 IT WIDTH: 18.0 IT DEPTH: 16.5 T HEIGHT: 18.0 K WIDTH: 18.0 K WIDTH: 18.0 K WEIGHT: 14.5 COM: 0.9 YD WEIGHT: 17.0 LB	Stacking Dolly Stacks Chairs 2 high upholstered			
	GT	STOOL Armless sled shape frame with plastic back and upholstered seat.	CF	A/COM 375	B 405	C 425	D 455	E 490	F 525	G 565	Popular Cafe Heig Molded-in Handle Rated for 250 lbs	SEA SEA SEA BAC	WIDTH: 23.0 DEPTH: 21.0 HEIGHT: 42.5 IT WIDTH: 18.0 IT DEPTH: 16.5 T HEIGHT: 29.0 K WIDTH: 18.0 K HEIGHT: 14.5 COM: 0.9 YD WEIGHT: 17.0 LB	Ganging Clip Armless only. 2' Chairs When Ga BLACK SWAN P01 WHITE WHISPER	" Between anged CLASSIC BURGUNDY P02 BOULDER GRAY	CORAL RED P03 DOVER SKY	SUNBONNET YELLOW P04 ESSEX BLUE
1076	GT	STOOL WITH ARMS Standard with armrests. Sled shape frame with plastic back and upholstered seat.	CF	A/COM 420	B 450	C 470	D 500	E 535	F 570	G 610	 Plastic Armrests C Shell Color Popular Cafe Heig Molded-in Handle Rated for 250 lbs 	ght SEA SEA SEA BAC	WIDTH: 24.0 DEPTH: 21.0 HEIGHT: 42.5 IT WIDTH: 18.0 IT DEPTH: 16.5 T HEIGHT: 29.0 K WIDTH: 18.0 K HEIGHT: 14.5 COM: 0.9 YD WEIGHT: 18.0 LB	P05 PALE WATER GREEN P09	P06 CINNABAR ORANGE P10	P07 FEDERAL BLUE P11	P08

	PACKAGING NOTES											
N		CODE	DESCRIPTION	LIST UPCHARGE								
		AB	ASSEMBLED IN BAG FOR WILL CALL	\$0								
		AC	ASSEMBLED IN CARTON	\$0								
	KELLEY CHAIRS SHIP UP TO 5 PER CARTON											











kelley

link transitional style with limitless possibilities

MESH BACK - MB

GSA SIN # 711-19

- Back styles include: all plastic, upholstered, or mesh back
- 3" Molded foam seat
- 6 powder coated frame finishes
- Wall Saver Legs on Model 1410
- Warranted up to 300 lbs
- CAL TB 133 Fire Code approved



CREATING LINK MODEL NUMBER MODEL NUMBER CONTROL ARMS FRAME COLOR UPHOLSTERY MESH COLOR GRADE

RAME COL) (THUIWIG	ING NOTES	
BLACK	SILVER	METALLIC BROWN*		CODE	DESCRIPTION	LIST UPCHARGE
BF	SF	MBF		AB	ASSEMBLED IN BAG FOR WILL CALL	\$0
GUNMETAL* GMF	DOVER GRAY* DGF	WHITE* WF		AC	ASSEMBLED IN CARTON	\$0

MODEL	CONTROL	DESCRIPTION	ARM	FABRIC/LEAT	HER							FEATURES	DIMENSIONS	ARM OPTIONS CASTER OPTIONS
1410	GT	GUEST SIDE CHAIR Mesh back with upholstered seat.	ARMLESS A15B A15G	385 440	B C 420 445 475 500 475 500	480 535 535	620	615 670	L3/COL 475 530 530	560	595	 Non-Marring Floor Glides 3" Molded Foam Seat Stack 4 High on Floor Stacks 4 High on Optional Dolly Wall Saver Back Legs Model 1410 Rated for 300 lbs 	WIDTH: 25.5 DEPTH: 24.0 HEIGHT: 32.0 SEAT WIDTH: 20.0 SEAT DEPTH: 18.0 SEAT HEIGHT: 17.5 BACK WIDTH: 18.0 BACK HEIGHT: 16.0 COM: 1.1 YDS COL: 11.0 S0 FT WEIGHT: 21.0 LB	A15bA15cC1Soft Touch Polyurethane Arms - Black ColorSoft Touch Polyurethane Arms - Gray ColorSoft Touch Polyurethane Arms - Gray ColorStandard Born Hoodless CastersCCESSORIES
1415	GT	GUEST SIDE CHAIR WITH CASTERS Mesh back with upholstered seat.	ARMLESS A15B A15G	A/COM 430 485	B C 465 490 520 545 520 545	D 525 580 580	· ·	660 715	L3/COL 520 575 575	+	640 695	 50mm Hoodless Casters 3" Molded Foam Seat Stack 4 High on Floor Stacks 4 High on Optional Dolly Rated for 300 lbs 	WIDTH: 25.5 DEPTH: 24.0 HEIGHT: 32.0 SEAT WIDTH: 20.0 SEAT DEPTH: 18.0 SEAT HEIGHT: 17.5 BACK WIDTH: 18.0 BACK HEIGHT: 16.0 COM: 1.1 YDS COL: 11.0 SQ FT WEIGHT: 21.0 LB	Kolecolines Visition Stacking Dolly Stacks Chairs 4 High CAUTION: Careless stacking of chairs may scratch and damage frames. 9to5 Seating does not warrant scratched frames of side chairs. MESH COLORS
														BLACK GRAY SILVER GREEN RED BLUE M11 M12 M13 M14 M15 M16



NOTE: Due to the nature of vinyl upholstery, stacking may cause impressions on the seat. 9to5 Seating does not warrant the effects of the stacking on vinyl upholstery.





\$ • a t I n g

link







transitional style with limitless possibilities

PLASTIC BACK - PB

GSA SIN # 711-19

- Back styles include: all plastic, upholstered, or mesh back
- 3" Molded foam seat
- 6 powder coated frame finishes
- Wall Saver Legs on Model 1410
- Warranted up to 300 lbs
- CAL TB 133 Fire Code approved



	1		THUILU	ING NOTES	
BLACK	SILVER	METALLIC BROWN*	CODE	DESCRIPTION	LIST UPCHARGE
BF	SF	MBF	AB	ASSEMBLED IN BAG FOR WILL CALL	\$0
GUNMETAL* GMF	DOVER GRAY* DGF	WHITE* WF	AC	ASSEMBLED IN CARTON	\$0

MODEL	CONTROL	DESCRIPTION	ARM	FABRIC/LE	ATHER									FEATURES	DIMENSIONS
1410	GT		ARMLESS	A/COM 350	B 385	C 410	D 445	E 485	F 530	G 580	L3/C0L 440	L4 470	L5 560	 Non-Marring Floor Glides 3" Molded Foam Seat Stack 4 High on Floor Stacks 4 High on Optional Dolly 	WIDTH: 25.5 DEPTH: 24.0 HEIGHT: 32.0
		GUEST Plastic back with upholstered seat.	A15B A15G	405 405	440 440	465 465	500 500	540 540	585 585	635 635	495 495	525 525	615 615	Stacks 4 High on Optional Dolly Wall Saver Back Legs Model 1410 Rated for 300 lbs	SEAT WIDTH: 20.0 SEAT DEPTH: 18.0 SEAT HEIGHT: 17.5 BACK WIDTH: 18.0
															BACK HEIGHT: 16.0 Com: 1.1 YDS Col: 11.0 SQ FT Weight: 21.0 LB
1415	GT	-	ARMLESS	A/COM	B	C	D	E 530	F	G	L3/COL		L5	 50mm Hoodless Casters 3" Molded Foam Seat Stack 4 High on Floor 	WIDTH: 25.5 Depth: 24.0 Height: 32.0
	Ŵ	GUEST WITH CASTERS	ARMLESS A15B A15G	395 450 450	430 485 485	455 510 510	490 545 545	530 585 585	575 630 630	625 680 680	485 540 540	515 570 570	605 660 660	Stacks 4 High on Optional Dolly Rated for 300 lbs	SEAT WIDTH: 20.0 SEAT DEPTH: 18.0 SEAT HEIGHT: 17.5
		Plastic back with upholstered seat.													BACK WIDTH: 18.0 BACK HEIGHT: 16.0 COM: 1.1 YDS COL: 11.0 SQ FT WEIGHT: 21.0 LB



NOTE: Due to the nature of vinyl upholstery, stacking may cause impressions on the seat. 9to5 Seating does not warrant the effects of the stacking on vinyl upholstery.

ARM OPTIONS



Soft Touch Polyurethane Arms - Black Color



Soft Touch Polyurethane Arms - Gray Color

CASTER OPTIONS



Standard 50mm Hoodless Casters

ACCESSORIES



Stacking Dolly Stacks Chairs 4 High

CAUTION: Careless stacking of chairs may scratch and damage frames. 9to5 Seating does not warrant scratched frames of side chairs.

> 9to5seating.com 888.925.SEAT



link

transitional style with limitless possibilities

UPHOLSTERED BACK - UB

GSA SIN # 711-18

- Back styles include: all plastic, upholstered, or mesh back
- 3" Molded foam seat
- 6 powder coated frame finishes
- Wall Saver Legs on Model 1410
- Warranted up to 300 lbs
- CAL TB 133 Fire Code approved





MODEL	CONTROL	DESCRIPTION	ARM	FABRIC/LE	ATHER									FEATURES	DIMENSIONS
1410	GT	GUEST Upholstered back with upholstered seat.	ARMLESS A15B A15G	A/COM 385 440 440	B 430 485 485	C 460 515 515	D 505 560 560	E 555 610 610	F 615 670 670	680 735 735	L3/COL 500 5555 555	L4 585 640 640	L5 720 775 775	 Non-Marring Floor Glides 3" Molded Foam Seat Stack 4 High on Floor Stacks 4 High on Optional Dolly Wall Saver Back Legs Model 1410 Rated for 300 lbs 	WIDTH: 25.5 DEPTH: 24.0 HEIGH: 32.0 SEAT WIDTH: 20.0 SEAT DEPTH: 18.0 SEAT HEIGH: 17.5 BACK WIDTH: 18.0 BACK HEIGH: 16.0 COM: 1.4 YDS COL: 17.0 SQ FT WEIGHT: 23.0 LB
1415	GT	GUEST WITH CASTERS Upholstered back with upholstered seat.	ARMLESS A15B A15G	A/COM 430 485 485	B 475 530 530	C 505 560 560	D 550 605 605	E 600 655 655	F 660 715 715	G 725 780 780	L3/COL 545 600 600	630 685	L5 765 820 820	 50mm Hoodless Casters 3" Molded Foam Seat Stack 4 High on Floor Stacks 4 High on Optional Dolly Rated for 300 lbs 	WIDTH: 25.5 DEPTH: 24.0 HEIGHT: 32.0 SEAT WIDTH: 20.0 SEAT DEPTH: 18.0 SEAT HEIGHT: 17.5 BACK WIDTH: 18.0 BACK HEIGHT: 16.0 COM: 1.4 YDS COL: 17.0 SQ FT WEIGHT: 23.0 LB



		PACKAG	ING NOTES	
BROWN*		CODE	DESCRIPTION	LIST UPCHARGE
-		AB	ASSEMBLED IN BAG FOR WILL CALL	\$0
*		AC	ASSEMBLED IN CARTON	\$0
	L L		STERED BACK SIDE CHAIRS SHIP UP TO 3	2 PER CARTON

NOTE: Due to the nature of vinyl upholstery, stacking may cause impressions on the seat. 9to5 Seating does not warrant the effects of the stacking on vinyl upholstery.

ARM OPTIONS



Soft Touch Polyurethane Arms - Black Color



Soft Touch Polyurethane Arms - Gray Color

CASTER OPTIONS

955°

link



Standard 50mm Hoodless Casters

ACCESSORIES



Stacking Dolly Stacks Chairs 4 High

CAUTION: Careless stacking of chairs may scratch and damage frames. 9to5 Seating does not warrant scratched frames of side chairs.



MID-BACK

GSA SIN # 711-18

- Task, stool, and conference seating
 Ratchet back height adjustment on R1, M1, and Y2 models
- Warranted up to 250 lbs with S2, R1, P1
- Warranted up to 300 lbs with M1, Y2
- CAL TB 133 Fire Code approved





MODEL	CONTROL	DESCRIPTION	ARM	FABRIC/L	EATHER						FEATURES DI	MENSIONS
1760	S2			A/COM	в	C	D	E	F	G	Pneumatic Seat Height Adjustment	WIDTH: 26.5
1760	52		ARMLESS	465	515	550	600	660	725	795	Tilt Tension Control	DEPTH: 26.0
	_	MID-BACK	A1	535	585	620	670	730	795	865	Seat and Back Tilt as a Unit	HEIGHT: 39.0-43
\frown	\bigcap	SWIVEL TILT CONTROL									Upright Position Tilt Lock	SEAT WIDTH: 22.0
)	N \		A4	540	590	625	675	735	800	870	Adjustable Back Depth Rated for 250 lbs	SEAT DEPTH: 18.5
		Use for a variety of general office	A5	560	610	645	695	755	820	890		SEAT HEIGHT: 17.0-2
	-	seating, including private office and conference room seating.	A6	595	645	680	730	790	855	925		BACK WIDTH: 20.0 BACK HEIGHT: 20.5
To a	ala	and conterence room seating.	A7	615	665	700	750	810	875	945		COM: 1.6 YD
f og	ومارمع		A16	565	615	650	700	760	825	895		WEIGHT: 28.5 L
		! 		SEAT SLI	DER (SS) -	ADD \$60						
760	R1			A/COM	В	С	D	E	F	G	Pneumatic Seat Height Adjustment	WIDTH: 26.5
		MID-BACK	ARMLESS	515	565	600	650	710	775	845	Tilt Tension Control	DEPTH: 26.0
		ROCKING CONTROL	A1	585	635	670	720	780	845	915	Seat and Back Tilt as a Unit	HEIGHT: 39.0-4
$\overline{}$	\bigcap										Floating Seat Position Tilt Lock Infinite Back Angle Adj w/ Free Float	SEAT WIDTH: 22.0
		For managerial and task	A4	590	640	675	725	785	850	920	 Batchet Back Height Lumbar 	SEAT DEPTH: 18.5
$ \longrightarrow $	μ	applications. Similar to a swivel	A5	610	660	695	745	805	870	940	Adjustment	SEAT HEIGHT: 16.5-2 BACK WIDTH: 20.0
\sim	STA O	tilt control, with the added	A6	645	695	730	780	840	905	975	Rated for 250 lbs	BACK HEIGHT: 20.0-2
In a	ala	comfort of infinite back angle	A7	665	715	750	800	860	925	995		COM: 1.6 YE
Je de la	6 6	and tilt adjustment.	A16	615	665	700	750	810	875	945		WEIGHT: 34.0 L
				SEAT SU	DFR (SS) -	ADD \$60						WEIGHT: 34.0 L
				SEAT SLI	ſ	ſ			-		Pneumatic Seat Height Adjustment	
760	M1			A/COM	В	C	D	E	F	G	Pneumatic Seat Height Adjustment Tilt Tension Control	WIDTH: 26.5 DEPTH: 26.0
0	M1		ARMLESS	A/COM 565	B 615	C 650	700	760	825	895	Tilt Tension Control Seat and Back Tilt as a Unit	WIDTH: 26.5 DEPTH: 26.0
50	M1	MID-BACK MULTI-FUNCTION CONTROL	A1	A/COM 565 635	B 615 685	C 650 720	700 770	760 830	825 895	895 965	 Tilt Tension Control Seat and Back Tilt as a Unit Floating Seat Position Tilt Lock 	WIDTH: 26.5 DEPTH: 26.0
50	M1	MULTI-FUNCTION CONTROL		A/COM 565	B 615	C 650	700	760	825	895	 Tilt Tension Control Seat and Back Tilt as a Unit Floating Seat Position Tilt Lock Infinite Back Angle Adj w/ Free Float 	WIDTH: 26.5 DEPTH: 26.0 HEIGHT: 39.0-4
50	M1		A1	A/COM 565 635	B 615 685	C 650 720	700 770	760 830	825 895	895 965	 Tilt Tension Control Seat and Back Tilt as a Unit Floating Seat Position Tilt Lock Infinite Back Angle Adj w/ Free Float Seat Pivots from 0° to 6° Forward Ratchet Back Height Lumbar 	WIDTH: 26.5 DEPTH: 26.0 HEIGHT: 39.0-4 SEAT WIDTH: 22.0 SEAT DEPTH: 18.5 SEAT HEIGHT: 17.0-2
50		MULTI-FUNCTION CONTROL Fully articulating seat and back	A1 A4	A/COM 565 635 640	B 615 685 690	C 650 720 725	700 770 775	760 830 835	825 895 900	895 965 970	 Tilt Tension Control Seat and Back Tilt as a Unit Floating Seat Position Tilt Lock Infinite Back Angle Adj w/ Free Float Seat Pivots from 0° to 6° Forward Ratchet Back Height Lumbar Adjustment 	WIDTH: 26.5 DEPTH: 26.0 HEIGHT: 39.0-4 SEAT WIDTH: 22.0 SEAT DEPTH: 18.5 SEAT HEIGHT: 17.0-2 BACK WIDTH: 20.0
	M1	MULTI-FUNCTION CONTROL Fully articulating seat and back for the highest level of ergonomic	A1 A4 A5	A/COM 565 635 640 660	B 615 685 690 710	C 650 720 725 745	700 770 775 795	760 830 835 855	825 895 900 920	895 965 970 990	 Tilt Tension Control Seat and Back Tilt as a Unit Floating Seat Position Tilt Lock Infinite Back Angle Adj w/ Free Float Seat Pivots from 0° to 6° Forward Ratchet Back Height Lumbar Adjustment 	WIDTH: 26.5 DEPTH: 26.0 HEIGHT: 39.0-4 SEAT WIDTH: 22.0 SEAT DEPTH: 18.5 SEAT HEIGHT: 17.0-2 BACK WIDTH: 20.0 BACK HEIGHT: 20.0
		MULTI-FUNCTION CONTROL Fully articulating seat and back for the highest level of ergonomic needs. Forward seat pitch	A1 A4 A5 A6	A/COM 565 635 640 660 695	B 615 685 690 710 745	C 650 720 725 745 780	700 770 775 795 830	760 830 835 855 890	825 895 900 920 955	895 965 970 990 1025	 Tilt Tension Control Seat and Back Tilt as a Unit Floating Seat Position Tilt Lock Infinite Back Angle Adj w/ Free Float Seat Pivots from 0° to 6° Forward Ratchet Back Height Lumbar Adjustment 	WIDTH: 26.5 DEPTH: 26.0 HEIGHT: 39.0-4 SEAT WIDTH: 22.0 SEAT DEPTH: 18.5 SEAT HEIGHT: 17.0-2 BACK WIDTH: 20.0 BACK HEIGHT: 20.0 BACK HEIGHT: 20.0 BACK HEIGHT: 20.1 COM: 1.6 YD
		MULTI-FUNCTION CONTROL Fully articulating seat and back for the highest level of ergonomic needs. Forward seat pitch	A1 A4 A5 A6 A7	A/COM 565 635 640 660 695 715	 B 615 685 690 710 745 765 715 	C 650 720 725 745 780 800 750	700 770 775 795 830 850	760 830 835 855 890 910	825 895 900 920 955 975	895 965 970 990 1025 1045	 Tilt Tension Control Seat and Back Tilt as a Unit Floating Seat Position Tilt Lock Infinite Back Angle Adj w/ Free Float Seat Pivots from 0° to 6° Forward Ratchet Back Height Lumbar Adjustment 	WIDTH: 26.5 DEPTH: 26.0 HEIGHT: 39.0-4 SEAT WIDTH: 22.0 SEAT WIDTH: 18.5 SEAT HEIGHT: 17.0-2 BACK WIDTH: 20.0 BACK HEIGHT: 20.5-2
		MULTI-FUNCTION CONTROL Fully articulating seat and back for the highest level of ergonomic needs. Forward seat pitch	A1 A4 A5 A6 A7	A/COM 565 635 640 660 695 715 665 SEAT SLI	B 615 685 690 710 745 765 715 DER (SS) -	C 650 720 725 745 780 800 750 ADD \$60	700 770 775 830 850 800	760 830 835 855 890 910 860	825 895 900 920 955 975 925	895 965 970 990 1025 1045 995	 Tilt Tension Control Seat and Back Tilt as a Unit Floating Seat Position Tilt Lock Infinite Back Angle Adj w/ Free Float Seat Pivots from 0° to 6° Forward Ratchet Back Height Lumbar Adjustment Rated for 250 lbs 	WIDTH: 26.5 DEPTH: 26.0 HEIGHT: 39.0- SEAT WIDTH: 22.0 SEAT WIDTH: 22.0 SEAT DEPTH: 18.5 SEAT HEIGHT: 17.0-2 BACK WIDTH: 20.0 BACK WIDTH: 20.0 BACK HEIGHT: 17.0-2 WEIGHT: 37.5 L
		MULTI-FUNCTION CONTROL Fully articulating seat and back for the highest level of ergonomic needs. Forward seat pitch	A1 A4 A5 A6 A7 A16	A/COM 565 635 640 660 695 715 665 SEAT SLI	B 615 685 690 710 745 765 715 DER (SS) -	C 650 720 725 745 780 800 750 ADD \$60	700 770 775 830 850 800	760 830 835 855 890 910 860	825 895 900 920 955 975 925	895 965 970 990 1025 1045 995	 Tilt Tension Control Seat and Back Tilt as a Unit Floating Seat Position Tilt Lock Infinite Back Angle Adj w/ Free Float Seat Pivots from 0° to 6° Forward Ratchet Back Height Lumbar Adjustment Rated for 250 lbs Pneumatic Seat Height Adjustment 	WIDTH: 26.5 DEPTH: 26.0 HEIGHT: 39.0-4 SEAT WIDTH: 22.0 SEAT DEPTH: 18.5 SEAT DEPTH: 18.5 SEAT HEIGHT: 17.0-2 BACK WIDTH: 20.0 BACK HEIGHT: 17.0-2 COM: 1.6 YD WEIGHT: 37.5 L WIDTH: 26.5
		MULTI-FUNCTION CONTROL Fully articulating seat and back for the highest level of ergonomic needs. Forward seat pitch adjustment from 0 to 6 degrees.	A1 A4 A5 A6 A7	A/COM 565 635 640 660 695 715 665 SEAT SLI	B 615 685 690 710 745 765 715 DER (SS) -	C 650 720 725 745 780 800 750 ADD \$60	700 770 775 830 850 800	760 830 835 855 890 910 860	825 895 900 920 955 975 925	895 965 970 990 1025 1045 995	 Tilt Tension Control Seat and Back Tilt as a Unit Floating Seat Position Tilt Lock Infinite Back Angle Adj w/ Free Float Seat Pivots from 0° to 6° Forward Ratchet Back Height Lumbar Adjustment Rated for 250 lbs 	WIDTH: 26.5 DEPTH: 26.0 HEIGHT: 39.0-4 SEAT WIDTH: 22.0 SEAT DEPTH: 18.5 SEAT DEPTH: 18.5 SEAT HEIGHT: 17.0-2 BACK WIDTH: 20.0 BACK HEIGHT: 20.5-2 COM: 1.6 YD WEIGHT: 37.5 L WIDTH: 26.5 DEPTH: 26.0
J J		MULTI-FUNCTION CONTROL Fully articulating seat and back for the highest level of ergonomic needs. Forward seat pitch	A1 A4 A5 A6 A7 A16	A/COM 565 635 640 660 695 715 665 SEAT SLI	B 615 685 690 710 745 765 715 DER (SS) -	C 650 720 725 745 780 800 750 ADD \$60	700 770 775 830 850 800	760 830 835 855 890 910 860	825 895 900 920 955 975 925	895 965 970 990 1025 1045 995	 Tilt Tension Control Seat and Back Tilt as a Unit Floating Seat Position Tilt Lock Infinite Back Angle Adj w/ Free Float Seat Pivots from 0° to 6° Forward Ratchet Back Height Lumbar Adjustment Rated for 250 lbs 	WIDTH: 26.5 DEPTH: 26.0 HEIGHT: 39.0-4 SEAT WIDTH: 22.0 SEAT DEPTH: 18.5 SEAT DEPTH: 18.5 SEAT HEIGHT: 17.0-2 BACK WIDTH: 20.0 BACK HEIGHT: 17.0-2 COM: 1.6 YD WEIGHT: 37.5 L WIDTH: 26.5
		MULTI-FUNCTION CONTROL Fully articulating seat and back for the highest level of ergonomic needs. Forward seat pitch adjustment from 0 to 6 degrees.	A1 A4 A5 A6 A7 A16	A/COM 565 635 640 660 695 715 665 SEAT SLI	B 615 685 690 710 745 765 715 DER (SS) -	C 650 720 725 745 800 800 750 ADD \$60	700 770 775 795 830 850 800	760 830 835 855 890 910 860 860	825 895 900 920 955 975 925 925	895 965 970 990 1025 1045 995 995	 Tilt Tension Control Seat and Back Tilt as a Unit Floating Seat Position Tilt Lock Infinite Back Angle Adj w/ Free Float Seat Pivots from 0° to 6° Forward Ratchet Back Height Lumbar Adjustment Rated for 250 lbs Pneumatic Seat Height Adjustment Side Tilt Tension Control Back and Seat Tilt in 2:1 ratio 4 Locking Positions Safety Tilt Release 	WIDTH: 26.5 DEPTH: 26.0 HEIGHT: 39.0- SEAT WIDTH: 22.0 SEAT WIDTH: 22.0 SEAT DEPTH: 18.5 SEAT DEPTH: 18.5 BACK WIDTH: 20.0 BACK HEIGHT: 20.5-2 COM: 1.6 YE WEIGHT: 37.5 L WIDTH: 26.5 DEPTH: 26.0 HEIGHT: 37.5-4
)		MULTI-FUNCTION CONTROL Fully articulating seat and back for the highest level of ergonomic needs. Forward seat pitch adjustment from 0 to 6 degrees.	A1 A4 A5 A6 A7 A16 ARMLESS A1	A/COM 565 635 640 660 695 715 665 SEAT SLII A/COM 545 615	B 615 685 690 710 745 765 715 DER (SS) -	C 650 720 725 780 800 750 ADD \$60	700 770 775 795 830 850 800	760 830 835 855 890 910 860	825 895 900 920 955 975 925 925 925	895 965 970 990 1025 1045 995 995	 Tilt Tension Control Seat and Back Tilt as a Unit Floating Seat Position Tilt Lock Infinite Back Angle Adj w/ Free Float Seat Pivots from 0° to 6° Forward Ratchet Back Height Lumbar Adjustment Rated for 250 lbs 	WIDTH: 26.5 DEPTH: 26.0 HEIGHT: 39.0- SEAT WIDTH: 22.0 SEAT WIDTH: 22.0 SEAT DEPTH: 18.5 SEAT DEPTH: 18.5 SEAT HEIGHT: 17.0-2 BACK WIDTH: 20.0 BACK HEIGHT: 20.5-2 COM: 1.6 YE WEIGHT: 37.5 L WIDTH: 26.5 DEPTH: 26.0 HEIGHT: 37.5-4 SEAT WIDTH: 22.0
	V2	MULTI-FUNCTION CONTROL Fully articulating seat and back for the highest level of ergonomic needs. Forward seat pitch adjustment from 0 to 6 degrees. MID-BACK SYNCHRO TILT CONTROL	A1 A4 A5 A6 A7 A16 ARMLESS A1 A4	A/COM 565 635 640 660 695 715 665 SEAT SLI 545 615 615 620	B 615 685 690 710 745 765 715 20ER (SS) -	C 650 720 745 745 800 750 ADD \$60 C 630 700 705 725	700 770 775 795 830 850 800	 760 830 835 855 890 910 860 860 	825 895 900 920 955 925 925 925 825 825 805	895 965 970 990 1025 1045 995 6 875 945 945	 Tilt Tension Control Seat and Back Tilt as a Unit Floating Seat Position Tilt Lock Infinite Back Angle Adj w/ Free Float Seat Pivots from 0° to 6° Forward Ratchet Back Height Lumbar Adjustment Rated for 250 lbs 	WIDTH: 26.5 DEPTH: 26.0 HEIGHT: 39.0-4 SEAT WIDTH: 22.0 SEAT WIDTH: 22.0 SEAT DEPTH: 18.5 SEAT DEPTH: 18.5 BACK WIDTH: 20.0 BACK HEIGHT: 20.5-2 COM: 1.6 YE WIDTH: 26.5 DEPTH: 26.5 DEPTH: 26.0 HEIGHT: 37.5-4 SEAT WIDTH: 22.0 SEAT WIDTH: 22.0 SEAT WIDTH: 22.0 SEAT WIDTH: 22.0
		MULTI-FUNCTION CONTROL Fully articulating seat and back for the highest level of ergonomic needs. Forward seat pitch adjustment from 0 to 6 degrees. MID-BACK SYNCHRO TILT CONTROL Use for a variety of general office	A1 A4 A5 A6 A7 A16 ARMLESS A1 A4 A5 A6	A/COM 565 633 640 660 715 665 SEAT SLI 545 615 620 640 640 640	B 615 685 690 710 745 765 715 0ER (SS) -	C 650 720 725 745 780 800 750 ADD \$60 C 630 700 705 725	700 770 775 795 830 850 800 751 755 775 810	 760 830 835 855 890 910 860 860 860 860 860 810 815 835 870 	825 895 900 922 975 975 925 925 925 805 805 875 880 875 880 900 935	895 965 970 990 1025 1045 995 955 945 950 950 950 950	 Tilt Tension Control Seat and Back Tilt as a Unit Floating Seat Position Tilt Lock Infinite Back Angle Adj w/ Free Float Seat Pivots from 0° to 6° Forward Ratchet Back Height Lumbar Adjustment Rated for 250 lbs 	WIDTH: 26.5 DEPTH: 26.0 HEIGHT: 39.0 SEAT WIDTH: 22.0 SEAT WIDTH: 22.0 SEAT DEPTH: 18.5 SEAT HEIGHT: 17.0 BACK WIDTH: 20.0 BACK HEIGHT: 20.5 COM: 1.6 YE WIDTH: 26.5 DEPTH: 37.5-1 WIDTH: 26.5 DEPTH: 26.0 HEIGHT: 37.5-1 SEAT WIDTH: 22.0 SEAT WIDTH: 22.0 SEAT DEPTH: 18.5-: SEAT HEIGHT: 18.5-:
	V2	MULTI-FUNCTION CONTROLFully articulating seat and back for the highest level of ergonomic needs. Forward seat pitch adjustment from 0 to 6 degrees.MID-BACK SYNCHRO TILT CONTROLUse for a variety of general office seating, including private office and	A1 A4 A5 A6 A7 A16 ARMLESS A1 A4 A5	A/COM 565 635 640 660 695 715 665 SEAT SLI 545 615 615 620 640	B 615 685 690 710 745 765 715 20ER (SS) -	C 650 720 745 745 800 750 ADD \$60 C 630 700 705 725	700 770 775 830 850 800 800 800 800 750 755 775	 760 830 835 855 890 910 860 860 860 810 815 835 	825 895 900 920 955 925 925 925 925 825 805 875 880 875 880	895 965 970 990 1025 1045 995 6 875 945 945	 Tilt Tension Control Seat and Back Tilt as a Unit Floating Seat Position Tilt Lock Infinite Back Angle Adj w/ Free Float Seat Pivots from 0° to 6° Forward Ratchet Back Height Lumbar Adjustment Rated for 250 lbs 	WIDTH: 26.5 DEPTH: 26.0 HEIGHT: 39.0 SEAT WIDTH: 22.0 SEAT WIDTH: 22.0 SEAT DEPTH: 18.5 SEAT HEIGHT: 17.0 BACK WIDTH: 20.0 BACK HEIGHT: 20.5 COM: 1.6 YE WIDTH: 26.5 DEPTH: 37.5 I WIDTH: 26.0 HEIGHT: 37.5-1 SEAT HEIGHT: 22.0 SEAT DEPTH: 28.0 SEAT HEIGHT: 18.5-3 SEAT HEIGHT: 18.5-3 BACK WIDTH: 20.0

)-[OPTIONS]	
	PACKAG	ING NOTES	
	CODE	DESCRIPTION	LIST UPCHARGE
	AB	ASSEMBLED IN BAG FOR WILL CALL	\$0
	PAC	PARTIALLY ASSEMBLED IN CARTON	\$0
	BAC	BACK ASSEMBLED IN CARTON	\$40

ARM OPTIONS



Black soft touch loop arm



6-way adjustable arm for height, pivots, and with *Ura-Soft* sliding arm pads

CASTER OPTIONS



50mm Hooded Casters



2-way adjustable arm for height



8-way adjustable arm for height, width, pivots, and with *Ura-Soft* sliding arm pads



9005°

logic

4-way adjustable arm for height and width



Black Soft Touch Cantilever style C-Shaped Arm



Hard Floor Casters



50mm Hooded Self-Locking Hard Floor Casters

ADDITIONAL OPTIONS



Replace Knob with Bolt (for S2 Controls ONLY)



Seat Slider 2.5" Side Paddle Activated



EF1 - 1" extra foam on seat

MF1 - 1" Visco elastic memory foam on seat



Upholstered Outer Back in Black Ballistic Nylon BN1 - with Grade A ONLY BN2 - with Grade B and Up



Edge Protector - a clear vinyl tube placed around the edge of the back cushion



Heavy Duty Multi-Shift Upgrade to 350 lbs includes BA2B aluminum base and C4 60mm casters



STOOL

GSA SIN # 711-18

- Task, stool, and conference seating
- Ratchet back height adjustment on P1
- Warranted up to 250 lbs with P1
- CAL TB 133 Fire Code approved





MODEL	CONTROL	DESCRIPTION	ARM	FABRIC/L	EATHER						FEATURES DIMENSIONS
1766	P1	10" STOOL POSTURE BACK CONTROL Use for work surfaces up to 42 inches high.	ARMLESS A1 A4 A5 A6 A7 A16	A/COM 630 700 705 725 760 780 730 SEAT SLI	B 680 750 755 810 830 780 000 830 0000	C 715 785 790 810 845 865 815	D 765 835 840 860 895 915 865 ABLE	E 825 895 900 920 955 975 925	F 890 960 985 1020 1040 990	G 960 1030 1035 1055 1090 1110 1060	 Pneumatic Seat Height Adjustment Infinite back angle adjust with free float Ratchet Back Height Lumbar Adjustment Height Adjustable Footring Rated for 250 lbs SEAT HEIGHT: 24.5-34.5 BACK WIDTH: 20.0 BACK HEIGHT: 20.5-23.5 COM: 1.6 YDS WEIGHT: 43.5 LB
1768	P1	8" STOOL POSTURE BACK CONTROL Use for work surfaces up to 36 inches high.	ARMLESS A1 A4 A5 A6 A7 A16	A/COM 630 700 705 725 760 780 730	 B 680 750 755 775 810 830 780 	C 715 785 790 810 845 865 815 NOT AVAIL	D 765 835 840 860 895 915 865	E 825 895 900 920 955 975 925	F 890 960 965 985 1020 1040 990	6 960 1030 1035 1055 1090 1110 1060	 Pneumatic Seat Height Adjustment Infinite back angle adjust with free float Ratchet Back Height Lumbar Adjustment Height Adjustable Footring Rated for 250 lbs Seat HEIGHT: 21.5-29.5 BACK WIDTH: 20.0 BACK HEIGHT: 20.0 BACK HEIGHT: 20.5-23.5 COM: 1.6 YDS WEIGHT: 42.5 LB

148

)-[OPTIONS)	
	PACKAG	ING NOTES	
	CODE	DESCRIPTION	LIST UPCHARGE
	AB	ASSEMBLED IN BAG FOR WILL CALL	\$0
	PAC	PARTIALLY ASSEMBLED IN CARTON	\$0
	BAC	BACK ASSEMBLED IN CARTON	\$40

ARM OPTIONS



Black soft touch loop arm



6-way adjustable arm for height, pivots, and with *Ura-Soft* sliding arm pads

CASTER OPTIONS



50mm Hooded Casters



2-way adjustable arm for height



8-way adjustable arm for height, width, pivots, and with *Ura-Soft* sliding arm pads



9005°

logic

4-way adjustable arm for height and width



Black Soft Touch Cantilever style C-Shaped Arm



50mm Hooded Hard Floor Casters



50mm Hooded Self-Locking Hard Floor Casters

ADDITIONAL OPTIONS



Upholstered Outer Back in Black Ballistic Nylon BN1 - with Grade A ONLY BN2 - with Grade B and Up



Edge Protector - a clear vinyl tube placed around the edge of the back cushion



Ballistic Nylon Applied Over a Portion of the Lower Backrest Surface



EF1 - 1" extra foam on seat





Ballistic Nylon Applied Over a Portion of the Lower Backrest Surface and Full Seat



HIGH-BACK

GSA SIN # 711-18

- Task, stool, and conference seating
 Ratchet back height adjustment on R1, M1, and Y2 models
- Warranted up to 250 lbs with S2, R1, P1
- Warranted up to 300 lbs with M1, Y2
- CAL TB 133 Fire Code approved





	CONTROL	DESCRIPTION	ARM	FABRIC/LE	ATHER							FEATURES	DIMENSIONS
		:		:									
1780	S2			A/COM	В	C	D	E	F	G		Pneumatic Seat Height Adjustment	WIDTH: 26.5
			ARMLESS	515	575	615	675	745	820	905	7	Tilt Tension ControlSeat and Back Tilt as a Unit	DEPTH: 26.0
\frown	\bigcap	HIGH-BACK SWIVEL TILT CONTROL	A1	585	645	685	745	815	890	975		Upright Position Tilt Lock	HEIGHT: 42.0
		SWIVEL HEI CONTROL	A4	590	650	690	750	820	895	980		Adjustable Back Depth	SEAT WIDTH: 22.0 SEAT DEPTH: 18.5
))	Use for a variety of general office	A5	610	670	710	770	840	915	1000		Rated for 250 lbs	SEAT HEIGHT: 17.0-21.5
		seating, including private office											BACK WIDTH: 20.0
		and conference room seating.	A6	645	705	745	805	875	950	1035			BACK HEIGHT: 24.0
		j.	A7	665	725	765	825	895	970	1055			COM: 1.9 YDS
9 8	8 H 8		A16	615	675	715	775	845	920	1005			WEIGHT: 36.0 LB
		: : : : : : : : : : : : : : : : : : :		E SEAT SLID	ER (SS) - /	ADD \$60							
						7	7				r		
1780	R1			A/COM	В	C	D	E	F	G		Pneumatic Seat Height Adjustment Tith Transien Constant	WIDTH: 26.5
		HIGH-BACK	ARMLESS	565	625	665	725	795	870	955		Tilt Tension ControlSeat and Back Tilt as a Unit	DEPTH: 26.0
\frown	\bigcap	ROCKING CONTROL	A1	635	695	735	795	865	940	1025		Floating Seat Position Tilt Lock	HEIGHT: 42.0-49.5
		For many standard and the standard	A4	640	700	740	800	870	945	1030		Infinite Back Angle Adj w/ Free Float	SEAT WIDTH: 22.0 SEAT DEPTH: 18.5
)))	For managerial and task	A5	660	720	760	820	890	965	1050		Ratchet Back Height Lumbar	SEAT DEPTH: 18.5 SEAT HEIGHT: 17.0-21.5
		applications. Similar to a swivel tilt control. with the added										Adjustment	BACK WIDTH: 20.0
AV .	Store C	comfort of infinite back angle	A6	695	755	795	855	925	1000	1085		Rated for 250 lbs	BACK HEIGHT: 24.0-27.0
		and tilt adjustment.	A7	715	775	815	875	945	1020	1105			COM: 1.9 YDS
9 8	e l's	-	A16	665	725	765	825	895	970	1055			WEIGHT: 41.0 LB
				SEAT SLID	Lii (00) - 7								
1780	M1										1	 Pneumatic Seat Height Adjustment 	
1/00	IVI I			A/COM	В	C	D	E	F	G			WIDTH: 26.5
1/00	IVI I	HIGH-BACK	ARMLESS	A/COM 615	B 675	C 715	D 775	E 845	F 920	G 1005		Tilt Tension Control Sost and Back Tilt as a Upit	DEPTH: 26.0
1/00		HIGH-BACK MULTI-FUNCTION CONTROL		615	675	715	775	845	920	1005		Seat and Back Tilt as a Unit	DEPTH: 26.0 HEIGHT: 42.0-49.5
1/00		•	A1	615 685	675 745	715 785	775 845	845 915	920 990	1005 1075			DEPTH: 26.0 HEIGHT: 42.0-49.5 SEAT WIDTH: 22.0
		•	A1 A4	615 685 690	675 745 750	715 785 790	775 845 850	845 915 920	920 990 995	1005 1075 1080		 Seat and Back Tilt as a Unit Floating Seat Position Tilt Lock Infinite Back Angle Adj w/ Free Float Seat Pivots from 0° to 6° Forward 	DEPTH: 26.0 HEIGHT: 42.0-49.5 SEAT WIDTH: 22.0 SEAT DEPTH: 18.5
		MULTI-FUNCTION CONTROL	A1 A4 A5	615 685 690 710	675 745 750 770	715 785 790 810	775 845 850 870	845 915 920 940	920 990 995 1015	1005 1075 1080 1100		 Seat and Back Tilt as a Unit Floating Seat Position Tilt Lock Infinite Back Angle Adj w/ Free Float Seat Pivots from 0° to 6° Forward Ratchet Back Height Lumbar 	DEPTH: 26.0 HEIGHT: 42.0-49.5 SEAT WIDTH: 22.0 SEAT DEPTH: 18.5 SEAT HEIGHT: 17.0-21.5
		MULTI-FUNCTION CONTROL Fully articulating seat and back for the highest level of ergonomic needs. Forward seat pitch	A1 A4	615 685 690	675 745 750 770 805	715 785 790	775 845 850	845 915 920	920 990 995	1005 1075 1080		 Seat and Back Tilt as a Unit Floating Seat Position Tilt Lock Infinite Back Angle Adj w/ Free Float Seat Pivots from 0° to 6° Forward Ratchet Back Height Lumbar Adjustment 	DEPTH: 26.0 HEIGHT: 42.0-49.5 SEAT WIDTH: 22.0 SEAT DEPTH: 18.5 SEAT HEIGHT: 17.0-21.5 BACK WIDTH: 20.0
		MULTI-FUNCTION CONTROL Fully articulating seat and back for the highest level of ergonomic	A1 A4 A5	615 685 690 710	675 745 750 770	715 785 790 810	775 845 850 870	845 915 920 940	920 990 995 1015	1005 1075 1080 1100		 Seat and Back Tilt as a Unit Floating Seat Position Tilt Lock Infinite Back Angle Adj w/ Free Float Seat Pivots from 0° to 6° Forward Ratchet Back Height Lumbar 	DEPTH: 26.0 HEIGHT: 42.0-49.5 SEAT WIDTH: 22.0 SEAT DEPTH: 18.5 SEAT HEIGHT: 17.0-21.5
		MULTI-FUNCTION CONTROL Fully articulating seat and back for the highest level of ergonomic needs. Forward seat pitch	A1 A4 A5 A6	615 685 690 710 745	675 745 750 770 805	715 785 790 810 845	775 845 850 870 905	845 915 920 940 975	920 990 995 1015 1050	1005 1075 1080 1100 1135		 Seat and Back Tilt as a Unit Floating Seat Position Tilt Lock Infinite Back Angle Adj w/ Free Float Seat Pivots from 0° to 6° Forward Ratchet Back Height Lumbar Adjustment 	DEPTH: 26.0 HEIGHT: 42.0-49.5 SEAT WIDTH: 22.0 SEAT DEPTH: 18.5 SEAT HEIGHT: 17.0-21.5 BACK WIDTH: 20.0 BACK HEIGHT: 24.0-27.0
		MULTI-FUNCTION CONTROL Fully articulating seat and back for the highest level of ergonomic needs. Forward seat pitch	A1 A4 A5 A6 A7	615 685 690 710 745 765	 675 745 750 770 805 825 775 	715 785 790 810 845 865 815	775 845 850 870 905 925	845 915 920 940 975 995	920 990 995 1015 1050 1070	1005 1075 1080 1100 1135 1155		 Seat and Back Tilt as a Unit Floating Seat Position Tilt Lock Infinite Back Angle Adj w/ Free Float Seat Pivots from 0° to 6° Forward Ratchet Back Height Lumbar Adjustment 	DEPTH: 26.0 HEIGHT: 42.0-49.5 SEAT WIDTH: 22.0 SEAT DEPTH: 18.5 SEAT HEIGHT: 17.0-21.5 BACK WIDTH: 20.0 BACK HEIGHT: 24.0-27.0 COM: 1.9 YDS
		MULTI-FUNCTION CONTROL Fully articulating seat and back for the highest level of ergonomic needs. Forward seat pitch	A1 A4 A5 A6 A7	615 685 690 710 745 765 715	 675 745 750 770 805 825 775 	715 785 790 810 845 865 815	775 845 850 870 905 925	845 915 920 940 975 995	920 990 995 1015 1050 1070	1005 1075 1080 1100 1135 1155		 Seat and Back Tilt as a Unit Floating Seat Position Tilt Lock Infinite Back Angle Adj w/ Free Float Seat Pivots from 0° to 6° Forward Ratchet Back Height Lumbar Adjustment Rated for 300 lbs 	DEPTH: 26.0 HEIGHT: 42.0-49.5 SEAT WIDTH: 22.0 SEAT DEPTH: 18.5 SEAT HEIGHT: 17.0-21.5 BACK WIDTH: 20.0 BACK HEIGHT: 24.0-27.0 COM: 1.9 YDS WEIGHT: 45.0 LB
1780		MULTI-FUNCTION CONTROL Fully articulating seat and back for the highest level of ergonomic needs. Forward seat pitch	A1 A4 A5 A6 A7	615 685 690 710 745 765 715	 675 745 750 770 805 825 775 	715 785 790 810 845 865 815	775 845 850 870 905 925	845 915 920 940 975 995	920 990 995 1015 1050 1070	1005 1075 1080 1100 1135 1155		 Seat and Back Tilt as a Unit Floating Seat Position Tilt Lock Infinite Back Angle Adj w/ Free Float Seat Pivots from 0° to 6° Forward Ratchet Back Height Lumbar Adjustment Rated for 300 lbs Pneumatic Seat Height Adjustment 	DEPTH: 26.0 HEIGHT: 42.0-49.5 SEAT WIDTH: 22.0 SEAT DEPTH: 18.5 SEAT HEIGHT: 17.0-21.5 BACK WIDTH: 20.0 BACK HEIGHT: 24.0-27.0 COM: 1.9 YDS WEIGHT: 45.0 LB
		MULTI-FUNCTION CONTROL Fully articulating seat and back for the highest level of ergonomic needs. Forward seat pitch adjustment from 0 to 6 degrees.	A1 A4 A5 A6 A7	615 685 690 710 745 765 715 SEAT SLID	675 745 750 770 805 825 825 775 ER (SS) - 7	715 785 790 810 845 865 815 ADD \$60	775 845 850 870 905 925 875	845 915 920 940 975 995 995	920 990 995 1015 1050 1070 1020	1005 1075 1080 1100 1135 1155 1105		 Seat and Back Tilt as a Unit Floating Seat Position Tilt Lock Infinite Back Angle Adj w/ Free Float Seat Pivots from 0° to 6° Forward Ratchet Back Height Lumbar Adjustment Rated for 300 lbs Pneumatic Seat Height Adjustment Side Tilt Tension Control 	DEPTH: 26.0 HEIGHT: 42.0-49.5 SEAT WIDTH: 22.0 SEAT DEPTH: 18.5 SEAT HEIGHT: 17.0-21.5 BACK WIDTH: 20.0 BACK HEIGHT: 24.0-27.0 COM: 1.9 YDS WEIGHT: 45.0 LB
		MULTI-FUNCTION CONTROL Fully articulating seat and back for the highest level of ergonomic needs. Forward seat pitch adjustment from 0 to 6 degrees.	A1 A4 A5 A6 A7 A16	615 685 690 710 745 765 715 SEAT SLID	675 745 750 805 825 775 ER (SS) - 7 B 655	715 785 790 810 845 865 815 80D \$60	775 845 850 870 905 925 875 D 755	845 915 920 940 975 995 945	920 990 995 1015 1050 1070 1020	1005 1075 1080 1100 1135 1155 1105		 Seat and Back Tilt as a Unit Floating Seat Position Tilt Lock Infinite Back Angle Adj w/ Free Float Seat Pivots from 0° to 6° Forward Ratchet Back Height Lumbar Adjustment Rated for 300 lbs Pneumatic Seat Height Adjustment Side Tilt Tension Control Back and Seat Tilt in 2:1 ratio 	DEPTH: 26.0 HEIGHT: 42.0-49.5 SEAT WIDTH: 22.0 SEAT DEPTH: 18.5 SEAT HEIGHT: 17.0-21.5 BACK WIDTH: 20.0 BACK HEIGHT: 24.0-27.0 COM: 1.9 YDS WEIGHT: 45.0 LB WIDTH: 26.5 DEPTH: 26.0 HEIGHT: 40.5-48.0
		MULTI-FUNCTION CONTROL Fully articulating seat and back for the highest level of ergonomic needs. Forward seat pitch adjustment from 0 to 6 degrees.	A1 A4 A5 A6 A7 A16 ARMLESS A1	615 685 690 710 745 765 715 SEAT SLID A/COM 595 665	675 745 750 805 825 775 825 825 825 825 825 825 775 8 8 655 725	715 785 790 810 845 865 815 815 ADD \$60	775 845 850 905 925 875 D 755 825	845 915 920 940 975 995 945 945 825	920 990 1015 1050 1070 1020 F 900	1005 1075 1080 1100 1135 1155 1105 G 985 1055		 Seat and Back Tilt as a Unit Floating Seat Position Tilt Lock Infinite Back Angle Adj w/ Free Float Seat Pivots from 0° to 6° Forward Ratchet Back Height Lumbar Adjustment Rated for 300 lbs Pneumatic Seat Height Adjustment Side Tilt Tension Control 	DEPTH: 26.0 HEIGHT: 42.0-49.5 SEAT WIDTH: 22.0 SEAT DEPTH: 18.5 SEAT HEIGHT: 17.0-21.5 BACK WIDTH: 20.0 BACK HEIGHT: 24.0-27.0 COM: 1.9 YDS WEIGHT: 45.0 LB WIDTH: 26.5 DEPTH: 26.0 HEIGHT: 40.5-48.0 SEAT WIDTH: 22.0
		MULTI-FUNCTION CONTROL Fully articulating seat and back for the highest level of ergonomic needs. Forward seat pitch adjustment from 0 to 6 degrees. HIGH-BACK SYNCHRO TILT CONTROL	A1 A4 A5 A6 A7 A16 ARMLESS A1 A4	615 685 690 710 745 765 715 SEAT SLID SEAT SLID 595 665 665 670	675 745 750 805 825 775 825 825 825 825 825 825 825 725 725 725 730	715 785 790 810 845 865 815 ADD \$60 C 695 765 765	775 845 850 905 925 875 875 875 825 825	845 915 920 940 975 945 945 845 825 895	920 990 1015 1050 1070 1020 F 900 970	1005 1075 1080 1100 1135 1155 1105 G 985 1055 1060		 Seat and Back Tilt as a Unit Floating Seat Position Tilt Lock Infinite Back Angle Adj w/ Free Float Seat Pivots from 0° to 6° Forward Ratchet Back Height Lumbar Adjustment Rated for 300 lbs Pneumatic Seat Height Adjustment Side Tilt Tension Control Back and Seat Tilt in 2:1 ratio 4 Locking Positions 	DEPTH: 26.0 HEIGHT: 42.0-49.5 SEAT WIDTH: 22.0 SEAT DEPTH: 18.5 SEAT HEIGHT: 17.0-21.5 BACK WIDTH: 20.0 BACK HEIGHT: 24.0-27.0 COM: 1.9 YDS WIDTH: 26.5 DEPTH: 26.0 HEIGHT: 45.0 LB
		MULTI-FUNCTION CONTROL Fully articulating seat and back for the highest level of ergonomic needs. Forward seat pitch adjustment from 0 to 6 degrees.	A1 A4 A5 A6 A7 A16 ARMLESS A1 A4 A5	615 685 690 710 745 765 715 SEAT SLID 695 665 670 690	675 745 750 805 825 775 ER (SS) - 7 B 655 725 730 730	715 785 790 810 845 865 815 ADD \$60 C 695 765 765 770	775 845 850 905 925 875 875 875 825 825 830 850	845 915 920 940 975 995 945 845 825 895 900 920	920 990 1015 1050 1070 1020 F 900 970 975 995	1005 1075 1080 1100 1135 1155 1105 6 985 1055 1060 1080		 Seat and Back Tilt as a Unit Floating Seat Position Tilt Lock Infinite Back Angle Adj w/ Free Float Seat Pivots from 0° to 6° Forward Ratchet Back Height Lumbar Adjustment Rated for 300 lbs Pneumatic Seat Height Adjustment Side Tilt Tension Control Back and Seat Tilt in 2:1 ratio 4 Locking Positions Safety Tilt Release Ratchet Back Height Lumbar Adjustment 	DEPTH: 26.0 HEIGHT: 42.0-49.5 SEAT WIDTH: 22.0 SEAT DEPTH: 18.5 SEAT HEIGHT: 17.0-21.5 BACK WIDTH: 20.0 BACK HEIGHT: 24.0-27.0 COM: 1.9 YDS WIDTH: 26.5 DEPTH: 26.0 HEIGHT: 45.0 LB
	V2	MULTI-FUNCTION CONTROL Fully articulating seat and back for the highest level of ergonomic needs. Forward seat pitch adjustment from 0 to 6 degrees. HIGH-BACK SYNCHRO TILT CONTROL Use for a variety of general office seating, including private office	A1 A4 A5 A6 A7 A16 ARMLESS A1 A4	615 685 690 710 745 765 715 SEAT SLID SEAT SLID 595 665 665 670	675 745 750 805 825 775 825 825 825 825 825 825 825 725 725 725 730	715 785 790 810 845 865 815 ADD \$60 C 695 765 765	775 845 850 905 925 875 875 875 825 825	845 915 920 940 975 945 945 845 825 895	920 990 1015 1050 1070 1020 F 900 970	1005 1075 1080 1100 1135 1155 1105 G 985 1055 1060		 Seat and Back Tilt as a Unit Floating Seat Position Tilt Lock Infinite Back Angle Adj w/ Free Float Seat Pivots from 0° to 6° Forward Ratchet Back Height Lumbar Adjustment Rated for 300 lbs Pneumatic Seat Height Adjustment Side Tilt Tension Control Back and Seat Tilt in 2:1 ratio 4 Locking Positions Safety Tilt Release Ratchet Back Height Lumbar 	DEPTH: 26.0 HEIGHT: 42.0-49.5 SEAT WIDTH: 22.0 SEAT DEPTH: 18.5 SEAT HEIGHT: 17.0-21.5 BACK WIDTH: 20.0 BACK HEIGHT: 24.0-27.0 COM: 1.9 YDS WIDTH: 26.5 DEPTH: 26.0 HEIGHT: 40.5-48.0 SEAT DEPTH: 18.5 SEAT WIDTH: 22.0 SEAT DEPTH: 18.5 SEAT DEPTH: 18.5 SEAT DEPTH: 17.0-21.5 BACK WIDTH: 22.0
		MULTI-FUNCTION CONTROL Fully articulating seat and back for the highest level of ergonomic needs. Forward seat pitch adjustment from 0 to 6 degrees.	A1 A4 A5 A6 A7 A16 ARMLESS A1 A4 A5	615 685 690 710 745 765 715 SEAT SLID 695 665 670 690	675 745 750 805 825 775 ER (SS) - 7 B 655 725 730 730	715 785 790 810 845 865 815 ADD \$60 C 695 765 765 770	775 845 850 905 925 875 875 875 825 825 830 850	845 915 920 940 975 995 945 845 825 895 900 920	920 990 1015 1050 1070 1020 F 900 970 975 995	1005 1075 1080 1100 1135 1155 1105 6 985 1055 1060 1080		 Seat and Back Tilt as a Unit Floating Seat Position Tilt Lock Infinite Back Angle Adj w/ Free Float Seat Pivots from 0° to 6° Forward Ratchet Back Height Lumbar Adjustment Rated for 300 lbs Pneumatic Seat Height Adjustment Side Tilt Tension Control Back and Seat Tilt in 2:1 ratio 4 Locking Positions Safety Tilt Release Ratchet Back Height Lumbar Adjustment 	DEPTH: 26.0 HEIGHT: 42.0-49.5 SEAT WIDTH: 22.0 SEAT DEPTH: 18.5 SEAT HEIGHT: 17.0-21.5 BACK WIDTH: 20.0 BACK HEIGHT: 24.0-27.0 COM: 1.9 YDS WIDTH: 26.5 DEPTH: 26.0 HEIGHT: 45.0 LB
	V2	MULTI-FUNCTION CONTROL Fully articulating seat and back for the highest level of ergonomic needs. Forward seat pitch adjustment from 0 to 6 degrees. HIGH-BACK SYNCHRO TILT CONTROL Use for a variety of general office seating, including private office	A1 A4 A5 A6 A7 A16 A16 A1 A1 A4 A5 A6	615 685 690 710 745 765 715 SEAT SLID SEAT SLID 595 665 665 665 6690 690 725	675 745 750 805 825 775 ER (SS) - 7 B 655 725 730 730 750	715 785 790 810 845 865 815 ADD \$60 C 695 765 765 770 790 825	 775 845 850 905 925 875 825 830 850 885 	845 915 920 940 975 995 945 825 895 900 920 955	920 990 995 1015 1050 1070 1020 700 900 970 975 995 995	1005 1075 1080 1100 1135 1155 1105 8 985 1055 1060 1080 1080 1115		 Seat and Back Tilt as a Unit Floating Seat Position Tilt Lock Infinite Back Angle Adj w/ Free Float Seat Pivots from 0° to 6° Forward Ratchet Back Height Lumbar Adjustment Rated for 300 lbs Pneumatic Seat Height Adjustment Side Tilt Tension Control Back and Seat Tilt in 2:1 ratio 4 Locking Positions Safety Tilt Release Ratchet Back Height Lumbar Adjustment 	DEPTH: 26.0 HEIGHT: 42.0-49.5 SEAT WIDTH: 22.0 SEAT DEPTH: 18.5 SEAT HEIGHT: 17.0-21.5 BACK WIDTH: 20.0 BACK HEIGHT: 24.0-27.0 COM: 1.9 YDS WIDTH: 26.5 DEPTH: 26.0 HEIGHT: 45.0 LB

)-[OPTIONS]	
	PACKAG	ING NOTES	
	CODE	DESCRIPTION	LIST UPCHARGE
	AB	ASSEMBLED IN BAG FOR WILL CALL	\$0
	PAC	PARTIALLY ASSEMBLED IN CARTON	\$0
	BAC	BACK ASSEMBLED IN CARTON	\$40

ARM OPTIONS



Black soft touch loop arm



6-way adjustable arm for height, pivots, and with Ura-Soft sliding arm pads

CASTER OPTIONS



50mm Hooded Casters



2-way adjustable arm for height



8-way adjustable arm for height, width, pivots, and with *Ura-Soft* sliding arm pads



9005°

logic

4-way adjustable arm for height and width



Black Soft Touch Cantilever style C-Shaped Arm



50mm Hooded Hard Floor Casters



50mm Hooded Self-Locking Hard Floor Casters

ADDITIONAL OPTIONS



Seat Slider 2.5" Side Paddle Activated



Replace Knob with Bolt (for S2 Controls ONLY)



Heavy Duty Multi-Shift Upgrade to 350 lbs includes BA2B aluminum base and C4 60mm casters



Upholstered Outer Back in Black Ballistic Nylon BN1 - with Grade A ONLY BN2 - with Grade B and Up



EF1 - 1" extra foam on seat

MF1 - 1" Visco elastic memory foam on seat



Edge Protector - a clear vinyl tube placed around the edge of the back cushion

Iogic plus Plus size ergonomics, traditional task styling - an unbeatable value

HIGH-BACK

GSA SIN # 711-18

- Task seating
- Ratchet back height adjustment
- Warranted up to 500 lbs
- Seat slider standard
- Heavy duty 5 prong base
- Heavy duty gas lift
- Heavy duty M2 control





MODEL	CONTROL	DESCRIPTION	ARM	FABRIC/L	ATHER							FEATURES	DIMENSIONS
1790	M2	HIGH-BACK HEAVY DUTY MULTI FUNCTION CONTROL Fully articulating seat and back for the highest level of ergonomic needs. Forward seat pitch adjustment from 0 to 6 degrees.	ARMLESS A5 HD A90 A37	A/COM 790 950 990 915 5EAT SLII	B 895 1055 1095 1020	C 965 1125 1165 1090 STANDARC	D 1070 1230 1270 1195	E 1190 1350 1390 1315 1315	F 1325 1485 1525 1450	G 1470 1630 1670 1595		 Heavy Duty Pneumatic Seat Height Adjustment Tilt Tension Control Back and Seat Tilt as unit Floating seat position Tilt Lock Infinite Back Angle Adj w /Free Float Seat Pivots up to 6 degrees forward w/ Adjustable Front Tilt Stop Built-in Seat Slider Ratchet Back Height Lumbar Adj 26" Diameter 5 Prong Base Rated for 500 lbs 	WIDTH: 30.0-33.0 DEPTH: 28.0 HEIGHT: 43.5-52.0 SEAT WIDTH: 25.0 SEAT DEPTH: 17.0-20.0 SEAT HEIGHT: 17.0-22.0 BACK WIDTH: 23.5 BACK HEIGHT: 26.5-30.5 COM: 3.3 YDS WEIGHT: 65.0 LB

KAGIN	G		OPTIC	NS	
		-][

ω	
Φ	
۵	\square
а	\mathbf{a}
	\cup
⊐	
ø	

PACKAGING NOTES

CODE	DESCRIPTION	LIST UPCHARGE
AB	ASSEMBLED IN BAG FOR WILL CALL	\$0
PAC	PARTIALLY ASSEMBLED IN CARTON	\$0

ARM OPTIONS



4-way adjustable arm height and width



2-way height adjustable breakaway arm rotates back to allow easier fit under lower working surfaces



10-Way Adjustable Arms soft-touch sliding and pivoting arm pads and 4" arm width knob under seat. logic plus

CASTER OPTIONS



Standard 60mm Hoodless Casters



Hard Floor Casters

C2S \$35

Self-Locking Hard Floor Casters





Upholstered Outer Back in Black Ballistic Nylon BN1 - with Grade A ONLY BN2 - with Grade B and Up



Edge Protector - a clear vinyl tube placed around the edge of the back cushion



Ballistic Nylon Applied Over a Portion of the Lower Backrest Surface



Ballistic Nylon Applied Over a Portion of the Lower Backrest Surface and Full Seat

precept breadth of configurations with an unparalleled value

LOW-BACK

GSA SIN # 711-18

- Task, stool, and conference seating
- Ratchet back height adjustment on P1, R1, M1,
- and Y2 models • Warranted up to 250 lbs with B2, S2, R1, and P1
- Warranted up to 300 lbs with M1 and Y2
- CAL TB 133 Fire Code approved





ODEL CONTROL	DESCRIPTION	ARM	FABRIC								FEATURES	DIMENSIONS
725 B2			A/COM	В	C	D	E	F	G		360 degree swivel	WIDTH: 26.5
	LOW-BACK	ARMLESS	360	400	425	465	515	570	630		Pneumatic Seat Height Adjustment	DEPTH: 26.5
_	BASIC CONTROL	A1	530	570	595	635	685	740	800		Adjustable back depthRated for 250 lbs	HEIGHT: 35.0-39.8
$ \int \mathbf{U} $		A4	435	475	500	540	590	645	705			SEAT WIDTH: 22.0 SEAT DEPTH: 17.0
))))	Our basic control has simple	A5	455	495	520	560	610	665	725			SEAT HEIGHT: 17.5-22.
	adjustments. Ideal for clerical,	A6	490	530	555	595	645	700	760			BACK WIDTH: 19.5
the the	casual meetings, and general office use.	A7	510	550	575	615	665	720	780			BACK HEIGHT: 18.5
Jes colo	8	A16	460	500	525	565	615	670	730			COM: 1.4 YDS
6 6												WEIGHT: 28.0 LB
			A/COM	в	C	D	E	F	G		Pneumatic Seat Height Adjustment	WIDTH: 26.5
725 S2		ARMLESS	405	445	470	510	560	615	675		Tilt Tension Control	DEPTH: 26.5
	LOW-BACK	AIIMEE33	575	615	640	680	730	785	845		 Seat and Back Tilt as a Unit Upright Position Tilt Lock 	HEIGHT: 35.0-39.
	SWIVEL TILT CONTROL	A1 A4	480	520	545	585	635	690	750		Adjustable back depth	SEAT WIDTH: 22.0
))))	Use for a variety of general office	A4 A5									Rated for 250 lbs	SEAT DEPTH: 17.0 SEAT HEIGHT: 17.5-22.
	Seating, including private office	A5 A6	500	540	565	605	655	710	770			BACK WIDTH: 19.5
	and conference room seating.		535	575	600	640	690	745	805			BACK HEIGHT: 18.5
	2	Α7	555	595	620	660	710	765	825			COM: 1.4 YDS
д о о д	0	A16	505	545	570	610	660	715	775			WEIGHT, 21 OLD
A o o A	Ø	A16	505	545	570	610	660	715	775			WEIGHT: 31.0 LB
H o o H		A16	505	545	570	610	660	715	775			WEIGHT: 31.0 LB
25 P1		A16	505 A/COM	545 B	570 C	610 D	660 E	715 F	775 G		Pneumatic Seat Height Adjustment	WEIGHT: 31.0 LB WIDTH: 26.5
25 P1		A16		(r						 Infinite back angle adjust with free float 	WIDTH: 26.5 DEPTH: 26.5
25 P1	LOW-BACK		A/COM	в	C	D	E	F	G		Infinite back angle adjust with free floatRatchet Back Height Lumbar	WIDTH: 26.5 DEPTH: 26.5 HEIGHT: 35.0-42.
-5 P1	LOW-BACK POSTURE BACK CONTROL	ARMLESS	A/COM 445	B 485	C 510	D 550	E 600	F 655	G 715		 Infinite back angle adjust with free float 	WIDTH: 26.5 DEPTH: 26.5 HEIGHT: 35.0-42. SEAT WIDTH: 22.0
25 P1	POSTURE BACK CONTROL	ARMLESS A1	A/COM 445 615	B 485 655	C 510 680	D 550 720	E 600 770	F 655 825	G 715 885		 Infinite back angle adjust with free float Ratchet Back Height Lumbar Adjustment 	WIDTH: 26.5 DEPTH: 26.5 HEIGHT: 35.0-42. SEAT WIDTH: 22.0 SEAT DEPTH: 17.0
	POSTURE BACK CONTROL The articulating back provides	ARMLESS A1 A4 A5	A/COM 445 615 520 540	B 485 655 560 580	C 510 680 585 605	D 550 720 625 645	E 600 770 675 695	F 655 825 730 750	G 715 885 790 810		 Infinite back angle adjust with free float Ratchet Back Height Lumbar Adjustment 	WIDTH: 26.5 DEPTH: 26.5 HEIGHT: 35.0-42. SEAT WIDTH: 22.0 SEAT DEPTH: 17.0
725 P1	POSTURE BACK CONTROL	ARMLESS A1 A4 A5 A6	A/COM 445 615 520 540 575	B 485 655 560 580 615	C 510 680 585 605 640	D 550 720 625 645 680	E 600 770 675 695 730	F 655 825 730 750 785	G 715 885 790 810 845		 Infinite back angle adjust with free float Ratchet Back Height Lumbar Adjustment 	WIDTH: 26.5 DEPTH: 26.5 HEIGHT: 35.0-42. SEAT WIDTH: 22.0 SEAT DEPTH: 17.0 SEAT HEIGHT: 17.5-22. BACK WIDTH: 19.5
	POSTURE BACK CONTROL The articulating back provides proper support for moderate	ARMLESS A1 A4 A5 A6 A7	A/COM 445 615 520 540 575 595	B 485 655 560 580 615 635	C 510 680 585 605 640 660	D 550 720 625 645 680 700	E 600 770 675 695 730 750	F 655 825 730 750 785 805	G 715 885 790 810 845 865		 Infinite back angle adjust with free float Ratchet Back Height Lumbar Adjustment 	WIDTH: 26.5 DEPTH: 26.5 HEIGHT: 35.0-42.4 SEAT WIDTH: 22.0 SEAT DEPTH: 17.0 SEAT HEIGHT: 17.5-22.4 BACK WIDTH: 19.5 BACK HEIGHT: 18.5-21.4 COM: 1.4 YDS
	POSTURE BACK CONTROL The articulating back provides proper support for moderate	ARMLESS A1 A4 A5 A6	A/COM 445 615 520 540 575	B 485 655 560 580 615	C 510 680 585 605 640	D 550 720 625 645 680	E 600 770 675 695 730	F 655 825 730 750 785	G 715 885 790 810 845		 Infinite back angle adjust with free float Ratchet Back Height Lumbar Adjustment 	WIDTH: 26.5 DEPTH: 26.5 HEIGHT: 35.0-42.4 SEAT WIDTH: 22.0 SEAT WIDTH: 22.0 SEAT DEPTH: 17.0 SEAT HEIGHT: 17.5-22.4 BACK WIDTH: 19.5 BACK HEIGHT: 18.5-21.4
	POSTURE BACK CONTROL The articulating back provides proper support for moderate	ARMLESS A1 A4 A5 A6 A7	A/COM 445 615 520 540 575 595 595 545	 B 485 655 560 580 615 635 585 	C 510 680 585 605 640 660	D 5550 720 625 645 680 700 650	E 600 770 675 695 730 750 700	F 655 825 730 750 785 805	G 715 885 790 810 845 865 815		 Infinite back angle adjust with free float Ratchet Back Height Lumbar Adjustment 	WIDTH: 26.5 DEPTH: 26.5 HEIGHT: 35.0-42. SEAT WIDTH: 22.0 SEAT DEPTH: 17.0 SEAT HEIGHT: 17.5-22. BACK WIDTH: 19.5 BACK HEIGHT: 18.5-21. COM: 1.4 YDS
	POSTURE BACK CONTROL The articulating back provides proper support for moderate tasking applications.	ARMLESS A1 A4 A5 A6 A7 A16	A/COM 445 615 520 540 575 595 545 545	B 485 655 560 580 615 635 585	C 510 680 585 605 640 660 610	D 550 720 625 645 680 700 650	E 600 770 675 695 730 750 750 700	F 655 825 730 750 785 805 755	G 715 885 790 810 845 865 815		 Infinite back angle adjust with free float Ratchet Back Height Lumbar Adjustment Rated for 250 lbs Pneumatic Seat Height Adjustment Tilt Tension Control 	WIDTH: 26.5 DEPTH: 26.5 HEIGHT: 35.0-42. SEAT WIDTH: 22.0 SEAT DEPTH: 17.0 SEAT HEIGHT: 17.5-22. BACK WIDTH: 19.5 BACK HEIGHT: 18.5-21. COM: 1.4 YDS WEIGHT: 33.0 LB
	POSTURE BACK CONTROL The articulating back provides proper support for moderate tasking applications.	ARMLESS A1 A4 A5 A6 A7 A16 ARMLESS	A/COM 445 615 520 540 575 595 545 545 A/COM 455	 B 485 655 560 580 615 635 585 585 	C 510 680 585 605 640 660 610 C 520	D 550 720 625 645 680 700 650	E 600 770 675 695 730 750 750 750 700	F 655 825 730 750 785 805 755 805 755	G 715 885 790 810 845 865 815 725		 Infinite back angle adjust with free float Ratchet Back Height Lumbar Adjustment Rated for 250 lbs Pneumatic Seat Height Adjustment Tilt Tension Control Seat and Back Tilt as a Unit 	WIDTH: 26.5 DEPTH: 26.5 HEIGHT: 35.0-42. SEAT WIDTH: 22.0 SEAT DEPTH: 17.0 SEAT HEIGHT: 17.5-22. BACK WIDTH: 19.5 BACK HEIGHT: 18.5-21. COM: 1.4 YDS WEIGHT: 33.0 LB WIDTH: 26.5 DEPTH: 26.5 HEIGHT: 35.0-42.
	POSTURE BACK CONTROL The articulating back provides proper support for moderate tasking applications. LOW-BACK ROCKING CONTROL	ARMLESS A1 A4 A5 A6 A7 A16 ARMLESS A1	A/COM 445 615 520 540 575 595 545 545 845 8455 625	B 485 655 560 580 615 635 585 585 8 8 495 665	C 510 680 585 605 640 660 610 610	D 550 720 625 645 680 700 650 650	E 600 770 695 730 750 700 700	F 655 825 730 750 785 805 755 665 835	G 715 885 790 810 845 865 815 7 815 865 815 815 815 815 815 815 815 815 815 815 815 815		 Infinite back angle adjust with free float Ratchet Back Height Lumbar Adjustment Rated for 250 lbs Pneumatic Seat Height Adjustment Tilt Tension Control Seat and Back Tilt as a Unit Floating Seat Position Tilt Lock 	WIDTH: 26.5 DEPTH: 26.5 HEIGHT: 35.0-42. SEAT WIDTH: 22.0 SEAT DEPTH: 17.0 SEAT HEIGHT: 17.5-22. BACK WIDTH: 19.5 BACK HEIGHT: 18.5-21. COM: 1.4 YDS WEIGHT: 33.0 LB WIDTH: 26.5 DEPTH: 26.5 HEIGHT: 35.0-42. SEAT WIDTH: 22.0
	POSTURE BACK CONTROL The articulating back provides proper support for moderate tasking applications. Image: Comparison of the system of the	ARMLESS A1 A4 A5 A6 A7 A16 ARMLESS A1 A1 A4	A/COM 445 615 520 540 575 595 545 545 545 455 625 625 530	 B 485 655 560 580 615 635 585 585 585 665 570 	C 510 680 585 605 640 660 610 610 610	D 550 625 645 680 700 650 0 560 730 635	E 600 770 675 695 730 750 700 700 8 695 730 750 700 700 700 700 700 700	F 655 825 730 750 785 805 755 665 835 740	G 715 885 790 810 845 865 815 815 720 815 815 815 815 815 815 815		 Infinite back angle adjust with free float Ratchet Back Height Lumbar Adjustment Rated for 250 lbs Pneumatic Seat Height Adjustment Tilt Tension Control Seat and Back Tilt as a Unit 	WIDTH: 26.5 DEPTH: 26.5 HEIGHT: 35.0-42. SEAT WIDTH: 22.0 SEAT DEPTH: 17.0 SEAT HEIGHT: 17.5-22. BACK WIDTH: 19.5 BACK HEIGHT: 18.5-21. COM: 1.4 YDS WEIGHT: 33.0 LB WIDTH: 26.5 DEPTH: 26.5 BEIGHT: 35.0-42. SEAT WIDTH: 22.0 SEAT DEPTH: 17.0
	POSTURE BACK CONTROL The articulating back provides proper support for moderate tasking applications. Image: Comparison of the system of the	ARMLESS A1 A4 A5 A6 A7 A16 A7 A16 ARMLESS A1 A4 A5	A/COM 445 615 520 540 575 595 545 545 545 4/COM 455 625 530 550	 B 485 655 560 580 615 635 585 585 665 570 590 	C 510 680 585 605 640 660 610 610 520 690 595 615	D 5550 625 645 680 700 650 560 730 635 655	E 600 770 675 95 730 750 700 700 8 6 8 6 10 780 6 85 705	F 655 825 730 750 785 805 755 805 755 805 755 805 740 760	G 715 885 790 810 845 865 815 <td></td> <td> Infinite back angle adjust with free float Ratchet Back Height Lumbar Adjustment Rated for 250 lbs Pneumatic Seat Height Adjustment Tilt Tension Control Seat and Back Tilt as a Unit Floating Seat Position Tilt Lock Infinite Back Angle Adj w/ Free Float Ratchet Back Height Lumbar Adjustment </td> <td>WIDTH: 26.5 DEPTH: 26.5 HEIGHT: 35.0-42. SEAT WIDTH: 22.0 SEAT MIDTH: 22.0 SEAT DEPTH: 17.0 SEAT HEIGHT: 17.5-22. BACK WIDTH: 19.5 BACK HEIGHT: 18.5-21. COM: 1.4 YDS WEIGHT: 33.0 LB WIDTH: 26.5 DEPTH: 26.5 HEIGHT: 35.0-42. SEAT WIDTH: 22.0 SEAT HEIGHT: 17.0 SEAT HEIGHT: 17.5-22.</td>		 Infinite back angle adjust with free float Ratchet Back Height Lumbar Adjustment Rated for 250 lbs Pneumatic Seat Height Adjustment Tilt Tension Control Seat and Back Tilt as a Unit Floating Seat Position Tilt Lock Infinite Back Angle Adj w/ Free Float Ratchet Back Height Lumbar Adjustment 	WIDTH: 26.5 DEPTH: 26.5 HEIGHT: 35.0-42. SEAT WIDTH: 22.0 SEAT MIDTH: 22.0 SEAT DEPTH: 17.0 SEAT HEIGHT: 17.5-22. BACK WIDTH: 19.5 BACK HEIGHT: 18.5-21. COM: 1.4 YDS WEIGHT: 33.0 LB WIDTH: 26.5 DEPTH: 26.5 HEIGHT: 35.0-42. SEAT WIDTH: 22.0 SEAT HEIGHT: 17.0 SEAT HEIGHT: 17.5-22.
	POSTURE BACK CONTROL The articulating back provides proper support for moderate tasking applications. Image: Comparison of the system of the	ARMLESS A1 A4 A5 A6 A7 A16 A16 A11 A4 A5 A6 A5 A6	A/COM 445 615 520 540 575 595 545 545 545 625 625 625 530 550 550 550 555	 B 485 655 560 580 615 635 585 585 665 570 590 625 	C 510 680 585 605 640 660 610 C 520 690 595 615 650	D 5550 625 645 680 700 650 655 730 635 635 690	E 600 770 675 695 730 750 700 700 8 610 780 685 705 740	F 655 825 730 750 785 805 755 665 835 740 760 795	G 715 885 790 810 845 865 815		 Infinite back angle adjust with free float Ratchet Back Height Lumbar Adjustment Rated for 250 lbs Pneumatic Seat Height Adjustment Tilt Tension Control Seat and Back Tilt as a Unit Floating Seat Position Tilt Lock Infinite Back Angle Adj w/ Free Float Ratchet Back Height Lumbar 	WIDTH: 26.5 DEPTH: 26.5 HEIGHT: 35.0-42. SEAT WIDTH: 22.0 SEAT DEPTH: 17.0 SEAT HEIGHT: 17.5-22. BACK WIDTH: 19.5 BACK HEIGHT: 18.5-21. COM: 1.4 YDS WEIGHT: 33.0 LB WIDTH: 26.5 DEPTH: 26.5 BEIGHT: 35.0-42. SEAT WIDTH: 22.0 SEAT DEPTH: 17.0 SEAT HEIGHT: 17.5-22. BACK WIDTH: 19.5
	POSTURE BACK CONTROL The articulating back provides proper support for moderate tasking applications. Image: Comparison of the system of the	ARMLESS A1 A4 A5 A6 A7 A16 A7 A16 ARMLESS A1 A4 A5	A/COM 445 615 520 540 575 595 545 545 545 4/COM 455 625 530 550	 B 485 655 560 580 615 635 585 585 665 570 590 	C 510 680 585 605 640 660 610 610 520 690 595 615	D 5550 625 645 680 700 650 560 730 635 655	E 600 770 675 95 730 750 700 700 8 6 8 6 10 780 6 85 705	F 655 825 730 750 785 805 755 805 755 805 755 805 740 760	G 715 885 790 810 845 865 815 <td></td> <td> Infinite back angle adjust with free float Ratchet Back Height Lumbar Adjustment Rated for 250 lbs Pneumatic Seat Height Adjustment Tilt Tension Control Seat and Back Tilt as a Unit Floating Seat Position Tilt Lock Infinite Back Angle Adj w/ Free Float Ratchet Back Height Lumbar Adjustment </td> <td>WIDTH: 26.5 DEPTH: 26.5 HEIGHT: 35.0-42.1 SEAT WIDTH: 22.0 SEAT WIDTH: 22.0 SEAT DEPTH: 17.0 SEAT HEIGHT: 17.5-22.1 BACK WIDTH: 19.5 BACK HEIGHT: 18.5-21.1 COM: 1.4 YDS WEIGHT: 33.0 LB WIDTH: 26.5 DEPTH: 26.5 HEIGHT: 35.0-42.1 SEAT WIDTH: 22.0 SEAT HEIGHT: 17.0 SEAT HEIGHT: 17.0 SEAT HEIGHT: 17.5-22.1 BACK WIDTH: 19.5</td>		 Infinite back angle adjust with free float Ratchet Back Height Lumbar Adjustment Rated for 250 lbs Pneumatic Seat Height Adjustment Tilt Tension Control Seat and Back Tilt as a Unit Floating Seat Position Tilt Lock Infinite Back Angle Adj w/ Free Float Ratchet Back Height Lumbar Adjustment 	WIDTH: 26.5 DEPTH: 26.5 HEIGHT: 35.0-42.1 SEAT WIDTH: 22.0 SEAT WIDTH: 22.0 SEAT DEPTH: 17.0 SEAT HEIGHT: 17.5-22.1 BACK WIDTH: 19.5 BACK HEIGHT: 18.5-21.1 COM: 1.4 YDS WEIGHT: 33.0 LB WIDTH: 26.5 DEPTH: 26.5 HEIGHT: 35.0-42.1 SEAT WIDTH: 22.0 SEAT HEIGHT: 17.0 SEAT HEIGHT: 17.0 SEAT HEIGHT: 17.5-22.1 BACK WIDTH: 19.5

PACKAGING NOTES CODE DESCRIPTION LIST UPCHARGE AB ASSEMBLED IN BAG FOR WILL CALL \$0 PAC PARTIALLY ASSEMBLED IN CARTON \$0 BAC BACK ASSEMBLED IN CARTON \$40]-[]	
AB ASSEMBLED IN BAG FOR WILL CALL \$0 PAC PARTIALLY ASSEMBLED IN CARTON \$0		PACKAG	ING NOTES	
PAC PARTIALLY ASSEMBLED IN CARTON \$0		CODE	DESCRIPTION	LIST UPCHARGE
		AB	ASSEMBLED IN BAG FOR WILL CALL	\$0
BAC BACK ASSEMBLED IN CARTON \$40		PAC	PARTIALLY ASSEMBLED IN CARTON	\$0
		BAC	BACK ASSEMBLED IN CARTON	\$40

ARM OPTIONS



Black soft touch loop arm



6-way adjustable arm for height, pivots, and with *Ura-Soft* sliding arm pads

CASTER OPTIONS



50mm Hooded Casters



2-way adjustable arm for height



8-way adjustable arm for height, width, pivots, and with *Ura-Soft* sliding arm pads



9005°

precept

4-way adjustable arm for height and width



Black Soft Touch Cantilever style C-Shaped Arm



50mm Hooded Hard Floor Casters



50mm Hooded Self-Locking Hard Floor Casters

ADDITIONAL OPTIONS




Replace Knob with Bolt (for S2 Controls ONLY)



Seat Slider 2.5" Side Paddle Activated



1" extra foam on seat



Upholstered Outer Back in Black Ballistic Nylon BN1 - with Grade A ONLY BN2 - with Grade B and Up



1" Visco elastic memory foam on seat



Edge Protector - a clear vinyl tube placed around the edge of the back cushion

precept breadth of configurations with an unparalleled value

LOW-BACK

GSA SIN # 711-18

- Task, stool, and conference seating
- Ratchet back height adjustment on P1, R1, M1,
- and Y2 models • Warranted up to 250 lbs with B2, S2, R1, and P1
- Warranted up to 300 lbs with M1 and Y2
- CAL TB 133 Fire Code approved





1725 M1 LOW-BACK MULTI-FUNCTION CONTROL. ARMLESS A1 ACOM B C D F G C C B C D E F G C C B C D E F G C C B C D E F G C C D E F G C D E F C D E F C D E F G C D E F C D E F C D E F C D E F C D E F C D E F C D E F D <thd< th=""> D D D <th< th=""><th>MODEL</th><th>CONTROL</th><th>DESCRIPTION</th><th>ARM</th><th>FABRIC</th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th>FEATURES</th><th></th><th>DIMENSIONS</th><th></th></th<></thd<>	MODEL	CONTROL	DESCRIPTION	ARM	FABRIC								FEATURES		DIMENSIONS	
MULTI-FUNCTION CONTROL Fully articulating seat and back for the highest level of ergonomic adjustment from 0 to 6 degrees. A1 675 715 740 780 830 885 945 + Poating Seat Position TIL Lock 	1725	M1	LOW-BACK	ARMLESS					ļ.		-	4	Tilt Tension Cont	rol	WIDTH: 26.5 DEPTH: 26.5	
Image: Note of the highest level of argonomic needs for the high levels levels for the high levels for thigh levels for the high levels for the high levels for	\bigcirc	D	MULTI-FUNCTION CONTROL										Floating Seat Po	sition Tilt Lock	HEIGHT: 35.0-42.5 SEAT WIDTH: 22.0	
A6 A6 A6 A6 A6 A6 A6 C7 700 740 700 845 905 A6 Adjustment adjustment from 0 to 6 degrees. A16 655 645 670 710 760 815 855 925 A6 A1 A6 655 645 670 710 760 815 875 A1 Preumatic Seat Height Adjustment									-				 Seat Pivots from 	0° to 6° Forward	SEAT DEPTH: 17.0 SEAT HEIGHT: 17.5-22.0	I
Arr A		VECT'	needs. Forward seat pitch					-	-				-		BACK WIDTH: 19.5 BACK HEIGHT: 18.5-21.5	
1/25 Y2-SS LOW-BACK SYNCHRO TILT CONTROL Use for a variety of general office sating, including private office and conference room seating. ARM 1/25 GT 1/25 GT 1/25 GT GIUEST ARMLESS A1 A4 A5 A6 A7 ARMLESS A1 A4 A5 A6 A7 A2 GT 1/25 GT 1/25 GT 1/25 GT 1/25 GT GUEST ARMLESS A1 A1 ARMLESS ARMLESS A1 A4 A5 GT 1/25 GT <			adjustment from 0 to 6 degrees.												COM: 1.4 YDS Weight: 39.0 LB	
1/25 Y2-SS ADM-BACK SYNCHRO TILT CONTROL ABMLESS ATMLESS 6 50 6 50 6 50 7 2		-					·									(
Image: Appendix and provide of fice and conference room seating. ARMLESS AAMLESS 545 585 610 650 700 755 815 Image: Appendix and provide of fice and conference room seating. Image: Appendix and provide of fice and conference room seating. AAMLESS AA	1725	Y2-SS			A/COM	В	C	D	E	F	G	Yes and the second seco		• •	WIDTH: 26.5	
SYNCHRO TILT CONTROL A1 715 755 780 820 870 925 985 + 4 Locking Positions - 5 Safety Til Release - 5 S			LOW-BACK	ARMLESS	545	585	610	650	700						DEPTH: 26.5 HEIGHT: 33.5-41.0	
Image: Section of the section of th	\bigcap	D	• T										-		SEAT WIDTH: 22.0	
seating, including private office and conference room seating. A6 675 715 740 780 830 885 945 A6 SS Seat Slider standard SS Seat Slider standard SS Seat Slider standard Rated for 300 lbs Rated for 300 lbs SS Seat Slider standard Rated for 300 lbs SS Seat Slider standard		N)	Line for a variable of general office			,			1	+					SEAT DEPTH: 17.0-19.5 SEAT HEIGHT: 19.0-23.5	
Arr A													-	andard	BACK WIDTH: 19.5	_
A16 645 685 710 750 800 855 915 100 SEAT SLIDER (SS) - STANDARD WITH THIS CONFIGURATION 1725 GT ARMLESS A1 B C D E F G • Cantilever base design • Rated for 250 lbs • Rated for 250 lbs • Black Powder-Coated Frame GUEST GUEST GUEST I		The second													BACK HEIGHT: 18.5-21.5	
Instrumentary of the second															COM: 1.4 YDS	
ARMLESS 340 380 405 445 495 550 610 • Rated for 250 lbs • Black Powder-Coated Frame AI 410 550 575 615 665 720 780 •	0	6		Allo											WEIGHT: 41.0 LB	
ARMLESS 340 380 405 445 495 550 610 • Rated for 250 lbs • Black Powder-Coated Frame A1 410 550 575 615 665 720 780 •																
AHMLESS 340 380 405 445 495 550 610 616 • Black Powder-Coated Frame A1 410 550 575 615 665 720 780 GUEST Image: State St	1725	GT			A/COM	В	C	D	E	F	G				WIDTH: 26.5	
GUEST				ARMLESS	340	380	405	445	495	550	610				DEPTH: 26.5 HEIGHT: 35.5	
	\frown	•		A1	410	550	575	615	665	720	780				SEAT WIDTH: 22.0	
Well suited for guest seating.			GUEST												SEAT DEPTH: 17.0	
		V	Well suited for quest seating												SEAT HEIGHT: 17.0	
	\square						,	,		ļ					BACK WIDTH: 19.5 BACK HEIGHT: 18.5	
	// \\	//													COM: 1.4 YDS	
															WEIGHT: 38.0 LB	
SHIPS PARTIALLY ASSEMBLED PAC OR AB					SHIPS PAR	RTIALLY A	SSEMBLED) PAC OR /	AB						:	
																1
			:	:	:										:	

SKAGING]	
	PACKAG	ING NOTES	
	CODE	DESCRIPTION	LIST UPCHARGE
	AB	ASSEMBLED IN BAG FOR WILL CALL	\$0
	PAC	PARTIALLY ASSEMBLED IN CARTON	\$0
	BAC	BACK ASSEMBLED IN CARTON	\$40

ARM OPTIONS



Black soft touch loop arm



6-way adjustable arm for height, pivots, and with *Ura-Soft* sliding arm pads

CASTER OPTIONS



50mm Hooded Casters



2-way adjustable arm for height



8-way adjustable arm for height, width, pivots, and with *Ura-Soft* sliding arm pads



4-way adjustable arm for height and width



Black Soft Touch Cantilever style C-Shaped Arm



Hard Floor Casters



50mm Hooded Self-Locking Hard Floor Casters

ADDITIONAL OPTIONS



Replace Knob with Bolt (for S2 Controls ONLY)



Seat Slider 2.5" Side Paddle Activated



1" extra foam on seat



Upholstered Outer Back in Black Ballistic Nylon BN1 - with Grade A ONLY BN2 - with Grade B and Up



1" Visco elastic memory foam on seat



Edge Protector - a clear vinyl tube placed around the edge of the back cushion





precept breadth of configurations with an unparalleled value

ST00L

GSA SIN # 711-18

- Task, stool, and conference seating
- Ratchet back height adjustment on P1,
- Warranted up to 250 lbs with B2, and P1
- CAL TB 133 Fire Code approved





ODEL	CONTROL	DESCRIPTION	ARM	FABRIC								FEATURES	DIMENSIONS
				A /0015	в	C	D	E	-	G		360 degree swivel	WIDTH: 26.5
726	B2		1014 500	A/COM	-				F			Pneumatic Seat Height Adjustment	DEPTH: 26.5
$ \longrightarrow \mathbb{D} $		40% 07001	ARMLESS	485	525	550	590	640	695	755		Adjustable back depth	HEIGHT: 42.5-52.5
))))		10" STOOL BASIC CONTROL	A1	655	695	720	760	810	865	925		Height Adjustable Footring	SEAT WIDTH: 22.0
		BASIC CONTROL	A4	560	600	625	665	715	770	830		Rated for 250 lbs	SEAT DEPTH: 17.0
¥ ۲	ALI	Use for work surfaces up to	A5	580	620	645	685	735	790	850			SEAT HEIGHT: 25.0-35.0
=		42 inches high.	A6	615	655	680	720	770	825	885			BACK WIDTH: 19.5
	ala		A7	635	675	700	740	790	845	905			BACK HEIGHT: 18.5 Com: 1.4 yds
L 9 6	ومال		A16	585	625	650	690	740	795	855			WEIGHT: 32.0 LB
, ,	0			SEAT SLID	ER (SS) -	NOT AVAIL	ABLE						
						ſ		r i	ſ	r r	1	 Draumatic Cost Usisht Adjustment 	WIDTH: 00 F
6	P1			A/COM	В	C	D	E	F	G		Pneumatic Seat Height Adjustment Infinite back angle adjust with free float	WIDTH: 26.5 DEPTH: 26.5
> v			ARMLESS	570	610	635	675	725	780	840		Ratchet Back Height Lumbar	HEIGHT: 42.5-55.5
) //		10" STOOL	A1	740	780	805	845	895	950	1010		Adjustment	SEAT WIDTH: 22.0
$\leq \ell$		POSTURE BACK CONTROL	A4	645	685	710	750	800	855	915		Height Adjustable Footring Rated for 250 lbs	SEAT DEPTH: 17.0
	Ster 3	Use for work surfaces up to	A5	665	705	730	770	820	875	935			SEAT HEIGHT: 25.0-35.0
		42 inches high.	A6	700	740	765	805	855	910	970			BACK WIDTH: 19.5
5			A7	720	760	785	825	875	930	990			BACK HEIGHT: 18.5-21.5
~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~	ومالي		A16	670	710	735	775	825	880	940			COM: 1.4 YDS Weight: 36.0 LB
,	0			SEAT SLID									WEIGHT. 50.0 ED
				A/COM	В	с	D	E	F	G		360 degree swivel	<b>WIDTH:</b> 26.5
		•	•			, U		-		u		Pneumatic Seat Height Adjustment	
l	B2			495	5.25	550	500	640	605	766			DEPTH: 26.5
	B2	0" 07001	ARMLESS	485	525	550	590	640	695	755		Adjustable back depth	DEPTH: 26.5 HEIGHT: 38.5-46.5
	B2	8" STOOL	A1	655	695	720	760	810	865	925		Height Adjustable Footring	· · ·
	B2	8" STOOL BASIC CONTROL	A1 A4	655 560	695 600	720 625	760 665	810 715	865 770	925 830		· ·	HEIGHT:         38.5-46.5           SEAT WIDTH:         22.0           SEAT DEPTH:         17.0
	B2	BASIC CONTROL	A1	655	695	720	760	810	865	925		Height Adjustable Footring	HEIGHT:         38.5-46.5           SEAT WIDTH:         22.0           SEAT DEPTH:         17.0           SEAT HEIGHT:         21.0-29.0
		• · · · · · · · · · · · · · · · · · · ·	A1 A4	655 560	695 600	720 625	760 665	810 715	865 770	925 830		Height Adjustable Footring	HEIGHT:         38.5-46.5           SEAT WIDTH:         22.0           SEAT DEPTH:         17.0           SEAT HEIGHT:         21.0-29.0           BACK WIDTH:         19.5
		BASIC CONTROL Use for work surfaces up to	A1 A4 A5	655 560 580	695 600 620	720 625 645	760 665 685	810 715 735	865 770 790	925 830 850		Height Adjustable Footring	HEIGHT:         38.5-46.5           SEAT WIDTH:         22.0           SEAT DEPTH:         17.0           SEAT HEIGHT:         21.0-29.0           BACK WIDTH:         19.5           BACK HEIGHT:         18.5
		BASIC CONTROL Use for work surfaces up to	A1 A4 A5 A6	655 560 580 615	695 600 620 655	720 625 645 680	760 665 685 720	810 715 735 770	865 770 790 825	925 830 850 885		Height Adjustable Footring	HEIGHT:         38.5-46.5           SEAT WIDTH:         22.0           SEAT DEPTH:         17.0           SEAT HEIGHT:         21.0-29.0           BACK WIDTH:         19.5
		BASIC CONTROL Use for work surfaces up to	A1 A4 A5 A6 A7	655 560 580 615 635	695 600 620 655 675 625	720 625 645 680 700 650	760 665 685 720 740 690	810 715 735 770 790	865 770 790 825 845	925 830 850 885 905		Height Adjustable Footring	HEIGHT:         38.5-46.5           SEAT WIDTH:         22.0           SEAT DEPTH:         17.0           SEAT HEIGHT:         21.0-29.0           BACK WIDTH:         19.5           BACK HEIGHT:         18.5           COM:         1.4 YDS
		BASIC CONTROL Use for work surfaces up to	A1 A4 A5 A6 A7	655 560 580 615 635 585 SEAT SLID	695 600 620 655 625 625 625	720 625 645 680 700 650 NOT AVAIL/	760 665 685 720 740 690 ABLE	810 715 735 770 790 740	865 770 790 825 845 795	925 8300 850 885 905 855		Height Adjustable Footring     Rated for 250 lbs	HEIGHT:         38.5-46.5           SEAT WIDTH:         22.0           SEAT DEPTH:         17.0           SEAT HEIGHT:         21.0-29.0           BACK WIDTH:         19.5           BACK HEIGHT:         18.5           COM:         1.4 YDS           WEIGHT:         31.0 LB
	B2	BASIC CONTROL Use for work surfaces up to	A1 A4 A5 A6 A7 A16	655 560 580 615 635 585 SEAT SLID	695 600 620 655 675 625 625 <b>ER (SS)</b> -	720 625 645 680 700 650 NOT AVAILA	760 665 685 720 740 690 ABLE	810 715 735 770 790 740	865 770 825 845 795	925 830 850 885 905 855		Height Adjustable Footring	HEIGHT:         38.5-46.5           SEAT WIDTH:         22.0           SEAT DEPTH:         17.0           SEAT HEIGHT:         21.0-29.0           BACK WIDTH:         19.5           BACK HEIGHT:         18.5           COM:         1.4 YDS           WEIGHT:         31.0 LB
		BASIC CONTROL Use for work surfaces up to 36 inches high.	A1 A4 A5 A6 A7	655 560 580 615 635 585 SEAT SLID A/COM 570	695 600 620 655 675 625 ER (SS) -	720 625 645 680 700 650 NOT AVAIL/	760 665 685 720 740 690 ABLE D 675	810 715 735 770 790 740 <b>E</b> 725	865 770 790 825 845 795 <b>F</b> 780	925 830 850 905 855 6 8		Height Adjustable Footring     Rated for 250 lbs      Pneumatic Seat Height Adjustment	HEIGHT:         38.5-46.5           SEAT WIDTH:         22.0           SEAT DEPTH:         17.0           SEAT HEIGHT:         21.0-29.0           BACK WIDTH:         19.5           BACK HEIGHT:         18.5           COM:         1.4 YDS           WEIGHT:         31.0 LB
		BASIC CONTROL Use for work surfaces up to 36 inches high. 8" STOOL	A1 A4 A5 A6 A7 A16	655 560 580 615 635 585 SEAT SLID	695 600 620 655 675 625 625 <b>ER (SS)</b> -	720 625 645 680 700 650 NOT AVAILA	760 665 685 720 740 690 ABLE	810 715 735 770 790 740	865 770 825 845 795	925 830 850 885 905 855		Height Adjustable Footring     Rated for 250 lbs      Pneumatic Seat Height Adjustment     Infinite back angle adjust with free float     Ratchet Back Height Lumbar     Adjustment	HEIGHT:         38.5-46.5           SEAT WIDTH:         22.0           SEAT DEPTH:         17.0           SEAT DEPTH:         21.0-29.0           BACK WIDTH:         19.5           BACK HEIGHT:         18.5           COM:         1.4 YDS           WEIGHT:         31.0 LB
		BASIC CONTROL Use for work surfaces up to 36 inches high.	A1 A4 A5 A6 A7 A16 ARMLESS	655 560 580 615 635 585 SEAT SLID A/COM 570	695 600 620 655 675 625 ER (SS) -	720 625 645 680 700 650 NOT AVAIL/	760 665 685 720 740 690 ABLE D 675	810 715 735 770 790 740 <b>E</b> 725	865 770 790 825 845 795 <b>F</b> 780	925 830 850 905 855 6 8		Height Adjustable Footring     Rated for 250 lbs      Pneumatic Seat Height Adjustment     Infinite back angle adjust with free float     Ratchet Back Height Lumbar     Adjustment     Height Adjustable Footring	HEIGHT:         38.5-46.5           SEAT WIDTH:         22.0           SEAT DEPTH:         17.0           SEAT HEIGHT:         21.0-29.0           BACK WIDTH:         19.5           BACK WIDTH:         18.5           COM:         1.4 YDS           WEIGHT:         31.0 LB           WIDTH:         26.5           DEPTH:         26.5           HEIGHT:         38.5-49.5
	P1	BASIC CONTROL Use for work surfaces up to 36 inches high. 8" STOOL POSTURE BACK CONTROL	A1 A4 A5 A6 A7 A16 ARMLESS A1	655 560 580 615 635 585 SEAT SLID A/COM 570 740	695 600 620 655 675 625 8 8 8 610 780	720 625 645 680 700 650 NOT AVAIL/ C 635 805	760 665 720 740 690 ABLE D 675 845	810 715 735 770 790 740 740 <b>E</b> 725 895	865 770 825 845 795 <b>F</b> 780 950	925 830 850 885 905 855 855 6 840 1010		Height Adjustable Footring     Rated for 250 lbs      Pneumatic Seat Height Adjustment     Infinite back angle adjust with free float     Ratchet Back Height Lumbar     Adjustment	HEIGHT:         38.5-46.5           SEAT WIDTH:         22.0           SEAT DEPTH:         17.0           SEAT DEPTH:         21.0-29.0           BACK WIDTH:         19.5           BACK WIDTH:         18.5           COM:         1.4 YDS           WEIGHT:         31.0 LB           WIDTH:         26.5           DEPTH:         38.5-49.5           SEAT WIDTH:         22.0
		BASIC CONTROL Use for work surfaces up to 36 inches high. 8" STOOL POSTURE BACK CONTROL Use for work surfaces up to	A1 A4 A5 A6 A7 A16 ARMLESS A1 A4	655 560 580 615 635 585 SEAT SLID A/COM 570 740 645	695 600 620 655 625 625 625 8 625 625 625 625 625 625 625 625 625 625	720 625 645 680 700 650 NOT AVAIL/ C 635 805 710	760 665 685 720 740 690 4BLE D 675 845 750	810 715 735 770 790 740 740 <b>E</b> 725 895 800	865 770 825 845 795 <b>F</b> 780 950 855	925 8300 850 885 855 855 855 855 855 855 855 8		Height Adjustable Footring     Rated for 250 lbs      Pneumatic Seat Height Adjustment     Infinite back angle adjust with free float     Ratchet Back Height Lumbar     Adjustment     Height Adjustable Footring	HEIGHT:         38.5-46.5           SEAT WIDTH:         22.0           SEAT DEPTH:         17.0           SEAT DEPTH:         19.0           BACK WIDTH:         19.5           BACK WIDTH:         19.5           BACK HEIGHT:         18.5           COM:         1.4 YDS           WEIGHT:         26.5           DEPTH:         26.5           BEIGHT:         38.5-49.5           SEAT WIDTH:         22.0           SEAT WIDTH:         22.0           SEAT DEPTH:         17.0           SEAT HEIGHT:         21.0-29.0           BACK WIDTH:         19.5
	P1	BASIC CONTROL Use for work surfaces up to 36 inches high. 8" STOOL POSTURE BACK CONTROL	A1 A4 A5 A6 A7 A16 ARMLESS A1 A1 A4 A5	655 560 580 615 635 585 SEAT SLID 570 740 645 665	695 600 620 655 675 625 625 625 625 625 625 625 625 625 62	720 625 645 680 700 650 NOT AVAIL/ C 635 805 710 730	760 665 720 740 690 ABLE D 675 845 750 770	810 715 735 770 790 740 740 740 740 740 895 895 800 820	865 770 825 845 795 <b>F</b> 780 950 855 875	925 830 850 905 855 855 8 840 1010 915 935		Height Adjustable Footring     Rated for 250 lbs      Pneumatic Seat Height Adjustment     Infinite back angle adjust with free float     Ratchet Back Height Lumbar     Adjustment     Height Adjustable Footring	HEIGHT:         38.5-46.5           SEAT WIDTH:         22.0           SEAT DEPTH:         17.0           SEAT DEPTH:         17.0           SEAT DEPTH:         19.5           BACK WIDTH:         19.5           BACK WIDTH:         19.5           BACK HEIGHT:         18.5           COM:         1.4 YDS           WEIGHT:         31.0 LB           WIDTH:         26.5           DEPTH:         26.5           BEIGHT:         38.5-49.5           SEAT WIDTH:         22.0           SEAT WIDTH:         22.0           SEAT DEPTH:         17.0           SEAT HEIGHT:         21.0-29.0           BACK WIDTH:         19.5           BACK WIDTH:         18.5-21.5
	P1	BASIC CONTROL Use for work surfaces up to 36 inches high. 8" STOOL POSTURE BACK CONTROL Use for work surfaces up to	A1 A4 A5 A6 A7 A16 ARMLESS A1 A4 A5 A6	655 560 580 615 635 585 <b>SEAT SLID</b> <b>A/COM</b> 570 740 645 665 665	695 600 620 655 625 625 <b>8</b> 625 625 625 625 625 625 625 625 625 625	720 625 645 680 700 650 NOT AVAILA 635 805 710 730 765	760 665 720 740 690 ABLE D 675 845 750 770 805	810 715 735 770 790 740 740 80 895 800 820 855	865 770 825 845 795 <b>F</b> 780 950 855 875	925 830 850 905 855 855 8 840 1010 915 935		Height Adjustable Footring     Rated for 250 lbs      Pneumatic Seat Height Adjustment     Infinite back angle adjust with free float     Ratchet Back Height Lumbar     Adjustment     Height Adjustable Footring	HEIGHT:         38.5-46.5           SEAT WIDTH:         22.0           SEAT DEPTH:         17.0           SEAT DEPTH:         17.0           SEAT DEPTH:         19.5           BACK WIDTH:         19.5           BACK WIDTH:         18.5           COM:         1.4 YDS           WEIGHT:         31.0 LB           WIDTH:         26.5           DEPTH:         26.5           BEIGHT:         38.5-49.5           SEAT WIDTH:         22.0           SEAT WIDTH:         22.0           SEAT DEPTH:         17.0           SEAT DEPTH:         11.0-29.0           BACK WIDTH:         21.0-29.0           BACK WIDTH:         19.5

PACKAGING NOTES           CODE         DESCRIPTION         LIST UPCHARGE           AB         ASSEMBLED IN BAG FOR WILL CALL         \$0           PAC         PARTIALLY ASSEMBLED IN CARTON         \$0           BAC         BACK ASSEMBLED IN CARTON         \$40	]-[		]	
AB         ASSEMBLED IN BAG FOR WILL CALL         \$0           PAC         PARTIALLY ASSEMBLED IN CARTON         \$0		PACKAG	ING NOTES	
PAC PARTIALLY ASSEMBLED IN CARTON \$0		CODE	DESCRIPTION	LIST UPCHARGE
		AB	ASSEMBLED IN BAG FOR WILL CALL	\$0
BAC BACK ASSEMBLED IN CARTON \$40		PAC	PARTIALLY ASSEMBLED IN CARTON	\$0
		BAC	BACK ASSEMBLED IN CARTON	\$40

#### ARM OPTIONS



Black soft touch loop arm



6-way adjustable arm for height, pivots, and with *Ura-Soft* sliding arm pads

#### CASTER OPTIONS



50mm Hooded Casters



2-way adjustable arm for height



8-way adjustable arm for height, width, pivots, and with *Ura-Soft* sliding arm pads



4-way adjustable arm for height and width



Black Soft Touch Cantilever style C-Shaped Arm



50mm Hooded Hard Floor Casters



50mm Hooded Self-Locking Hard Floor Casters

#### ADDITIONAL OPTIONS



Replace Knob with Bolt (for S2 Controls ONLY)



Upholstered Outer Back in Black Ballistic Nylon BN1 - with Grade A ONLY BN2 - with Grade B and Up



1" extra foam on seat



Edge Protector - a clear vinyl tube placed around the edge of the back cushion



1" Visco elastic memory foam on seat



9005°

## **ALL PLASTIC - AP**

#### GSA SIN # 711-19

- Seat and back styles include: all plastic, upholstered seat w/ plastic back or fully upholstered seat and back
- Bariatric, stools and tablet models available
- 11 plastic colors, 6 frame finishes
- Wall saver design on model 1210 and 1260
- Warranted up to 300 lbs
- CAL TB 133 Fire Code approved



#### **CREATING SHUTTLE MODEL NUMBER** FRAME COLOR MODEL NUMBE 12 A

FRAME COL				AGING NOTES	
BLACK	SILVER	METALLIC BROWN*	CODE	DESCRIPTION	LIST UPCHARGE
BF	SF	MBF	AB	ASSEMBLED IN BAG FOR WILL CALL	\$0
GUNMETAL* GMF	DOVER GRAY* DGF	WHITE* WF	AC	ASSEMBLED IN CARTON	\$0

MODEL	CONTROL	DESCRIPTION	MESH	ARM	PLASTIC		FEATURES	DIMENSIONS	ARM OPTIONS
1210	GT	GUEST STACKING Plastic back with plastic seat.		ARMLESS A18B A18G TLF/TRF OS	P 245 290 290 395 395 395 NOTE: TLE AND T	RF REQUIRE SOME ASSEMBLY	<ul> <li>Non-Marring Floor Glides</li> <li>Stack 4 High on Floor</li> <li>Stacks 10 High on Optional Dolly</li> <li>Wall Saver Back Legs</li> <li>Rated for 300 lbs</li> </ul>	ARMLESS         W/ ARMS           WIDTH:         21.5         25.5           DEPTH:         25.0         25.0           HEIGHT:         33.0         33.0           SEAT WIDTH:         19.5         19.5           SEAT DEPTH:         17.0         17.0           SEAT HEIGHT:         17.0         17.0           BACK WIDTH:         20.0         20.0           BACK HEIGHT:         16.0         16.0           COM:         N/A         N/A           WEIGHT:         17.0 LB         20.0 LB	A186 A186 Soft Touch Polyurethane Arms - Black or Gray Color Arms - Black or Gray Color Attribution Antipation
1215	GT	GUEST STACKING WITH CASTERS Plastic back with plastic seat.		ARMLESS A18B A18G	P 290 335 335		<ul> <li>50mm Hooded Casters</li> <li>Stack 4 High on Floor</li> <li>Stacks 10 High on Optional Dolly</li> <li>Wall Saver Back Legs</li> <li>Rated for 300 lbs</li> </ul>	WIDTH:         21.5         25.5           DEPTH:         25.0         25.0           HEIGHT:         33.0         33.0           SEAT WIDTH:         19.5         19.5           SEAT DEPTH:         17.0         17.0           SEAT HEIGHT:         17.0         20.0           BACK WIDTH:         20.0         20.0           BACK HEIGHT:         16.0         16.0           COM:         N/A         N/A           WEIGHT:         17.0 LB         20.0 LB	Left Folding Tablet Arm in         Black Laminate. Available         with Black Frame only         'Not Stackable with Tablet    ADDITIONAL OPTIONS
1260	GT	GUEST STACKING Mesh back with plastic seat.	M1 M1 M2/M3 M2/M3 M2/M3	ARMLESS A18B A18G ARMLESS A18B A18G	P 310 355 355 340 385 385 385 40 50 50 50 50 50 50 50 50 50 5	STYLE AVAILABLE IN M1, M2 AND M3	<ul> <li>Non-Marring Floor Glides</li> <li>Stack 4 High on Floor</li> <li>Stacks 10 High on Optional Dolly</li> <li>Wall Saver Back Legs</li> <li>Rated for 300 lbs</li> </ul>	WIDTH:         21.5         25.5           DEPTH:         25.0         25.0           HEIGHT:         42.0         42.0           SEAT WIDTH:         19.5         19.5           SEAT DEPTH:         17.0         17.0           SEAT HEIGHT:         27.0         27.0           BACK WIDTH:         20.0         20.0           BACK HEIGHT:         16.0         16.0           COM:         N/A         N/A           WEIGHT:         17.0 LB         20.0 LB	\$20       \$30         Self-Leveling Metal Glide       Self-Leveling VCT Glide         4 per set       A per set         Not Available on ST30 Stool,       1215 and 1265 models         1215 and 1265 models       Ver available on ST30 Stool,         1215 and 1265 models       Self-Leveling VCT Glide         4 per set       Not Available on ST30 Stool,         1215 and 1265 models       Self-Leveling Felt Glide         Self-Leveling Felt Glide       4 per set
1265	GT	GUEST STACKING WITH CASTERS Mesh back with plastic seat.	M1 M1 M2/M3 M2/M3 M2/M3	ARMLESS A18B A18G ARMLESS A18B A18G	P 355 400 400 385 430 430	STILL AVAILABLE IN M1, M2 AND M3	<ul> <li>50mm Hooded Casters</li> <li>Stack 4 High on Floor</li> <li>Stacks 10 High on Optional Dolly</li> <li>Wall Saver Back Legs</li> <li>Rated for 300 lbs</li> </ul>	WIDTH:         21.5         25.5           DEPTH:         25.0         25.0           HEIGHT:         45.0         45.0           SEAT WIDTH:         19.5         19.5           SEAT DEPTH:         17.0         17.0           SEAT HEIGHT:         30.0         30.0           BACK WIDTH:         20.0         20.0           BACK HEIGHT:         16.0         16.0           COM:         N/A         N/A           WEIGHT:         17.0 LB         20.0 LB	Not Available on ST30 Stool, 1215 and 1265 models         PLASTIC COLORS         BLACK SWAN P01       CLASSIC BURGUNDY P02       CORAL RED P03       SUNBONNET YELLOW P04         WHITE WHISPER P05       BOULDER GRAY P06       DOVER P07       ESSEX BLUE P08         PALE WATER GREEN P09       CINNABAR P10       FEDERAL BLUE P11       BLUE P11

*Standard twenty five (25) business days applies only to Metallic Brown, Gunmetal, Dover Gray and White frame color options.









CAUTION: Careless stacking of chairs may scratch and damage frames. 9to5 Seating does not warrant scratched frames of stacking chairs.

#### **CASTER OPTIONS**



Standard 50mm Hooded Casters



50mm Hooded Hard Floor Casters

#### ACCESSORIES



Stacking Dolly Stacks Chairs 10 High four legs only



Ganging Clip - 2 per set GC1 - Armless-to-Armless GC2 - Arm-to-Arm



Book Rack in Black Only Available on All Models *Not Stackable with BRK

shuttle

Seating

## **UPHOLSTERED SEAT - US**

#### GSA SIN # 711-19

- Seat and back styles include: all plastic, upholstered seat w/ plastic back or fully upholstered seat and back
- Bariatric, stools and tablet models available
- 11 plastic colors, 6 frame finishes
- Wall saver design on model 1210 and 1260
  - Warranted up to 300 lbs
- CAL TB 133 Fire Code approved





BLACK	SILVER	METALLIC BROWN*	CODE	DESCRIPTION	LIST UPCHARGI
BF	SF	MBF	AB	ASSEMBLED IN BAG FOR WILL CALL	\$0
GUNMETAL*	DOVER GRAY*	WHITE*			
GMF	DGF	WF	AC	ASSEMBLED IN CARTON	\$0

MODEL	CONTROL	DESCRIPTION	MESH	ARM	FABRIC							FEATURES	DIMENSIONS	ARM OPTIONS	
1210	GT	GUEST STACKING Plastic back with upholstered seat.		ARMLESS A18B A18G TLF/TRF OS	A/COM 310 355 355 460 460	<ul> <li>B</li> <li>335</li> <li>380</li> <li>380</li> <li>485</li> <li>485</li> </ul>	C 3555 400 400 505 505	D 380 425 425 530 530	E 410 455 560 560	<b>F</b> 445 490 490 595 595	6 480 525 525 630 630	<ul> <li>Non-Marring Floor Glides</li> <li>Stack 4 High on Floor</li> <li>Stacks 10 High on Optional Dolly</li> <li>Wall Saver Back Legs</li> <li>Rated for 300 lbs</li> </ul>	ARMLESS         W/ ARMS           WIDTH:         21.5         25.5           DEPTH:         25.0         25.0           HEIGHT:         33.0         33.0           SEAT WIDTH:         19.5         19.5           SEAT DEPTH:         17.0         17.0           SEAT HEIGHT:         17.0         17.0           BACK WIDTH:         20.0         20.0           BACK HEIGHT:         10.0 LB         0.8 YDS	A18B A18G \$49 Soft Touch Polyurethane Arms - Black or Gray Color	Left or Right OverSize Tablet
		: 			NOTE: TLF	AND TRF	REQUIRE S	OME ASSEI	MBLY			 	WEIGHT: 19.0 LB 22.0 LB		TDE
1215	GT	GUEST STACKING WITH CASTERS		ARMLESS A18B A18G	A/COM 355 400 400	<b>B</b> 380 425 425	C 400 445 445	D 425 470 470	E 455 500 500	<b>F</b> 490 535 535	G 525 570 570	<ul> <li>50mm Hooded Casters</li> <li>Stack 4 High on Floor</li> <li>Stacks 10 High on Optional Dolly</li> <li>Rated for 300 lbs</li> </ul>	WIDTH:         21.5         25.5           DEPTH:         25.0         25.0           HEIGHT:         33.0         33.0           SEAT WIDTH:         19.5         19.5           SEAT DEPTH:         17.0         17.0           SEAT HEIGHT:         17.0         17.0	Left Folding Tablet Arm in Black Laminate. Available with Black Frame only 'Not Stackable with Tablet	Right Folding Tablet Arm in Black Laminate. Available with Black Frame only "Not Stackable with Tablet
		Plastic back with upholstered seat.											BACK WIDTH:         20.0         20.0           BACK HEIGHT:         16.0         16.0           COM:         0.8 YDS         0.8 YDS           WEIGHT:         19.0 LB         22.0 LB	ADDITIONAL OPTION	G9
1260	GT	GUEST	M1 M1	ARMLESS A18B	A/COM 375 420	<b>B</b> 400 445	<b>C</b> 420 465	D 445 490	<b>E</b> 475 520	<b>F</b> 510 555	<b>G</b> 545 590	<ul> <li>Non-Marring Floor Glides</li> <li>Stack 4 High on Floor</li> <li>Stacks 10 High on Optional Dolly</li> </ul>	WIDTH:         21.5         25.5           DEPTH:         25.0         25.0           HEIGHT:         42.0         33.0	Self-Leveling Metal Glide 4 per set Not Available on ST30 Stool 1215 and 1265 models	Self-Leveling VCT Glide 4 per set I, Not Available on ST30 Stool, 1215 and 1265 models
		STACKING Mesh back with	M1 M2/M3	A18G ARMLESS	420 405	445 430	465 450	490 475	520 505	555 540	590 575	<ul><li>Wall Saver Back Legs</li><li>Rated for 300 lbs</li></ul>	SEAT WIDTH:         19.5         19.5           SEAT DEPTH:         17.0         17.0           SEAT HEIGHT:         27.0         17.0	G10	EF1 \$30 MF1
		upholstered seat.	M2/M3 M2/M3	A18B A18G	450 450	475 475	495 495	520 520	550 550	585 585	620 620		BACK WIDTH:         20.0         20.0           BACK HEIGHT:         16.0         16.0           COM:         0.8 YDS         0.8 YDS           WEIGHT:         19.0 LB         22.0 LB	Self-Leveling Felt Glide	
		:	:	:	: NOTE: ALL	MESH ST	YLE AVAILA	BLE IN M1	, M2 AND	M3			:	Not Available on ST30 Stool	
1265	GT	GUEST	M1	ARMLESS	A/COM 420	<b>B</b> 445	<b>C</b> 465	D 490	<b>E</b> 520	<b>F</b> 555	<b>G</b> 590	<ul> <li>50mm Hooded Casters</li> <li>Stack 4 High on Floor</li> <li>Stacks 10 High on Optional Dolly</li> </ul>	WIDTH:         21.5         25.5           DEPTH:         25.0         25.0           HEIGHT:         45.0         45.0	1215 and 1265 models PLASTIC COLORS	
	<b>X</b>	STACKING WITH CASTERS Mesh back with	M1 M1 M2/M3	A18B A18G ARMLESS	465 465 450	490 490 475	510 510 495	535 535 520	565 565 550	600 600 585	635 635 620	Rated for 300 lbs	SEAT WIDTH:         19.5         19.5           SEAT DEPTH:         17.0         17.0           SEAT HEIGHT:         30.0         30.0           BACK WIDTH:         20.0         20.0	BLACK CLASSIC SWAN BURGUNDY P01 P02 WHITE BOULDER	CORAL SUNBONNET RED YELLOW P03 P04 D0VER ESSEX
		upholstered seat.	M2/M3 M2/M3	A18B A18G	495 495	520 520	540 540	565 565	595 595	630 630	665 665		BACK WIDTH: 20.0 20.0 BACK HEIGHT: 16.0 16.0 Com: 0.8 yds 0.8 yds Weight: 19.0 LB 22.0 LB	WHISPER GRAY P05 P06 PALE WATER CINNABAR GREEN ORANGE	SKY BLUE P07 P08 FEDERAL BLUE
	÷ •				NOTE: ALL	MESH ST	LE AVAILA	BLE IN M1	, M2 AND	M3			<u> </u>	P09 P10	P11

*Standard twenty five (25) business days applies only to Metallic Brown, Gunmetal, Dover Gray and White frame color options.

**NOTE:** Due to the nature of vinyl upholstery, stacking may cause impressions on the seat. 9to5 Seating does not warrant the effects of the stacking on vinyl upholstery.









CAUTION: Careless stacking of chairs may scratch and damage frames. 9to5 Seating does not warrant scratched frames of stacking chairs.

#### **CASTER OPTIONS**



Standard 50mm Hooded Casters



50mm Hooded Hard Floor Casters

#### ACCESSORIES



Stacking Dolly Stacks Chairs 10 High four legs only



Ganging Clip - 2 per set GC1 - Armless-to-Armless GC2 - Arm-to-Arm



Book Rack in Black Only Available on All Models *Not Stackable with BRK

9to5seating.com 888.925.SEAT

shuttle

Seating

## **FULLY UPHOLSTERED - UP**

#### GSA SIN # 711-19

- Seat and back styles include: all plastic, upholstered seat w/ plastic back or fully upholstered seat and back
- Bariatric, stools and tablet models available
- 6 powder coated frame finishes
- Wall saver design on model 1210 and 1260
- Warranted up to 300 lbs
- CAL TB 133 Fire Code approved







MODEL	CONTROL	DESCRIPTION	MESH	ARM	FABRIC								FEATURES DIMENSIONS
									[ _	F		1	ARMLESS W/ ARI
1210	GT				A/COM	B	C	D	E		G		Non-Marring Floor Glides WIDTH: 21.5 25.5
		GUEST		ARMLESS	335	375	400	440	485	535	590		Stack 4 High on Floor DEPTH: 25.0 25.0     Stacks 10 High on Optional Dolly HEIGHT: 33.0 33.0
		STACKING		A18B	380	420	445	485	530	580	635		Wall Saver Back Legs     SEAT WIDTH: 19.5 19.5
	Ŋ			A18G	380	420	445	485	530	580	635		Rated for 300 lbs     SEAT DEPTH: 17.0 17.0
	Ŋ	Fully upholstered		TLF/TRF	485	525	550	590	635	685	740		<b>SEAT HEIGHT:</b> 17.0 17.0
		back and seat.		OS	485	525	550	590	635	685	740	7	BACK WIDTH: 20.0 20.0
													BACK HEIGHT: 16.0 16.0 COM: 1.2 YDS 1.2 YDS
Į	U U												WEIGHT: 21.0 LB 24.0 LG
		•	•	•	NOTE: TLF	AND TRF	REQUIRE S	SOME ASSE	MBLY				· · · · · · · · · · · · · · · · · · ·
1215	GT				A/COM	В	C	D	E	F	G		• 50mm Hooded Casters WIDTH: 21.5 25.5
	31			ARMLESS	380	420	445	485	530	580	635		Stack 4 High on Floor     DEPTH: 25.0 25.0     Stacks 10 High on Optional Dolly
		GUEST STACKING		A18B	425	465	490	530	575	625	680		Stacks 10 High on Optional Dolly     HEIGHT: 33.0 33.0     Rated for 300 lbs     SEAT WIDTH: 19.5 19.5
	0	WITH CASTERS		A18G	425	465	490	530	575	625	680		SEAT WIDTH: 19.5 19.5 SEAT DEPTH: 17.0 17.0
Л	M												SEAT HEIGHT: 17.0 17.0
		Fully upholstered											BACK WIDTH: 20.0 20.0
		back and seat.											BACK HEIGHT: 16.0 16.0 Com: 1.2 yds 1.2 yds
L L													WEIGHT: 21.0 LB 24.0 LI
	0 0					\$	\$	\$	\$	\$	•	\$	
		<u> </u>			:								
					1								i de la companya de l
					4								

## *Standard twenty five (25) business days applies only to Metallic Brown, Gunmetal, Dover Gray and White frame color options.


	6	PACKAG	ING NOTES	
ROWN⁺		CODE	DESCRIPTION	LIST UPCHARGE
		AB	ASSEMBLED IN BAG FOR WILL CALL	\$0
с		AC	ASSEMBLED IN CARTON	\$0
	S	HUTTLE SIG	DE CHAIRS SHIP UP TO 3 PER CARTON	

**NOTE:** Due to the nature of vinyl upholstery, stacking may cause impressions on the seat. 9to5 Seating does not warrant the effects of the stacking on vinyl upholstery.

05

\$190

#### **ARM OPTIONS**



Soft Touch Polyurethane Arms - Black or Gray Color *Not Stackable with Tablet



Left Folding Tablet Arm in Black Laminate. Available with Black Frame only *Not Stackable with Tablet

#### **ADDITIONAL OPTIONS**



Self-Leveling Metal Glide 4 per set

1215 and 1265 models



Self-Leveling Felt Glide 4 per set Not Available on ST30 Stool, Memory Foam on Seat 1215 and 1265 models



Black Ballistic Nylon Back BN1 w/ Grad A Fabrics BN2 w/ Grade B and Up

**G9** \$30

Self-Leveling VCT Glide 4 per set

Not Available on ST30 Stool, Not Available on ST30 Stool, 1215 and 1265 models



EF1 - 1" Extra Foam on Seat MF1 - 1" Visco Elastic

#### CASTER OPTIONS



Standard 50mm Hooded Casters



50mm Hooded Hard Floor Casters

#### ACCESSORIES



Stacking Dolly Stack Chair 10 High four legs only



Ganging Clip - 2 per set GC1 - Armless-to-Armless GC2 - Arm-to-Arm



Book Rack in Black Only Available on All Models *Not Stackable with BRK

CAUTION: Careless stacking of chairs may scratch and damage frames. 9to5 Seating does not warrant scratched frames of stacking chairs.

9to5seating.com 888.925.SEAT



Seating

TRF \$150

Left or Right OverSize Tablet

Right Folding Tablet Arm in Black Laminate, Available with Black Frame only *Not Stackable with Tablet

## **ALL PLASTIC - AP**

#### GSA SIN # 711-19

- Seat and back styles include: all plastic, upholstered seat w/ plastic back or fully upholstered seat and back
- Bariatric, stools and tablet models available • 11 plastic colors, 6 frame finishes
- Wall saver design on model 1210 and 1260
- Warranted up to 300 lbs
- CAL TB 133 Fire Code approved
- Three Seat Height Choices





BLACK	SILVER	METALLIC BROWN*	CODE	DESCRIPTION	LIST UPCHARG
BF	SF	MBF	4.0		
NMETAL *	DOVER GRAY*	WHITE*	AB	ASSEMBLED IN BAG FOR WILL CALL	\$0
GMF	DGF	WF	AC	ASSEMBLED IN CARTON	\$0

MODEL	CONTROL	DESCRIPTION	MESH	ARM	PLASTIC		FEATURES	DIMENSIONS	ARM OPTIONS
NEW MODEL 1210	ST24	<b>24" STOOL</b> Plastic back and seat. Use for work surfaces up to 34 inches high.		ARMLESS A18B A18G	P 375 420 420	Image: second	<ul> <li>Non-Marring Floor Glides</li> <li>Foot rest</li> <li>Rated for 300 lbs</li> </ul>	ARMLESS         W/ ARMS           WIDTH:         21.5         25.5           DEPTH:         25.0         25.0           HEIGHT:         39.0         39.0           SEAT WIDTH:         19.5         19.5           SEAT DEPTH:         17.0         17.0           SEAT DEPTH:         24.0         24.0           BACK WIDTH:         20.0         16.0           BACK HEIGHT:         16.0         16.0           WEIGHT:         21.5 LB         24.5 LB	A18B A18G \$45 Soft Touch Polyurethane Arms - Black or Gray Color
1210	ST27	<b>27" STOOL</b> Plastic back and seat. Use for work surfaces up to 36 inches high.		ARMLESS A18B A18G	P         375         420           420         420         420           420         420         420		<ul> <li>Non-Marring Floor Glides</li> <li>Foot rest</li> <li>Rated for 300 lbs</li> </ul>	WIDTH:         21.5         25.5           DEPTH:         25.0         25.0           HEIGHT:         42.0         42.0           SEAT WIDTH:         19.5         19.5           SEAT DEPTH:         17.0         17.0           SEAT HEIGHT:         27.0         27.0           BACK WIDTH:         20.0         20.0           BACK HEIGHT:         16.0         16.0           COM:         N/A         N/A           WEIGHT:         22.5 LB         25.5 LB	ADDITIONAL OPTIONS
1210	ST30	<b>30" STOOL</b> Plastic back and seat. Use for work surfaces up to 42 inches high.		ARMLESS A18B A18G	P 395 440 440 		Non-Marring Floor Glides     Foot rest     Rated for 300 lbs	WIDTH:         21.5         25.5           DEPTH:         25.0         25.0           HEIGHT:         45.0         45.0           SEAT WIDTH:         19.5         19.5           SEAT DEPTH:         17.0         17.0           SEAT HEIGHT:         30.0         30.0           BACK WIDTH:         20.0         20.0           BACK HEIGHT:         16.0         16.0           COM:         N/A         N/A           WEIGHT:         23.5 LB         26.5 LB	\$20 Self-Leveling Metal Glide 4 per set Not Available on ST30 Stool, 1215 and 1265 models Self-Leveling VCT Glide 4 per set Not Available on ST30 Stool, 1215 and 1265 models Self-Leveling Felt Glide 4 per set Not Available on ST30 Stool,
									1215 and 1265 models PLASTIC COLORS BLACK CLASSIC CORAL SUNBONNET SWAN BURGUNDY RED YELLOW P01 P02 P03 P04 WHISPER GRAY SKY BLUE P05 P06 P07 P08 PALE WATER CINNABAR FEDERAL GREEN ORANGE BLUE P09 P10 P11





shuttle





### ACCESSORIES



Ganging Clip - 2 per set GC1 - Armless-to-Armless GC2 - Arm-to-Arm



## **NEW ALL PLASTIC - AP**

#### GSA SIN # 711-19


- Seat and back styles include: all plastic, upholstered seat w/ plastic back or fully upholstered seat and back
- Bariatric, stools and tablet models available
- 11 plastic colors, 6 frame finishes • Wall saver design on model 1210 and 1260
- Warranted up to 300 lbs
- CAL TB 133 Fire Code approved
- Three Seat Height Choices



## **CREATING SHUTTLE MODEL NUMBER** MODEL NUMBER CONTROL ARMS FRAME COLOR UPHOLSTERY PLASTIC COLOR GRADE

BLACK	SILVER	METALLIC BROWN*	CODE	DESCRIPTION	LIST UPCHARGI
BF	SF	MBF	AB	ASSEMBLED IN BAG FOR WILL CALL	\$0
METAL *	DOVER GRAY*	WHITE*	AD	ASSEMBLED IN BAG FOR WILL CALL	φU
GMF	DGF	WF	AC	ASSEMBLED IN CARTON	\$0

MODEL	CONTROL	DESCRIPTION	MESH	ARM	PLASTIC	FEATURES	DIMENSIONS	ARM OPTIONS
	ST24	<b>24" STOOL</b> Mesh back and plastic seat. Use for work surfaces up to 34 inches high.	M1 M1 M2/M3 M2/M3 M2/M3	ARMLESS A18B A18G ARMLESS A18B A18G	P         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I	<ul> <li>Non-Marring Floor Glides</li> <li>Foot rest</li> <li>Rated for 300 lbs</li> </ul>	ARMLESS         W/ ARMS           WIDTH:         21.5         25.5           DEPTH:         25.0         25.0           HEIGHT:         39.0         39.0           SEAT WIDTH:         19.5         19.5           SEAT DEPTH:         17.0         24.0           BACK WIDTH:         20.0         20.0           BACK HEIGHT:         16.0         16.0           COM:         N/A         W/ARMS	A18B A18G \$45 Soft Touch Polyurethane Arms - Black or Gray Color
1260	ST27	<b>27" STOOL</b> Mesh back and plastic seat. Use for work surfaces up to 36 inches high.	M1 M1 M2/M3 M2/M3 M2/M3	ARMLESS A18B A18G ARMLESS A18B A18G	P         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I	<ul> <li>Non-Marring Floor Glides</li> <li>Foot rest</li> <li>Rated for 300 lbs</li> </ul>	WIDTH:         21.5         25.5           DEPTH:         25.0         25.0           HEIGHT:         42.0         42.0           SEAT WIDTH:         19.5         19.5           SEAT DEPTH:         17.0         17.0           SEAT HEIGHT:         27.0         20.0           BACK WIDTH:         20.0         20.0           BACK HEIGHT:         16.0         16.0           COM:         N/A         N/A           WEIGHT:         22.5 LB         25.5 LB	ADDITIONAL OPTIONS
1260	ST30	<b>30" STOOL</b> Mesh back and plastic seat. Use for work surfaces up to 42 inches high.	M1 M1 M2/M3 M2/M3 M2/M3	ARMLESS A18B A18G ARMLESS A18B A18G	P         All         All	Non-Marring Floor Glides     Foot rest     Rated for 300 lbs	WIDTH:         21.5         25.5           DEPTH:         25.0         25.0           HEIGHT:         45.0         45.0           SEAT WIDTH:         19.5         19.5           SEAT DEPTH:         17.0         17.0           SEAT HEIGHT:         30.0         30.0           BACK WIDTH:         20.0         20.0           BACK HEIGHT:         16.0         16.0           COM:         N/A         N/A           WEIGHT:         23.5 LB         26.5 LB	\$20       \$30         Self-Leveling Metal Glide 4 per set Not Available on ST30 Stool, 1215 and 1265 models       Self-Leveling VCT Glide 4 per set         Not Available on ST30 Stool, 1215 and 1265 models       Self-Leveling VCT Glide 4 per set         Self-Leveling Vot Available on ST30 Stool, 1215 and 1265 models       Self-Leveling Vot Available on ST30 Stool, 1215 and 1265 models         Self-Leveling Felt Glide 4 per set       Self-Leveling Vot Available on ST30 Stool, 1215 and 1265 models
								Not Available on ST30 Stool, 1215 and 1265 models         PLASTIC COLORS         BLACK SWAN P01       CLASSIC BURGUNDY P02       CORAL RED P03       SUNBONNET YELLOW P04         WHITE WHISPER P05       BOULDER P06       DOVER SKY P07       ESSEX BLUE P08         PALE WATER GREEN P09       CINNABAR P10       FEDERAL BLUE P11       BUUE P11







900**5**°

# shuttle





#### ACCESSORIES



Ganging Clip - 2 per set GC1 - Armless-to-Armless GC2 - Arm-to-Arm

#### **UPHOLSTERED SEAT - US** NEW

#### GSA SIN # 711-19

- Seat and back styles include: all plastic, upholstered seat w/ plastic back or fully upholstered seat and back
- Bariatric, stools and tablet models available
- 11 plastic colors, 6 frame finishes
- Wall saver design on model 1210 and 1260
  - Warranted up to 300 lbs
- CAL TB 133 Fire Code approved



## **CREATING SHUTTLE MODEL NUMBER** MODEL NUMBER CONTROL ARMS FRAME COLOR UPHOLSTERY PLASTIC COLOR GRADE CAST 1 2 - S T - A - U S - P - - - (

CODE	DESCRIPTION	LIST UPCHARGE
AB	ASSEMBLED IN BAG FOR WILL CALL	\$0
AC	ASSEMBLED IN CARTON	\$0
		AC ASSEMBLED IN CARTON

MODEL	CONTROL	DESCRIPTION	MESH	ARM	FABRIC								FEATURES	DIMENSIONS	ARM OPTIONS
1210	ST24	<b>24" STOOL</b> Plastic back with upholstered seat. Use for work surfaces up to 34 inches high.		ARMLESS A18B A18G	A/COM 440 485 485	B 465 510 510	C 485 530 530	D 510 555 555	E 540 585 585	F 575 620 620	610 655 655		<ul> <li>Non-Marring Floor Glides</li> <li>Foot rest</li> <li>Rated for 300 lbs</li> </ul>	ARMLESS         W/ ARMS           WIDTH:         21.5         25.5           DEPTH:         25.0         25.0           HEIGHT:         39.0         39.0           SEAT WIDTH:         19.5         19.5           SEAT DEPTH:         17.0         17.0           SEAT DEPTH:         24.0         14.0           BACK WIDTH:         20.0         20.0           BACK HEIGHT:         16.0         16.0           COM:         0.8 VDS         0.8 VDS           WEIGHT:         24.5 LB         27.5 LB	A18B A18G \$45 Soft Touch Polyurethane Arms - Black or Gray Color
1210	ST27	27" STOOL Plastic back with upholstered seat. Use for work surfaces up to 36 inches high.		ARMLESS A18B A18G	A/COM 440 485 485	B 465 510 510	C 485 530 530	D 510 555 555	E 540 585 585	<b>F</b> 575 620 620	G 610 655 655		<ul> <li>Non-Marring Floor Glides</li> <li>Foot rest</li> <li>Rated for 300 lbs</li> </ul>	WIDTH:         21.5         25.5           DEPTH:         25.0         25.0           HEIGHT:         42.0         42.0           SEAT WIDTH:         19.5         19.5           SEAT DEPTH:         17.0         17.0           SEAT HEIGHT:         27.0         17.0           BACK WIDTH:         20.0         20.0           BACK HEIGHT:         16.0         16.0           COM:         0.8 YDS         0.8 YDS           WEIGHT:         25.0 LB         28.0 LB	ADDITIONAL OPTIONS
1210	ST30	<b>30" STOOL</b> Plastic back with upholstered seat. Use for work surfaces up to 42 inches high.		ARMLESS A18B A18G	A/COM 460 505 505	B 485 530 530	C 505 550 550	D 530 575 575	E 560 605 605	<b>F</b> 595 640 640	6 630 675 675		<ul> <li>Non-Marring Floor Glides</li> <li>Foot rest</li> <li>Rated for 300 lbs</li> </ul>	WIDTH:         21.5         25.5           DEPTH:         25.0         25.0           HEIGHT:         45.0         45.0           SEAT WIDTH:         19.5         19.5           SEAT DEPTH:         17.0         17.0           SEAT HEIGHT:         30.0         30.0           BACK WIDTH:         20.0         20.0           BACK HEIGHT:         16.0         16.0           COM:         0.8 YDS         0.8 YDS           WEIGHT:         25.5 LB         28.5 LB	Self-Leveling Metal Glide 4 per set Not Available on ST30 Stool, 1215 and 1265 models Self-Leveling VCT Glide 4 per set Not Available on ST30 Stool, 1215 and 1265 models Self-Leveling Felt Glide 4 per set Not Available on ST30 Stool, 1215 and 1265 models Self-Leveling Felt Glide 4 per set Not Available on ST30 Stool, 1215 and 1265 models Self-Leveling Felt Glide 4 per set Not Available on ST30 Stool, 1215 and 1265 models Self-Leveling Felt Glide 4 per set Not Available on ST30 Stool, Self-Leveling Felt Glide 4 per set Not Available on ST30 Stool, Self-Leveling Felt Glide 4 per set Not Available on ST30 Stool, MF1 - 1" Extra Foam on Seat MF1 - 1" Visco Elastic Memory Foam on Seat
															BLACK     CLASSIC       BLACK     CLASSIC       BLACK     CLASSIC     CORAL     SUNBONNET       Yellow     P01     P02     P03     P04       WHITE     BOULDER     DOVER     ESSEX       WHISPER     GRAY     SKY     BLUE       P05     P06     P07     P08       PALE WATER     CINNABAR     FEDERAL     BLUE       P09     P10     P11     P11



**NOTE:** Due to the nature of vinyl upholstery, stacking may cause impressions on the seat. 9to5 Seating does not warrant the effects of the stacking on vinyl upholstery.





shuttle





CAUTION: Careless stacking of chairs may scratch and damage frames. 9to5 Seating does not warrant scratched frames of stacking chairs.





#### ACCESSORIES



Ganging Clip - 2 per set GC1 - Armless-to-Armless GC2 - Arm-to-Arm

## **UPHOLSTERED SEAT - US**

#### GSA SIN # 711-19

- Seat and back styles include: all plastic, upholstered seat w/ plastic back or fully upholstered seat and back
- Bariatric, stools and tablet models available
- 11 plastic colors, 6 frame finishes
- Wall saver design on model 1210 and 1260 Warranted up to 300 lbs
- CAL TB 133 Fire Code approved





MESH COLO	RS
BLACK - M11	GREEN - M14
GRAY - M12	RED - M15
SILVER - M13	BLUE - M16

E	RAME COL	ORS		\ \	PACKAG	ING NOTES	
	BLACK	SILVER	METALLIC BROWN*		CODE	DESCRIPTION	LIST UPCHARGE
-	BF		SF MBF		AB	ASSEMBLED IN BAG FOR WILL CALL	\$0
	GUNMETAL* GMF	DOVER GRAY	WF		AC	ASSEMBLED IN CARTON	\$0
				) (	SHUTTLE SID	E CHAIRS SHIP UP TO 3 PER CARTON	)

MODEL	CONTROL	DESCRIPTION	MESH	ARM	FABRIC							FEATURES	DIMENSIONS	ARM OPTIONS
NEW MODEL 1260	ST24	24" STOOL Mesh back with upholstered seat. Use for work surfaces up to 34 inches high.	M1 M1 M2/M3 M2/M3 M2/M3	ARMLESS A18B A18G ARMLESS A18B A18G	A/COM 505 550 535 535 580 580	530 575 575 560 605 605	C 550 595 595 580 625 625	D 575 620 620 605 650 650	E 605 650 635 680 680	F 640 685 685 670 715 715	G 675 720 720 705 750 750	<ul> <li>Non-Marring Floor Glide</li> <li>Foot rest</li> <li>Rated for 300 lbs</li> </ul>	ARMLESS         W/ ARM           WIDTH:         21.5         25.5           DEPTH:         25.0         25.0           HEIGHT:         39.0         39.0           SEAT WIDTH:         19.5         19.5           SEAT DEPTH:         17.0         17.0           SEAT HEIGHT:         27.0         17.0           BACK WIDTH:         20.0         20.0           BACK HEIGHT:         16.0         16.0           COM:         0.8 YDS         0.8 YDS           WEIGHT:         24.5 LB         27.5 LE	A188 A186 \$45 Soft Touch Polyurethane Arms - Black or Gray Color
1260	ST27	27" STOOL Mesh back with upholstered seat. Use for work surfaces up to 36 inches high.	M1 M1 M1 M2/M3 M2/M3 M2/M3	ARMLESS A18B A18G ARMLESS A18B A18G	A/COM 505 550 550 535 580 580	B           530           575           575           560           605           605	C 550 595 595 580 625 625	D 575 620 620 605 650 650 850	E 605 650 650 635 680 680	F 640 685 685 670 715 715	6 675 720 720 705 750 750	<ul> <li>Non-Marring Floor Glide</li> <li>Foot rest</li> <li>Rated for 300 lbs</li> </ul>		ADDITIONAL OPTIONS
1260	ST30	<b>30" STOOL</b> Mesh back with upholstered seat. Use for work surfaces up to 42 inches high.	M1 M1 M2/M3 M2/M3 M2/M3	ARMLESS A18B A18G ARMLESS A18B A18G	A/COM 525 570 570 555 600 600	B           550           595           595           595           580           625           625	C 570 615 600 645 645	D 595 640 640 625 670 670 8BLE IN M1,	E 625 670 670 655 700 700	F 660 705 705 690 735 735	<b>G</b> 695 740 725 770 770	<ul> <li>Non-Marring Floor Glide</li> <li>Foot rest</li> <li>Rated for 300 lbs</li> </ul>	WIDTH:         21.5         25.5           DEPTH:         25.0         25.0           HEIGHT:         45.0         45.0           SEAT WIDTH:         19.5         19.5           SEAT DEPTH:         17.0         17.0           SEAT HEIGHT:         30.0         30.0           BACK WIDTH:         20.0         20.0           BACK HEIGHT:         16.0         16.0           COM:         0.8 YDS         0.8 YDS           WEIGHT:         25.5 LB         28.5 LE	\$20 Self-Leveling Metal Glide 4 per set Not Available on ST30 Stool, 1215 and 1265 models
														Non-Node Sition, Methody Foundor Stat       1215 and 1265 models       PLASTIC COLORS       BLACK     CLASSIC     CORAL     SUNBONNET       SWAN     BURGUNDY     RED     YELLOW       P01     P02     P03     P04       WHITE     BOULDER     DOVER     ESSEX       WHISPER     GRAY     SKY     BLUE       P05     P06     P07     P08       PALE WATER     CINNABAR     FEDERAL       GREEN     ORANGE     BLUE       P09     P10     P11

**NOTE:** Due to the nature of vinyl upholstery, stacking may cause impressions on the seat. 9to5 Seating does not warrant the effects of the stacking on vinyl upholstery.





9005°





CAUTION: Careless stacking of chairs may scratch and damage frames. 9to5 Seating does not warrant scratched frames of stacking chairs.

#### ACCESSORIES



Ganging Clip - 2 per set GC1 - Armless-to-Armless GC2 - Arm-to-Arm



## **FULLY UPHOLSTERED - UP**

#### GSA SIN # 711-19

- Seat and back styles include: all plastic, upholstered seat w/ plastic back or fully upholstered seat and back
- Bariatric, stools and tablet models available
- 11 plastic colors, 6 frame finishes • Wall saver design on model 1210 and 1260
- Warranted up to 300 lbs
- CAL TB 133 Fire Code approved
- Three Seat Height Choices



## **CREATING SHUTTLE MODEL NUMBER** MODEL NUMBER CONTROL ARMS FRAME COLOR UPHOLSTERY GRADE

FRAME COL	.ORS		· ·	PACKAG	ING NOTES	
BLACK	SILVER	METALLIC BROWN*		CODE	DESCRIPTION	LIST UPCHARGE
		MBF		AB	ASSEMBLED IN BAG FOR WILL CALL	\$0
GUNMETAL* GMF	DOVER GRAY* DGF	WHITE* WF		AC	ASSEMBLED IN CARTON	\$0
			,		DE CHAIRS SHIP UP TO 3 PER CARTON	

STA       24" STOCL       APRUES       APRUES       APRUES       APRUES       1       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0	124     21° STOL     1     Annue     1     C     0     6     7     0     1     1     1     1     1     1     1     1     1     1     1     1     1     1     1     1     1     1     1     1     1     1     1     1     1     1     1     1     1     1     1     1     1     1     1     1     1     1     1     1     1     1     1     1     1     1     1     1     1     1     1     1     1     1     1     1     1     1     1     1     1     1     1     1     1     1     1     1     1     1     1     1     1     1     1     1     1     1     1     1     1     1     1     1     1     1     1     1     1     1     1     1     1     1     1     1     1     1     1     1     1     1     1     1     1     1     1     1     1     1     1     1     1     1     1     1     1     1     1     1     1     1     1     1     1		TROL DESCRIPTION	MESH	ARM	FABRIC								FEATURES	DIMENSIONS
Str.         Ar STOOL         Ar MEXAS         Area         Stor	Original         24" STOL Image: State S	DEL							[	( _	ſ		I I		ARMLESS W/ ARMS
24" STOOL Index index to 34 and set. Us for work surfaces up to 34 inches high.         Atable Fully upholestered back and set. Us for work surfaces up to 34 inches high.         Atable Atable Fully upholestered back and set. Us for work surfaces up to 34 inches high.         Atable Atable Fully upholestered back and set. Us for work surfaces up to 34 inches high.         Atable Atable Fully upholestered back and set. Us for work surfaces up to 34 inches high.         Atable Atable Fully upholestered back and set. Us for work surfaces up to 34 inches high.         Atable Atable Fully upholestered back and set. Us for work surfaces up to 34 inches high.         Atable Atable Fully upholestered back and set. Us for work surfaces up to 34 inches high.         Atable Atable Fully upholestered back and set. Us for work surfaces up to 34 inches high.         Atable Atable Fully upholestered back and set. Us for work surfaces up to 34 inches high.         Atable Atable Fully upholestered back and set. Us for work surfaces up to 34 inches high.         Atable Fully upholestered back and set. Us for work surfaces up to 34 inches high.         Atable Fully upholestered back and set. Us for work surfaces up to 34 inches high.         Atable Fully upholestered back and set. Us for work surfaces up to 34 inches high.         Atable Fully upholestered back and set. Us for work surfaces up to 34 inches high.         Atable Fully upholestered back and set. Us for work surfaces up to 34 inches high.         Atable Fully upholestered back and set. Us for work surfaces up to 34 inches high.         Atable Fully upholestered back and set. Us for work surfaces up to 34 inches high.         Atable Fully upholestered back and set. Us for work surfaces up to 34 inches high.         Atable Fully upholestered back and set. Us for work surfaces up	24° STOOL Inches high.         24' STOOL Stop         4:38 Arige         5:0         5:0         5:0         5:0         5:0         5:0         5:0         5:0         5:0         5:0         5:0         5:0         5:0         5:0         5:0         5:0         5:0         5:0         5:0         5:0         5:0         5:0         5:0         5:0         5:0         5:0         5:0         5:0         5:0         5:0         5:0         5:0         5:0         5:0         5:0         5:0         5:0         5:0         5:0         5:0         5:0         5:0         5:0         5:0         5:0         5:0         5:0         5:0         5:0         5:0         5:0         5:0	) ST	T24				-								
Arise         500         500         575         615         660         710         765         Arise         Arise         Set wint	A168         A168 <th< td=""><td></td><td>24" STOOI</td><td></td><td>ARMLESS</td><td>465</td><td>505</td><td>530</td><td>570</td><td>615</td><td>665</td><td>720</td><td></td><td></td><td></td></th<>		24" STOOI		ARMLESS	465	505	530	570	615	665	720			
Area         Area         Sea         Area	Albe         Albe         Sto         Sto </td <td>) $D$</td> <td></td> <td></td> <td>A18B</td> <td>510</td> <td>550</td> <td>575</td> <td>615</td> <td>660</td> <td>710</td> <td>765</td> <td></td> <td>Rated from 300 lbs</td> <td></td>	) $D$			A18B	510	550	575	615	660	710	765		Rated from 300 lbs	
Arrow         Solution         Column	Arcon         S         C         C         C         C         C         C         C         C         C         C         C         C         C         C         C         C         C         C         C         C         C         C         C         C         C         C         C         C         C         C         C         C         C         C         C         C         C         C         C         C         C         C         C         C         C         C         C         C         C         C         C         C         C         C         C         C         C         C         C         C         C         C         C         C         C         C         C         C         C         C         C         C         C         C         C         C         C         C         C         C         C         C         C         C         C         C         C         C         C         C         C         C         C         C         C         C         C         C         C         C         C <thc< th="">         C         <thc< th=""> <thc< th=""></thc<></thc<></thc<>		Fully upholstered back		A18G	510	550	575	615	660	710	765			
Surfaces up to 34 inches high.         Surface	\$\$770       27" STOCL       \$\$700 \$\$       \$\$00 \$\$       \$\$00 \$\$       \$\$00 \$\$       \$\$00 \$\$       \$\$00 \$\$       \$\$00 \$\$       \$\$00 \$\$       \$\$00 \$\$       \$\$00 \$\$       \$\$00 \$\$       \$\$00 \$\$       \$\$00 \$\$       \$\$00 \$\$       \$\$00 \$\$       \$\$00 \$\$       \$\$00 \$\$       \$\$00 \$\$       \$\$00 \$\$       \$\$00 \$\$       \$\$00 \$\$       \$\$00 \$\$       \$\$00 \$\$       \$\$00 \$\$       \$\$00 \$\$       \$\$00 \$\$       \$\$00 \$\$       \$\$00 \$\$       \$\$00 \$\$       \$\$00 \$\$       \$\$00 \$\$       \$\$00 \$\$       \$\$00 \$\$       \$\$00 \$\$       \$\$00 \$\$       \$\$00 \$\$       \$\$00 \$\$       \$\$00 \$\$       \$\$00 \$\$       \$\$00 \$\$       \$\$00 \$\$       \$\$00 \$\$       \$\$00 \$\$       \$\$00 \$\$       \$\$00 \$\$       \$\$00 \$\$       \$\$00 \$\$       \$\$00 \$\$       \$\$00 \$\$       \$\$00 \$\$       \$\$00 \$\$       \$\$00 \$\$       \$\$00 \$\$       \$\$00 \$\$       \$\$00 \$\$       \$\$00 \$\$       \$\$00 \$\$       \$\$00 \$\$       \$\$00 \$\$       \$\$00 \$\$       \$\$00 \$\$       \$\$00 \$\$       \$\$00 \$\$       \$\$00 \$\$       \$\$00 \$\$       \$\$00 \$\$       \$\$00 \$\$       \$\$00 \$\$       \$\$00 \$\$       \$\$00 \$\$       \$\$00 \$\$       \$\$00 \$\$       \$\$00 \$\$       \$\$00 \$\$       \$\$00 \$\$       \$\$00 \$\$       \$\$00 \$\$       \$\$00 \$\$       \$\$00 \$\$       \$\$00 \$\$       \$\$00 \$\$       \$\$00 \$\$       \$\$00 \$\$       \$\$00 \$\$       \$\$00 \$\$       \$\$00 \$\$														•
Action         Inches high.	Inches high.       Inches high. <td< td=""><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></td<>														
ST27       ST30	ST27 Image:		inches high.												:
ST27 Indeet Use for work surfaces up to 38 inches high.         27" STOOL Fully upholstend back and seat. Use for work surfaces up to 38 inches high.         ARALE SS ARRES ARRES ARRES ARRES ARRES ARRES ARRES ARRES ARRES ARRES ARRES ARRES ARRES ARRES ARRES ARRES ARRES ARRES ARRES ARRES ARRES ARRES ARRES ARRES ARRES ARRES ARRES ARRES ARRES ARRES ARRES ARRES ARRES ARRES ARRES ARRES ARRES ARRES ARRES ARRES ARRES ARRES ARRES ARRES ARRES ARRES ARRES ARRES ARRES ARRES ARRES ARRES ARRES ARRES ARRES ARRES ARRES ARRES ARRES ARRES ARRES ARRES ARRES ARRES ARRES ARRES ARRES ARRES ARRES ARRES ARRES ARRES ARRES ARRES ARRES ARRES ARRES ARRES ARRES ARRES ARRES ARRES ARRES ARRES ARRES ARRES ARRES ARRES ARRES ARRES ARRES ARRES ARRES ARRES ARRES ARRES ARRES ARRES ARRES ARRES ARRES ARRES ARRES ARRES ARRES ARRES ARRES ARRES ARRES ARRES ARRES ARRES ARRES ARRES ARRES ARRES ARRES ARRES ARRES ARRES ARRES ARRES ARRES ARRES ARRES ARRES ARRES ARRES ARRES ARRES ARRES ARRES ARRES ARRES ARRES ARRES ARRES ARRES ARRES ARRES ARRES ARRES ARRES ARRES ARRES ARRES ARRES ARRES ARRES ARRES ARRES ARRES ARRES ARRES ARRES ARRES ARRES ARRES ARRES ARRES ARRES ARRES ARRES ARRES ARRES ARRES ARRES ARRES ARRES ARRES ARRES ARRES ARRES ARRES ARRES ARRES ARRES ARRES ARRES ARRES ARRES ARRES ARRES ARRES ARRES ARRES ARRES ARRES ARRES ARRES ARRES ARRES ARRES ARRES ARRES ARRES ARRES ARRES ARRES ARRES ARRES ARRES ARRES ARRES ARRES ARRES ARRES ARRES ARRES ARRES ARRES ARRES ARRES ARRES ARRES ARRES ARRES ARRES ARRES ARRES ARRES ARRES ARRES ARRES ARRES ARRES ARRES ARRES ARRES ARRES ARRES ARRES ARRES ARRES ARRES ARRES ARRES ARRES ARRES ARRES ARRES ARRES ARRES ARRES ARRES ARRES ARRES ARRES ARRES ARRES ARRES ARRES ARRES ARRES ARRES ARRES ARRES ARRES ARRES ARRES ARRES ARRES ARRES ARRES ARRES ARRES ARRES ARRES ARRES ARRES ARRES ARRES ARRES ARRES ARRES ARRES ARRES ARRES ARRES ARRES ARRES ARRES ARRES ARRES ARRES ARRES ARRES ARRES ARRES ARRES ARRES ARRES ARRES ARRES ARRES ARRES ARRES ARRES ARRES ARRES ARRES ARRES ARRES ARRES ARRES ARRES AR	V       V       V       V       V       V       V       V       V       V       V       V       V       V       V       V       V       V       V       V       V       V       V       V       V       V       V       V       V       V       V       V       V       V       V       V       V       V       V       V       V       V       V       V       V       V       V       V       V       V       V       V       V       V       V       V       V       V       V       V       V       V       V       V       V       V       V       V       V       V       V       V       V       V       V       V       V       V       V       V       V       V       V       V       V       V       V       V       V       V       V       V       V       V       V       V       V       V       V       V       V       V       V       V       V       V       V       V       V       V       V       V       V       V       V       V       V       V       V														· · · · · · · · · · · · · · · · · · ·
Start         Start         Start         Andlese in the set of the set	Start         Note-Add arring Floor Glides         Note-Marring Floor	ĮĮ	Ų												•
S127         27" STOOL         ABMLESS A188         ACOM         B         C         D         E         F         G         C         D         E         F other at the the the the the the the the the th	S127         27" STOOL         ABMLESS A188         ABMLESS A188         ABMLESS A186         ACOM         A         C         C         C         C         C         C         C         C         C         C         C         C         C         C         C         C         C         C         C         C         C         C         C         C         C         C         C         C         C         C         C         C         C         C         C         C         C         C         C         C         C         C         C         C        C <th< td=""><td></td><td></td><td>: :</td><td></td><td>NOTE: ALL</td><td>MESH ST</td><td>YLE AVAIL</td><td>ABLE IN M1</td><td>1, M2 AND</td><td>M3</td><td></td><td></td><td></td><td></td></th<>			: :		NOTE: ALL	MESH ST	YLE AVAIL	ABLE IN M1	1, M2 AND	M3				
ArMuless	Size         Problem         Size         ABMLESS         ABML	07				A/COM	в	c	D	F	F	G	(	Non-Marring Floor Glides	<b>WIDTH:</b> 21.5 25.5
Y STOOL       A188       510       500       575       615       660       710       765       765       770       765       770       770       770       770       770       770       770       770       770       770       770       770       770       770       770       770       770       770       770       770       770       770       770       770       770       770       770       770       770       770       770       770       770       770       770       770       770       770       770       770       770       770       770       770       770       770       770       770       770       770       770       770       770       770       770       770       770       770       770       770       770       770       770       770       770       770       770       770       770       770       770       770       770       770       770       770       770       770       770       770       770       770       770       770       770       770       770       770       770       770       770       770       770       770	27" STOOL       Fully upholstered back and seat. Use for work suices work 300 lbs       A188       50       50       50       575       615       660       710       765       615       660       710       765       615       660       710       765       615       660       710       765       615       660       710       765       615       660       710       765       615       660       710       765       615       660       710       765       615       660       710       765       615       660       710       765       615       660       710       765       615       660       710       765       615       660       710       765       615       660       710       765       615       660       710       765       615       660       710       765       615       660       710       765       615       660       710       765       615       660       710       765       615       600       710       765       615       600       710       765       615       600       710       765       615       600       710       765       615       600       700       700	) ST	27				-	-							<b>DEPTH:</b> 25.0 25.0
Fully upholstered back and seat. Use for work surfaces up to 36 inches high.       A188       510       550       575       615       660       710       765       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0       0<	A188         510         550         575         615         660         710         765         615         660         710         765         615         660         710         765         615         660         710         765         615         660         710         765         615         660         710         765         615         660         710         765         615         660         710         765         615         660         710         765         615         660         710         765         615         660         710         765         615         660         710         765         615         660         710         765         615         660         710         765         615         660         710         765         616         616         616         616         616         616         616         616         616         616         616         616         616         616         616         616         616         616         616         616         616         616         616         616         616         616         616         616         616         616         616         616         616 <td></td> <td>27" STOOL</td> <td></td> <td>Rated from 300 lbs</td> <td><b>HEIGHT:</b> 42.0 42.0</td>		27" STOOL											Rated from 300 lbs	<b>HEIGHT:</b> 42.0 42.0
ST30       30" STOOL       ARMLESS inches high.       ARMLESS A188 A186       ARMLESS A188 A186       ARMLESS A186	State       And seat. Use for work surfaces up to 36 inches high.       And seat. Use for work surfaces up to 36 inches high.       And seat. Use for work surfaces up to 36 inches high.       And seat. Use for work surfaces up to 36 inches high.       And seat. Use for work surfaces up to 36 inches high.       And seat. Use for work surfaces up to 36 inches high.       And seat. Use for work surfaces up to 42 inches high.       And seat. Use for work surfaces up to 42 inches high.       And seat. Use for work surfaces up to 42 inches high.       And seat. Use for work surfaces up to 42 inches high.       And seat. Use for work surfaces up to 42 inches high.       And seat. Use for work surfaces up to 42 inches high.       And seat. Use for work surfaces up to 42 inches high.       And seat. Use for work surfaces up to 42 inches high.       And seat. Use for work surfaces up to 42 inches high.       And seat. Use for work surfaces up to 42 inches high.       And seat. Use for work surfaces up to 42 inches high.       And seat. Use for work surfaces up to 42 inches high.       And seat. Use for work surfaces up to 42 inches high.       And seat. Use for work surfaces up to 42 inches high.       And seat. Use for work surfaces up to 42 inches high.       And seat. Use for work surfaces up to 42 inches high.       And seat. Use for work surfaces up to 42 inches high.       And seat. Use for work surfaces up to 42 inches high.       And seat. Use for work surfaces up to 42 inches high.       And seat. Use for work surfaces up to 42 inches high.       And seat. Use for work surfaces up to 42 inches high.       And seat. Use for work surfaces up to 42 inches high.       And seat. Use for work surfaces up to 42 inches high.				A18B	510	550	575	615	660	710	765			SEAT WIDTH: 19.5 19.5
Surfaces up to 36 inches high.	Straces up to 36 inches high.         surfaces up to 36 inches high.         surface up t		Fully upholstered back		A18G	510	550	575	615	660	710	765			SEAT DEPTH: 17.0 17.0
ST30       STOCL       STANDI       SAME	Inches high.       Inches high. <th< td=""><td></td><td>and seat. Use for work</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>SEAT HEIGHT: 27.0 27.0</td></th<>		and seat. Use for work												SEAT HEIGHT: 27.0 27.0
STOCE       STOCE       ARMLESS And seat. Use for work surfaces up to 42 inches high.       ARMLESS And Back       ARMLESS	ST30       STOOL       ARMLESS		surfaces up to 36												BACK WIDTH: 20.0 20.0
ST30       SO" STOOL       RAMLESS       ARMLESS       SS       SS <t< td=""><td>ST30       ST30       ST30       ST30       ARMLESS and seat. Use for work surfaces up to 42 inches high.       ARMLESS and seat. Use for work surfaces up to 42       ARMLESS to 450       ARMLESS to 450</td><td></td><td>inches high.</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>BACK HEIGHT: 16.0 16.0</td></t<>	ST30       ST30       ST30       ST30       ARMLESS and seat. Use for work surfaces up to 42 inches high.       ARMLESS and seat. Use for work surfaces up to 42       ARMLESS to 450		inches high.												BACK HEIGHT: 16.0 16.0
ST30       ST30       STOOL       ARMLESS       ARMLESS       ARMLESS       ARMLESS       A188       A186       S50       S70       S50       G60       740       G       Foot rest       Foot rest       Betting floor Glides       Betl	ST30       ST30       STOOL       ARMLESS       ARMLESS       S55       550       590       635       665       740       S       S       Source       Seat with the se														COM: 1.2 YDS 1.2 YDS
ST30       ARMLESS       ARMLESS       ARMLESS       ARMLESS       ARMLESS       S50       S50       S50       685       740       Image: State St	ST30       ARMLESS       ARMLESS       ARMLESS       ARMLESS       So'' STOOL       ARMLESS       ARMLESS       ARMLESS       ARMLESS<	Û Û	Ų												WEIGHT: 26.0 LB 29.0 LB
S130       ARMLESS	S130       ARMLESS       ARMLESS       ARMLESS       ARMLESS       525       550       590       635       685       740       6       6       Floor		:	: :		• NOTE: ALL	MESH ST	YLE AVAIL	ABLE IN M1	1, M2 AND	М3				:
S130       ARMLESS	Si30         ARMLESS         ARMLESS         ARMLESS         Si30         C         C         C         C         Foot rest         Foot rest         DEPTH         2.0         2.0           More Foot rest         A0" STOOL         ARMLESS         ARMLESS         520         550         590         635         685         740         A         A         A         A         A         A         A         A         A         A         A         A         A         A         A         A         A         A         A         A         A         A         A         A         A         A         A         A         A         A         A         A         A         A         A         A         A         A         A         A         A         A         A         A         A         A         A         A         A         A         A         A         A         A         A         A         A         A         A         A         A         A         A         A         A         A         A         A         A         A         A         A         A         A         A         A         A														
Normal Street       Sormal Street       A188       Sormal Street	30° STOOL       A188       A188       530       570       595       635       680       730       785       6       6       6       6       6       6       6       6       6       6       6       6       6       6       6       6       6       6       6       6       6       6       6       6       6       6       6       6       6       6       6       6       6       6       6       6       6       6       6       6       6       6       6       6       6       6       6       6       6       6       6       6       6       6       6       6       6       6       6       6       6       6       6       6       6       6       6       6       6       6       6       6       6       6       6       6       6       6       6       6       6       6       6       6       6       6       6       6       6       6       6       6       6       6       6       6       6       6       6       6       6       6       6       6       6       6       6 <t< td=""><td>07</td><td></td><td></td><td></td><td>A/COM</td><td>B</td><td>c</td><td>n</td><td>F</td><td>F</td><td>G</td><td>[ [</td><td>Non-Marring Floor Glides</td><td><b>WIDTH:</b> 21.5 25.5</td></t<>	07				A/COM	B	c	n	F	F	G	[ [	Non-Marring Floor Glides	<b>WIDTH:</b> 21.5 25.5
A18B       530       570       595       635       680       730       785       595       595       19.5         Fully upholstered back and seat. Use for work surfaces up to 42 inches high.       148G       530       570       595       635       680       730       785       505       584       19.5         Image: Marked back and seat. Use for work surfaces up to 42 inches high.       148G       530       570       595       635       680       730       785       505       505       584       19.5         Image: Marked back and seat. Use for work surfaces up to 42       148G       530       570       595       635       680       730       785       505       505       505       505       505       505       505       505       505       505       505       505       505       505       505       505       505       505       505       505       505       505       505       505       505       505       505       505       505       505       505       505       505       505       505       505       505       505       505       505       505       505       505       505       505       505       505       505 </td <td>A188       530       570       595       635       680       730       785         Fully upholstered back and seat. Use for work surfaces up to 42 inches high.       A186       530       570       595       635       680       730       785       Image: Comparison of the compari</td> <td>ST</td> <td>r30</td> <td></td> <td>10111 500</td> <td></td>	A188       530       570       595       635       680       730       785         Fully upholstered back and seat. Use for work surfaces up to 42 inches high.       A186       530       570       595       635       680       730       785       Image: Comparison of the compari	ST	r30		10111 500										
And seat. Use for work       and seat. Use for work         surfaces up to 42       inches high.         inches high.       Image: Comparison of the compa	SEAT HEIGHT:       30.0         SEAT HEIGHT:       30.0         SEAT HEIGHT:       30.0         BACK WIDTH:       20.0         BACK HEIGHT:       16.0         COM:       1.2 YDS         WEIGHT:       26.0 LB         WEIGHT:       26.0 LB	ST				485	525	550	590	635	685	740		Foot rest	<b>DEPTH:</b> 25.0 25.0
and seat. Use for work surfaces up to 42 inches high.       and seat. Use for work surfaces up to 42 inches high.       and seat. Use for work surfaces up to 42 inches high.       and seat. Use for work surfaces up to 42 inches high.       and seat. Use for work surfaces up to 42 inches high.       and seat. Use for work surfaces up to 42 inches high.       and seat. Use for work surfaces up to 42 inches high.       and seat. Use for work surfaces up to 42 inches high.       and seat. Use for work surfaces up to 42 inches high.       and seat. Use for work surfaces up to 42 inches high.       and seat. Use for work surfaces up to 42 inches high.       and seat. Use for work surfaces up to 42 inches high.       and seat. Use for work surfaces up to 42 inches high.       and seat. Use for work surfaces up to 42 inches high.       and seat. Use for work surfaces up to 42 inches high.       and seat. Use for work surfaces up to 42 inches high.       and seat. Use for work surfaces up to 42 inches high.       and seat. Use for work surfaces up to 42 inches high.       and seat. Use for work surfaces up to 42 inches high.       and seat. Use for work surfaces up to 42 inches high.       and seat. Use for work surfaces up to 42 inches high.       and seat. Use for work surfaces up to 42 inches high.       and seat. Use for work surfaces up to 42 inches high.       and seat. Use for work surfaces up to 42 inches high.       and seat. Use for work surfaces up to 42 inches high.       and seat. Use for work surfaces up to 42 inches high.       and seat. Use for work surfaces up to 42 inches high.       and seat. Use for work surfaces up to 42 inches high.       and seat. Use for 42 inches high.       and seat. Use for work surfaces up	and seat. Use for work surfaces up to 42 inches high.       and seat. Use for work surfaces up to 42 inches high.       and seat. Use for work surfaces up to 42 inches high.       and seat. Use for work surfaces up to 42 inches high.       and seat. Use for work surfaces up to 42 inches high.       and seat. Use for work surfaces up to 42 inches high.       and seat. Use for work surfaces up to 42 inches high.       and seat. Use for work surfaces up to 42 inches high.       and seat. Use for work surfaces up to 42 inches high.       and seat. Use for work surfaces up to 42 inches high.       and seat. Use for work surfaces up to 42 inches high.       and seat. Use for work surfaces up to 42 inches high.       and seat. Use for work surfaces up to 42 inches high.       and seat. Use for work surfaces up to 42 inches high.       and seat. Use for work surfaces up to 42 inches high.       and seat. Use for work surfaces up to 42 inches high.       and seat. Use for work surfaces up to 42 inches high.       and seat. Use for work surfaces up to 42 inches high.       and seat. Use for work surfaces up to 42 inches high.       and seat. Use for work surfaces up to 42 inches high.       and seat. Use for work surfaces up to 42 inches high.       and seat. Use for work surfaces up to 42 inches high.       and seat. Use for work surfaces up to 42 inches high.       and seat. Use for work surfaces up to 42 inches high.       and seat. Use for work surfaces up to 42 inches high.       and seat. Use for work surfaces up to 42 inches high.       and seat. Use	ST				485	525	550	590	635	685	740		Foot rest	<b>DEPTH:</b> 25.0 25.0 <b>HEIGHT:</b> 45.0 45.0
surfaces up to 42       inches high.	surfaces up to 42 inches high.       inches hi	ST	30" STOOL		A18B	485 530	525 570	550 595	590 635	635 680	685 730	740 785		Foot rest	DEPTH:         25.0         25.0           HEIGHT:         45.0         45.0           SEAT WIDTH:         19.5         19.5
COM:       1.2 YDS       1.2 YDS       1.2 YDS         WEIGHT:       26.0 LB       29.0 LB	COM: 1.2 YDS 1.2 YDS WEIGHT: 26.0 LB 29.0 LB	ST	30" STOOL Fully upholstered back		A18B	485 530	525 570	550 595	590 635	635 680	685 730	740 785		Foot rest	DEPTH:         25.0         25.0           HEIGHT:         45.0         45.0           SEAT WIDTH:         19.5         19.5           SEAT DEPTH:         17.0         17.0
WEIGHT: 26.0 LB 29.0 LB	WEIGHT: 26.0 LB 29.0 LB	ST	30" STOOL Fully upholstered back and seat. Use for work		A18B	485 530	525 570	550 595	590 635	635 680	685 730	740 785		Foot rest	DEPTH:         25.0         25.0           HEIGHT:         45.0         45.0           SEAT WIDTH:         19.5         19.5           SEAT DEPTH:         17.0         17.0           SEAT HEIGHT:         30.0         30.0
		ST	30" STOOL Fully upholstered back and seat. Use for work surfaces up to 42		A18B	485 530	525 570	550 595	590 635	635 680	685 730	740 785		Foot rest	DEPTH:         25.0         25.0           HEIGHT:         45.0         45.0           SEAT WIDTH:         19.5         19.5           SEAT DEPTH:         17.0         17.0           SEAT HEIGHT:         30.0         30.0           BACK WIDTH:         20.0         20.0
:     :     NOTE: ALL MESH STYLE AVAILABLE IN M1, M2 AND M3     :	:     :     :     NOTE: ALL MESH STYLE AVAILABLE IN M1, M2 AND M3     :	ST	30" STOOL Fully upholstered back and seat. Use for work surfaces up to 42		A18B	485 530	525 570	550 595	590 635	635 680	685 730	740 785		Foot rest	DEPTH:         25.0         25.0           HEIGHT:         45.0         45.0           SEAT WIDTH:         19.5         19.5           SEAT DEPTH:         17.0         17.0           SEAT HEIGHT:         30.0         30.0           BACK WIDTH:         20.0         20.0           BACK HEIGHT:         16.0         16.0
		o st	30" STOOL Fully upholstered back and seat. Use for work surfaces up to 42		A18B	485 530 530	525 570 570	550 595 595	590 635 635	635 680 680	685 730 730	740 785		Foot rest	DEPTH:         25.0         25.0           HEIGHT:         45.0         45.0           SEAT WIDTH:         19.5         19.5           SEAT DEPTH:         17.0         17.0           SEAT HEIGHT:         30.0         30.0           BACK WIDTH:         20.0         20.0           BACK HEIGHT:         16.0         16.0           COM:         1.2 YDS         1.2 YDS
		ST	30" STOOL Fully upholstered back and seat. Use for work surfaces up to 42		A18B	485 530 530	525 570 570	550 595 595	590 635 635	635 680 680	685 730 730	740 785		Foot rest	DEPTH:         25.0         25.0           HEIGHT:         45.0         45.0           SEAT WIDTH:         19.5         19.5           SEAT DEPTH:         17.0         17.0           SEAT HEIGHT:         30.0         30.0           BACK WIDTH:         20.0         20.0           BACK HEIGHT:         16.0         16.0           COM:         1.2 YDS         1.2 YDS
		ST	30" STOOL Fully upholstered back and seat. Use for work surfaces up to 42		A18B	485 530 530	525 570 570	550 595 595	590 635 635	635 680 680	685 730 730	740 785		Foot rest	DEPTH:         25.0         25.0           HEIGHT:         45.0         45.0           SEAT WIDTH:         19.5         19.5           SEAT DEPTH:         17.0         17.0           SEAT HEIGHT:         30.0         30.0           BACK WIDTH:         20.0         20.0           BACK HEIGHT:         16.0         16.0           COM:         1.2 YDS         1.2 YDS
		ST	30" STOOL Fully upholstered back and seat. Use for work surfaces up to 42		A18B	485 530 530	525 570 570	550 595 595	590 635 635	635 680 680	685 730 730	740 785		Foot rest	DEPTH:         25.0         25.0           HEIGHT:         45.0         45.0           SEAT WIDTH:         19.5         19.5           SEAT DEPTH:         17.0         17.0           SEAT HEIGHT:         30.0         30.0           BACK WIDTH:         20.0         20.0           BACK HEIGHT:         16.0         16.0           COM:         1.2 YDS         1.2 YDS
		ST	30" STOOL Fully upholstered back and seat. Use for work surfaces up to 42		A18B	485 530 530	525 570 570	550 595 595	590 635 635	635 680 680	685 730 730	740 785		Foot rest	DEPTH:         25.0         25.0           HEIGHT:         45.0         45.0           SEAT WIDTH:         19.5         19.5           SEAT DEPTH:         17.0         17.0           SEAT HEIGHT:         30.0         30.0           BACK WIDTH:         20.0         20.0           BACK HEIGHT:         16.0         16.0           COM:         1.2 YDS         1.2 YDS
		ST	30" STOOL Fully upholstered back and seat. Use for work surfaces up to 42		A18B	485 530 530	525 570 570	550 595 595	590 635 635	635 680 680	685 730 730	740 785		Foot rest	DEPTH:         25.0         25.0           HEIGHT:         45.0         45.0           SEAT WIDTH:         19.5         19.5           SEAT DEPTH:         17.0         17.0           SEAT HEIGHT:         30.0         30.0           BACK WIDTH:         20.0         20.0           BACK HEIGHT:         16.0         16.0           COM:         1.2 YDS         1.2 YDS
		ST	30" STOOL Fully upholstered back and seat. Use for work surfaces up to 42		A18B	485 530 530	525 570 570	550 595 595	590 635 635	635 680 680	685 730 730	740 785		Foot rest	DEPTH:         25.0         25.0           HEIGHT:         45.0         45.0           SEAT WIDTH:         19.5         19.5           SEAT DEPTH:         17.0         17.0           SEAT HEIGHT:         30.0         30.0           BACK WIDTH:         20.0         20.0           BACK HEIGHT:         16.0         16.0           COM:         1.2 YDS         1.2 YDS
		ST	30" STOOL Fully upholstered back and seat. Use for work surfaces up to 42		A18B	485 530 530	525 570 570	550 595 595	590 635 635	635 680 680	685 730 730	740 785		Foot rest	DEPTH:         25.0         25.0           HEIGHT:         45.0         45.0           SEAT WIDTH:         19.5         19.5           SEAT DEPTH:         17.0         17.0           SEAT HEIGHT:         30.0         30.0           BACK WIDTH:         20.0         20.0           BACK HEIGHT:         16.0         16.0           COM:         1.2 YDS         1.2 YDS
		ST	30" STOOL Fully upholstered back and seat. Use for work surfaces up to 42		A18B	485 530 530	525 570 570	550 595 595	590 635 635	635 680 680	685 730 730	740 785		Foot rest	DEPTH:         25.0         25.0           HEIGHT:         45.0         45.0           SEAT WIDTH:         19.5         19.5           SEAT DEPTH:         17.0         17.0           SEAT HEIGHT:         30.0         30.0           BACK WIDTH:         20.0         20.0           BACK HEIGHT:         16.0         16.0           COM:         1.2 YDS         1.2 YDS

**NOTE:** Due to the nature of vinyl upholstery, stacking may cause impressions on the seat. 9to5 Seating does not warrant the effects of the stacking on vinyl upholstery.

#### **ARM OPTIONS**



Soft Touch Polyurethane Arms - Black or Gray Color



shuttle

#### ADDITIONAL OPTIONS



Self-Leveling Metal Glide 4 per set Not Available on ST30 Stool, Not Available on ST30 Stool,



Self-Leveling Felt Glide 4 per set Not Available on ST30 Stool, Memory Foam on Seat 1215 and 1265 models



Black Ballistic Nylon Back BN1 w/ Grad A Fabrics BN2 w/ Grade B and Up



Self-Leveling VCT Glide 4 per set

1215 and 1265 models



EF1 - 1" Extra Foam on Seat MF1 - 1" Visco Elastic

#### ACCESSORIES



Ganging Clip - 2 per set GC1 - Armless-to-Armless GC2 - Arm-to-Arm

CAUTION: Careless stacking of chairs may scratch and damage frames. 9to5 Seating does not warrant scratched frames of stacking chairs.

## **ALL PLASTIC - AP**

#### GSA SIN # 711-19

- Seat and back styles include: all plastic, upholstered seat w/ plastic back or fully upholstered seat and back
- 11 plastic colors, 6 frame finishes
- Wall saver design on model 1210 and 1260
- Warranted up to 300 lbs
- CAL TB 133 Fire Code approved





BLACK	SILVER	METALLIC BROWN*	CODE	DESCRIPTION	LIST UPCHARGE
BF	SF	MBF	AB	ASSEMBLED IN BAG FOR WILL CALL	\$0
GUNMETAL* GMF	DOVER GRAY* DGF	WHITE* WF	AC	ASSEMBLED IN CARTON	\$0

MODEL	CONTROL	DESCRIPTION	MESH	ARM	PLASTIC		FEATURES	DIMENSIONS	ARM OPTIONS
1230	GT	<b>GUEST</b> Plastic back with plastic seat.		ARMLESS A18B A18G	P 345 390 390	Image: select	<ul> <li>Non-Marring Floor Glides</li> <li>Wall Saver Back Legs</li> <li>Rated for 300 lbs</li> </ul>	ARMLESS         W/ ARMS           WIDTH:         21.5         25.5           DEPTH:         25.0         25.0           HEIGHT:         33.0         33.0           SEAT WIDTH:         19.5         19.5           SEAT DEPTH:         17.0         17.0           SEAT HEIGHT:         17.0         17.0           BACK WIDTH:         20.0         20.0           BACK HEIGHT:         16.0         16.0           WEIGHT:         21.0 LB         24.0 LB	A186 A186 Soft Touch Polyurethane Arms - Black or Gray Color Black Laminate. Available with Black Frame only Not Stackable with Tablet
1280	GT	<b>GUEST</b> Mesh back with plastic seat.	M1 M1 M2/M3 M2/M3 M2/M3	ARMLESS A18B A18G ARMLESS A18B A18B	P 410 435 435 440 465 465 465	ESH STYLE AVAILABLE IN M1, M2 AND M3	<ul> <li>Non-Marring Floor Glides</li> <li>Wall Saver Back Legs</li> <li>Rated for 300 lbs</li> </ul>	WIDTH:         21.5         25.5           DEPTH:         25.0         25.0           HEIGHT:         33.0         33.0           SEAT WIDTH:         19.5         19.5           SEAT DEPTH:         17.0         17.0           SEAT HEIGHT:         17.0         17.0           BACK WIDTH:         20.0         20.0           BACK HEIGHT:         16.0         16.0           WEIGHT:         23.0 LB         26.0 LB	Left Folding Tablet Arm in Black Laminate. Available with Black Frame only "Not Stackable with Tablet ADDITIONAL OPTIONS
									PLASTIC COLORSBLACKCLASSICCORALSUNBONNETSWANBURGUNDYREDYELLOWP01P02P03P04WHITEBOULDERDOVERESSEXWHISPERGRAYSKYBLUEP05P06P07P08PALE WATERCINNABARFEDERALGREENORANGEBLUEP09P10P11









Ganging Clip - 2 per set GC1 - Armless-to-Armless GC2 - Arm-to-Arm

CAUTION: Careless stacking of chairs may scratch and damage frames. 9to5 Seating does not warrant scratched frames of stacking chairs.

shuttle

9005°

## **UPHOLSTERED SEAT - US**

#### GSA SIN # 711-19

- Seat and back styles include: all plastic, upholstered seat w/ plastic back or fully upholstered seat and back
- 11 plastic colors, 6 frame finishes
- Wall saver design on model 1210 and 1260
- Warranted up to 300 lbs
- CAL TB 133 Fire Code approved



#### **CREATING SHUTTLE MODEL NUMBER** FRAME COLOR 12 -GT Α

MESH COLO	RS
BLACK - M11	GREEN - M14
GRAY - M12	RED - M15
SILVER - M13	BLUE - M16

RAME COL	ORS		PACKAG	ING NOTES	
BLACK BF	SILVER	METALLIC BROWN*	CODE	DESCRIPTION	LIST UPCHARGE
			AB	ASSEMBLED IN BAG FOR WILL CALL	\$0
GUNMETAL* GMF	DOVER GRAY* DGF	WHITE* WF	AC	ASSEMBLED IN CARTON	\$0
		·)	SHUTTLE SID	E CHAIRS SHIP UP TO 3 PER CARTON	

MODEL	CONTROL	DESCRIPTION	MESH	ARM	FABRIC							FEATURES	DIMENSIONS	ARM OPTIONS	
1230	GT	<b>GUEST</b> Plastic back with upholstered seat.		A00 A18B A18G TLF TRF	A/COM 410 455 455 560 560	<ul> <li>B</li> <li>435</li> <li>480</li> <li>480</li> <li>585</li> <li>585</li> </ul>	C 455 500 500 605 605	D 480 525 525 630 630	E 510 555 555 660 660	F 545 590 590 695 695	6 580 625 625 730 730	<ul> <li>Non-Marring Floor Glides</li> <li>Wall Saver Back Legs</li> <li>Rated for 300 lbs</li> </ul>	ARMLESS         W/ ARMS           WIDTH:         21.5         25.5           DEPTH:         25.0         25.0           HEIGHT:         33.0         33.0           SEAT WIDTH:         19.5         19.5           SEAT DEPTH:         17.0         17.0           SEAT HEIGHT:         17.0         20.0           BACK WIDTH:         20.0         20.0           BACK HEIGHT:         16.0         16.0           COM:         0.8 VDS         0.8 VDS	A188 A186 \$45 Soft Touch Polyurethane Arms - Black or Gray Color	Right Folding Tablet Arm in Black Laminate. Available with Black Frame only "Not Stackable with Tablet
1280	GT	GUEST	M1 M1	ARMLESS A18B	NOTE: ALL A/COM 475 520	<b>B</b> 500 545	<b>C</b> 520 565	D 545 590	E 575 620	<b>F</b> 610 655	<b>G</b> 645 690	<ul> <li>Non-Marring Floor Glides</li> <li>Wall Saver Back Legs</li> <li>Rated for 300 lbs</li> </ul>	WEIGHT:         21.0 LB         24.0 LB           WIDTH:         21.5         25.5           DEPTH:         25.0         25.0           HEIGHT:         33.0         33.0           SEAT WIDTH:         19.5         19.5	Left Folding Tablet Arm in Black Laminate. Available with Black Frame only	
		Mesh back with upholstered seat.	M1 M2/M3 M2/M3 M2/M3	A18G ARMLESS A18B A18G	520 505 550 550	545 530 575 575	565 550 595 595	590 575 620 620	620 605 650 650	655 640 685 685	690 675 720 720		SEAT DEPTH:         17.0         17.0           SEAT HEIGHT:         17.0         17.0           BACK WIDTH:         20.0         20.0           BACK HEIGHT:         16.0         16.0           COM:         0.8 YDS         0.8 YDS           WEIGHT:         23.0 LB         26.0 LB	*Not Stackable with Tablet ADDITIONAL OPTION EF1 \$30 ME1	S
					NOTE: ALL	MESH ST	YLE AVAILA	BLE IN M1	, <u>M2 AND</u>	M3				FF1 - 1" Extra Foam on Seat MF1 - 1" Visco Elastic Memory Foam on Seat	
														BLACK     CLASSIC       BLACK     BURGUNDY       P01     P02       WHITE     BOULDER       WHISPER     GRAY       P05     P06       PALE WATER     CINNABAR       GREEN     P10       P09     P10	CORAL RED PO3SUNBONNET YELLOW PO4DOVER SKY PO7ESSEX BLUE PO8FEDERAL BLUE P11



**NOTE:** Due to the nature of vinyl upholstery, stacking may cause impressions on the seat. 9to5 Seating does not warrant the effects of the stacking on vinyl upholstery.











Ganging Clip - 2 per set GC1 - Armless-to-Armless GC2 - Arm-to-Arm

CAUTION: Careless stacking of chairs may scratch and damage frames. 9to5 Seating does not warrant scratched frames of stacking chairs.

9005°



## **FULLY UPHOLSTERED - UP**

#### GSA SIN # 711-19

- Seat and back styles include: all plastic, upholstered seat w/ plastic back or fully upholstered seat and back
- Bariatric, stools and tablet models available
- 6 powder coated frame finishes
- Wall saver design on model 1210 and 1260
  - Warranted up to 300 lbs
- CAL TB 133 Fire Code approved





RAME COL			PAUKAU	ING NOTES	
BLACK	SILVER	METALLIC BROWN*	CODE	DESCRIPTION	LIST UPCHARGE
BF	SF	MBF	AB	ASSEMBLED IN BAG FOR WILL CALL	\$0
GUNMETAL* GMF	DOVER GRAY* DGF	WHITE* WF	AC	ASSEMBLED IN CARTON	\$0

MODEL	CONTROL	DESCRIPTION	MESH	ARM	FABRIC								FEATURES	DIMENSIONS
1230	GT				A/COM	В	C	D	E	F	G	1. In the second s	Non-Marring Floor Glides	<b>ARMLESS W/ ARI</b> WIDTH: 36.5 36.5
				A00	435	475	500	540	585	635	690		Wall Saver Back Legs	<b>DEPTH:</b> 25.0 25.0
		GUEST		A18B	480	520	545	585	630	680	735		Rated for 300 lbs	HEIGHT: 33.0 33.0 SEAT WIDTH: 31.0 31.0
	N	Fully uphalatarad		A18G	480	520	545	585	630	680	735			<b>SEAT DEPTH:</b> 17.0 17.0
	)	Fully upholstered back and seat.		TLF TRF	585 585	625 625	650 650	690 690	735 735	785 785	840 840			SEAT HEIGHT: 19.0 19.0
	F				505	023	030	030	133	700	040			<b>BACK WIDTH:</b> 30.0 30.0 <b>BACK HEIGHT:</b> 16.0 16.0
														COM: 1.2 YDS 1.2 YDS
6						l								WEIGHT: 24.0 LB 27.0 LB
		:	: :		:									:
					÷									
		1	1		1									
		:	:		:									:
		1. E. C.			÷									÷

**NOTE:** Due to the nature of vinyl upholstery, stacking may cause impressions on the seat. 9to5 Seating does not warrant the effects of the stacking on vinyl upholstery.

#### ARM OPTIONS



Soft Touch Polyurethane Arms - Black Color



Soft Touch Polyurethane Arms - Gray Color

#### ADDITIONAL OPTIONS



Black Ballistic Nylon Back BN1 w/ Grad A Fabrics BN2 w/ Grade B and Up



Right Folding Tablet Arm in Black Laminate. Available with Black Frame only *Not Stackable with Tablet



Left Folding Tablet Arm in Black Laminate. Available with Black Frame only *Not Stackable with Tablet



EF1 - 1" Extra Foam on Seat MF1 - 1" Visco Elastic Memory Foam on Seat



**955** 



#### GSA SIN # 711-19

- Wall saver legs on model 1210
- 6 powder coated frame finishes
- Bariatric Warranted up to 600 lbs
  CAL TB 133 Fire Code approved



#### CREATING SHUTTLE MODEL NUMBER MODEL NUMBER CONTROL ARMS FRAME COLOR UPHOL 1250-GT-A18-UU

لے	FRAME COL	ORS	
	BLACK	SILVER	METALLIC BROWN'
	BF	SF	MBF
	GUNMETAL*	DOVER GRAY*	WHITE*
	GMF	DGF	WF

## **BARIATRIC - 30" SEAT RATED FOR 600 LB**

MODEL	CONTROL	DESCRIPTION	MESH	ARM	FABRIC								FEATURES	DIMENSIONS	
1250	GT	GUEST BARIATRIC Fully upholstered back and seat. Chair comes standard with arms.		A18B A18G	A/COM 800 800	B 870 870	C 915 915	D 985 985	E 1065 1065	<b>F</b> 1155 1155	<b>G</b> 1255 1255		<ul> <li>Steel Reinforced Seat and Back</li> <li>30" Wide Seat</li> <li>Does Not Stack</li> <li>Rated for 300 lbs</li> </ul>	WIDTH: DEPTH: HEIGHT: SEAT WIDTH: SEAT DEPTH: SEAT HEIGHT: BACK WIDTH: BACK HEIGHT: COM: WEIGHT:	25.0 33.0 31.0 17.0 19.0 30.0 16.0 2.2 YDS

## UPHOLSTERY GRADE PACKAGING

ω	
0	
۵	$\square$
	X
	$\bigcirc$
Ø	

#### PACKAGING NOTES

'N*		CODE	DESCRIPTION	LIST UPCHARGE
		AB	ASSEMBLED IN BAG FOR WILL CALL	\$0
		AC	ASSEMBLED IN CARTON	\$0
	S	HUTTLE SIG	DE CHAIRS SHIP UP TO 3 PER CARTON	

**NOTE:** Due to the nature of vinyl upholstery, stacking may cause impressions on the seat. 9to5 Seating does not warrant the effects of the stacking on vinyl upholstery.

#### **ARM OPTIONS**



Soft Touch Polyurethane Arms - Black Color



Soft Touch Polyurethane Arms - Gray Color

#### ADDITIONAL OPTIONS



Self-Leveling Metal Glide Model 1250 Only 4 per set



Black Ballistic Nylon Back BN1 w/ Grad A Fabrics BN2 w/ Grade B and Up



Self-Leveling VCT Glide Model 1250 Only 4 per set



Self-Leveling Felt Glide Model 1250 Only 4 per set

#### ACCESSORIES



Ganging Clip - 2 per set GC2 - Arm-to-Arm shuttle

## **NEW SOFT SEATING LOUNGE**

#### GSA SIN # 711-16

- Thick molded foam seat and back
- Robust design for the most rigorous public areas
- Removable seat and back cover
- Gray or black arm caps
- 6 powder coat frame colors
- Non-marring adjustable feet





		ARM	FABRIC								FEATURES	DIMENSIONS
MODEL			A/COM	В	C	D	E	F	G		Molded Foam Inner Seat and Back     Black or Gray Padded Arms     Clarg Access Large	<b>WIDTH:</b> 25.0 <b>DEPTH:</b> 27.25
111 GT		SWA	695	745	775	825	880	940	1005		Clear Access Legs     Non-marring Adjustable Feet     Rated for 350 lbs	HEIGHT: 33.75 SEAT WIDTH: 20.0 SEAT DEPTH: 19.0
	SINGLE SEAT											SEAT HEIGHT: 18
	Lounge seat with armrest											BACK WIDTH: 20.5 BACK HEIGHT: 16
												COM: 1.5 YD Weight: 56 lb
	<u> </u>								i î	ι ι		
DEL			A/COM	В	С	D	E	F	G		<ul><li>Molded Foam Inner Seat and Back</li><li>Black or Gray Padded Arms</li></ul>	WIDTH: 45.75 DEPTH: 27.25
2 GT		SWA	1095	1195	1255	1355	1465	1585	1715		Clear Access Legs	HEIGHT: 33.75
											Non-marring Adjustable Feet     Rated for 700 lbs	SEAT WIDTH: 20.5
Π	DOUBLE SEAT										• Rated for 700 lbs	SEAT DEPTH: 19
	Lounge seat with outside armrest				1							SEAT HEIGHT: 18 BACK WIDTH: 20
	Lounge seat with outside armrest											BACK HEIGHT: 16
												<b>COM:</b> 3.0 YD
												WEIGHT: 87 LB
DDEL	· ·	<u> </u>	- -								Molded Foam Inner Seat and Back	<b>WIDTH:</b> 66.5
			A/COM	В	C	D	E	F	G		Black or Gray Padded Arms	<b>DEPTH:</b> 27.25
о от		SWA	1595	1745	1835	1985	2150	2330	2525		Clear Access Legs	
3 GT		SWA			1000						<ul> <li>New meaning Adjustence fact</li> </ul>	<b>HEIGHT:</b> 33.75
3 GT		SWA			1000						<ul><li>Non-marring Adjustable feet</li><li>Rated for 1000 lbs</li></ul>	SEAT WIDTH: 20.5
3 GT	TRIPLE SEAT	SWA			1000						Non-marring Adjustable feet     Rated for 1000 lbs	SEAT WIDTH: 20.5 SEAT DEPTH: 19
3 GT												SEAT WIDTH: 20.5 SEAT DEPTH: 19 SEAT HEIGHT: 18
3 GT	TRIPLE SEAT Tounge seat with outside armrest											SEAT WIDTH: 20.5 SEAT DEPTH: 19
13 GT		JWA										SEAT WIDTH: 20.5 SEAT DEPTH: 19 SEAT HEIGHT: 18 BACK WIDTH: 20.5



sophie

#### FRAME COLORS

BLAC	-	VER MET	ALLIC BROWN
BF		SF	MBF
GUNME		R GRAY	WHITE
GMF		GF	WF

#### ARM OPTIONS



Black Soft Touch Polyurethane Pad



Gray Soft Touch Polyurethane Pad

Standard 25 Day Lead Time: twenty five (25) business days applies to all Sophie models regardless of quantity. \$100 NET per shipment for Sophie orders of 3 chair model units or less.

185

## **NEW SOFT SEATING LOUNGE**

#### GSA SIN # 711-16

- Thick molded foam
- Robust design for the most rigorous public areas
- Removable seat and back cover
- Gray or black arm caps
- 6 powder coat frame colors
- Non-marring adjustable feet



**CREATING SOPHIE MODEL NUMBER** MODEL NUMBER CONTROL ARMS FRAME COLOR GRADE PACKAGING OPTIONS
8 1 2 - G T - A 8 0 - - A C - A C - A C - A C - A C - A C - A C - A C - A C - A C - A C - A C - A C - A C - A C - A C - A C - A C - A C - A C - A C - A C - A C - A C - A C - A C - A C - A C - A C - A C - A C - A C - A C - A C - A C - A C - A C - A C - A C - A C - A C - A C - A C - A C - A C - A C - A C - A C - A C - A C - A C - A C - A C - A C - A C - A C - A C - A C - A C - A C - A C - A C - A C - A C - A C - A C - A C - A C - A C - A C - A C - A C - A C - A C - A C - A C - A C - A C - A C - A C - A C - A C - A C - A C - A C - A C - A C - A C - A C - A C - A C - A C - A C - A C - A C - A C - A C - A C - A C - A C - A C - A C - A C - A C - A C - A C - A C - A C - A C - A C - A C - A C - A C - A C - A C - A C - A C - A C - A C - A C - A C - A C - A C - A C - A C - A C - A C - A C - A C - A C - A C - A C - A C - A C - A C - A C - A C - A C - A C - A C - A C - A C - A C - A C - A C - A C - A C - A C - A C - A C - A C - A C - A C - A C - A C - A C - A C - A C - A C - A C - A C - A C - A C - A C - A C - A C - A C - A C - A C - A C - A C - A C - A C - A C - A C - A C - A C - A C - A C - A C - A C - A C - A C - A C - A C - A C - A C - A C - A C - A C - A C - A C - A C - A C - A C - A C - A C - A C - A C - A C - A C - A C - A C - A C - A C - A C - A C - A C - A C - A C - A C - A C - A C - A C - A C - A C - A C - A C - A C - A C - A C - A C - A C - A C - A C - A C - A C - A C - A C - A C - A C - A C - A C - A C - A C - A C - A C - A C - A C - A C - A C - A C - A C - A C - A C - A C - A C - A C - A C - A C - A C - A C - A C - A C - A C - A C - A C - A C - A C - A C - A C - A C - A C - A C - A C - A C - A C - A C - A C - A C - A C - A C - A C - A C - A C - A C - A C - A C - A C - A C - A C - A C - A C - A C - A C - A C - A C - A C - A C - A C - A C - A C - A C - A C - A C - A C - A C - A C - A C - A C - A C - A C - A C - A C - A C - A C - A C - A C - A C - A C - A C - A C - A C - A C - A C - A C - A C - A C - A C - A C - A C - A C - A C - A C - A C - A C - A C

MODEL CONTROL	DESCRIPTION	ARM	FABRIC								FEATURES	DIMENSIONS	
NEW MODEL 8122 GT	<b>DOUBLE SEAT</b> Lounge chair <b>with center armrest</b>	SWA	A/COM 1195	B 1295	C 1355	D 1455	E 1565	<b>F</b> 1685	<b>G</b> 1815		<ul> <li>Molded Foam Seat and Back</li> <li>Black and Gray Padded Arms</li> <li>Clear Access Legs</li> <li>Non-marring Adjustable Feet</li> <li>Rated for 500 lbs</li> </ul>	WIDTH: DEPTH: HEIGHT: SEAT WIDTH: SEAT DEPTH: SEAT HEIGHT: BACK WIDTH: BACK WIDTH: BACK HIGHT: COM: WEIGHT:	27.25 33.75 20.5 19 18 20 16 3.0 YD
NEW MODEL 8123 GT	TRIPLE SEAT Lounge chair with center armrest	SWA	A/COM 1795	<b>B</b> 1945	<b>C</b> 2035	D 2185	E 2350	<b>F</b> 2530	G 2725		<ul> <li>Molded Foam Seat and Back</li> <li>Black and Gray Padded Arms</li> <li>Clear Access Legs</li> <li>Non-marring Adjustable Feet</li> <li>Rated for 750 lbs</li> </ul>	WIDTH: DEPTH: HEIGHT: SEAT WIDTH: SEAT DEPTH: SEAT HEIGHT: BACK WIDTH: BACK HEIGHT: COM: WEIGHT:	27.25 33.75 20.5 19 18 20.0 16.0 4.5 YD





sophie

#### FRAME COLORS

BLACK	SILVER	METALLIC BROWN
BF	SF	MBF
GUNMETAL	DOVER GRAY	WHITE
GMF	DGF	WF

#### **ARM OPTIONS**



Black Soft Touch Polyurethane Pad



Gray Soft Touch Polyurethane Pad

Standard 25 Day Lead Time: twenty five (25) business days applies to all Sophie models regardless of quantity. \$100 NET per shipment for Sophie orders of 3 chair model units or less.


#### SOFT SEATING BENCHES NEW

#### GSA SIN # 711-16

- Thick foam
- Robust design for the most rigorous public areas
- · Removable seat and back cover
- 6 powder coat frame colors
- Non-marring adjustable feet



**CREATING SOPHIE MODEL NUMBER** 



**AVAILABLE FEBRUARY 2017** 





#### FRAME COLORS

BLACK	SILVER	METALLIC BROWN
BF	SF	MBF
GUNMETAL	DOVER GRAY	WHITE
GMF	DGF	WF

#### LAMINATE COLORS

BLACK	SLATE GRAY	DESIGNER WHITE
BKL	SGL	DWL
PLATINUM PTL	WALLABY WBL	


Standard 25 Day Lead Time: twenty five (25) business days applies to all Sophie models regardless of quantity. \$100 NET per shipment for Sophie orders of 3 chair model units or less.

#### PATIENT SEATING NEW

#### GSA SIN # 711-16

- Thick foam seat and back
- Robust design for the most rigorous public areas
- Removable seat and back cover
- Gray or black arm caps
- 6 powder coat frame colors
- Non-marring adjustable feet





MODEL CONTROL	DESCRIPTION	ARM	FABRIC								FEATURES	DIMENSIONS
8118 GT	<b>HIP CHAIR</b> Hip chair with armrest	SWA	A/COM 895	<b>B</b> 945	C 975	D 1025	E 1080	<b>F</b> 1140	G 1205		<ul> <li>Molded Foam Seat and Back</li> <li>Black and Gray Padded Arms</li> <li>Clear Access Legs</li> <li>Non-marring Adjustable Feet</li> <li>Rated for 350 lbs</li> </ul>	WIDTH:         25           DEPTH:         29.5           HEIGHT:         41.75           SEAT WIDTH:         20           SEAT DEPTH:         19           SEAT HEIGHT:         26           BACK WIDTH:         20           BACK HEIGHT:         16           COM:         1.5 YD           WEIGHT:         60 LB
NEW MODEL 8119 GT	BARIATRIC Bariatric chair with armrest	SWA	A/COM 995	B 1075	C 1125	D 1205	E 1295	<b>F</b> 1395	G 1505		<ul> <li>Thick Foam Seat and Back</li> <li>Black and Gray Padded Arms</li> <li>Clear Access Legs</li> <li>Non-marring Adjustable Feet</li> <li>Rated for 500 lbs</li> </ul>	WIDTH:         35           DEPTH:         27.25           HEIGHT:         33.75           SEAT WIDTH:         30           SEAT DEPTH:         19           SEAT HEIGHT:         18           BACK WIDTH:         30           BACK HEIGHT:         16           COM:         2.5 YD           WEIGHT:         66 LB



sophie

#### FRAME COLORS

BLACK	SILVER	METALLIC BROWN
BF	SF	MBF
GUNMETAL	DOVER GRAY	WHITE
GMF	DGF	WF

#### **ARM OPTIONS**



Black Soft Touch Polyurethane Pad



Gray Soft Touch Polyurethane Pad

Standard 25 Day Lead Time: twenty five (25) business days applies to all Sophie models regardless of quantity. \$100 NET per shipment for Sophie orders of 3 chair model units or less.

**CREATING SOPHIE MODEL NUMBER** MODEL NUMBER CONTROL ARMS FRAME COLOR GRADE PACKAGING OPTIONS



## **NEW TABLES AND ACCESSORIES**

MODEL	CONTROL	DESCRIPTION	ARM	FABRIC			 EATURES	DIM	ENSIONS	LAMINATE COLORS
NEW MODEL	TB	<b>24" END TABLE</b> Square		260					WIDTH: 24 DEPTH: 24 HEIGHT: 16.25	BLACK BKL         SLATE GRAY SGL         DESIGNER WHITE DWL           PLATINUM PTL         WALLABY WBL         DWL
NEW MODEL 8191	ТВ	24" CONNECTING TABLE End-of-Run Connecting		255					<b>WIDTH:</b> 24 <b>DEPTH:</b> 24 <b>HEIGHT:</b> 13.5	ADDITIONAL OPTIONS
8192	ТВ	SUSPENSION TABLE 16" x 18" Rectangular		135					WIDTH:27.75DEPTH:27.75HEIGHT:13.5	\$199 \$49
8193	TB	SUSPENSION TABLE Round		295					WIDTH: 11 Depth: 18 Height: 13.5	Large Ganging Bracket
8194	TB	SUSPENSION TABLE 30 Degree Angled		140					<b>WIDTH:</b> 15 <b>DEPTH:</b> 18 <b>HEIGHT:</b> 13.5	
8195	ТВ	SUSPENSION TABLE 45 Degree Angled		145					WIDTH: 17 Depth: 19 Height: 13.5 LB	_
8196	ТВ	SUSPENSION TABLE 60 Degree Angled		165					<b>WIDTH:</b> 16 <b>DEPTH:</b> 42 <b>HEIGHT:</b> 16.75	
NEW MODEL 8170	TB	<b>RECTANGULAR TABLE</b> 16" x 42" Rectangular		325						_ e: twenty five (25) business days applies to all Sophie

**AVAILABLE FEBRUARY 2017** 

GSA SIN # 711-11 Pending

• 6 powder coat frame colors

• 5 laminate color choices

192

Standard 25 Day Lead Time: twenty five (25) business days applies to all Sophie models regardless of quantity. \$100 NET per shipment for Sophie orders of 3 chair model units or less.





sophie

#### FRAME COLORS

BLACK BF	SILVER SF	METALLIC BROWN MBF	
GUNMETAL GMF	DOVER GRAY DGF	WHITE WF	J






**BLACK COLORED ACCENTS AND BASE** 

#### GSA SIN # 711-18

- Task, task stool, executive and
- conference seating • Warranted up to 250 lbs with Y1
- CAL TB 133 Fire Code approved
- Black Nylon Base







MODEL	CONTROL	DESCRIPTION	ARM	FABRI	C/LEATHEF	R									FEATURES	DIMENSIONS
		:		: T01	A/COM	в	С	D	Е	F	G	L3/COL	L4	L5		
1545	Y1		ARMLESS	485	540	570	590	620	655	695	735	665	735	790	<ul> <li>Pneumatic Seat Height Adjustment</li> <li>Tilt Tension Control</li> </ul>	WIDTH: 26.5 DEPTH: 26.5
1040	11	MID-BACK													Back and Seat Tilt in 3:1 Ratio	HEIGHT: 39.5-44.0
		SIMPLE SYNCHRO	A6	615	670	700	720	750	785	825	865	795	865	920	Upright Position Tilt Lock	SEAT WIDTH: 21.0
$\square$	N	TILT CONTROL	A7	635	690	720	740	770	805	845	885	815	885	940	<ul> <li>Height and Depth Adjustable Lumbar</li> </ul>	SEAT DEPTH: 18.0
	A		A8B / A8S	570	625	655	675	705	740	780	820	750	820	875	Rated for 250lbs	SEAT HEIGHT: 17.0-21.5
	Y T	Use for a variety of general office	A9B / A9S	590	645	675	695	725	760	800	840	770	840	895		BACK WIDTH: 21.0
		seating, including private office and	A10	570	625	655	675	705	740	780	820	750	820	875		BACK HEIGHT: 22.0
	E B	conference room seating.	A36	590	645	675	695	725	760	800	840	770	840	895		COM: 0.9 YDS
			A37	610	665	695	715		780	820	860	790	860	915		COL: 13.0 SQ FT
0	0		437	:	SLIDER (SS	1	1	745	760	020	800	790	800	915		WEIGHT: 46.0 LB
				- SLAT		, ,	,			, .	,	7	,	;		
				T01	A/COM	В	C	D	E	F	G	L3/COL	L4	L5	Pneumatic Seat Height Adjustment	<b>WIDTH:</b> 26.5
555	Y1		ARMLESS	540	600	630	650	680	715	755	795	725	845	900	Tilt Tension Control	DEPTH: 26.5
$\overline{}$	<i>ब</i> )	HIGH-BACK W/ HEADREST	A6	670	730	760	780	810	845	885	925	855	975	1030	Back and Seat Tilt in 3:1 Ratio	<b>HEIGHT:</b> 46.5-51.0
$\leq$	K	SIMPLE SYNCHRO	A7	690	750	780	800	830	865	905	945	875	995	1050	Upright Position Tilt Lock	SEAT WIDTH: 21.0
- ))	٦ ١	TILT CONTROL													Height and Depth Adjustable Lumbar	SEAT DEPTH: 18.0
			A8B / A8S	625	685	715	735	765	800	840	880	810	930	985	<ul><li>Height and Tilt Adjustable Headrest</li><li>Rated for 250lbs</li></ul>	SEAT HEIGHT: 17.0-21.5
<b>K</b>		Use for a variety of general office	A9B / A9S	645	705	735	755	785	820	860	900	830	950	1005		BACK WIDTH: 21.0
A		seating, including private office	A10	625	685	715	735	765	800	840	880	810	930	985		BACK HEIGHT: 29.0
		and conference room seating.	A36	645	705	735	755	785	820	860	900	830	950	1005		COM: 0.9 YDS
Leg .	8-1-9		A37	665	725	755	775	805	840	880	920	850	970	1025		<b>COL:</b> 16.0 SQ FT
Ũ	Ũ			SEAT	SLIDER (SS	L.	\$60	l		L I	l	L				WEIGHT: 47.0 LB
				T01	A/COM	В	C	D	E	F	G	L3/COL	L4	L5	Pneumatic Seat Height Adjustment	<b>WIDTH:</b> 26.5
546	Y1		ARMLESS	610	665	695	715	745	780	820	860	790	860	915	Tilt Tension Control	<b>DEPTH:</b> 26.5
	N		A6	740	795	825	845	875	910	950	990	920	990	1045	Back and Seat Tilt in 3:1 Ratio	HEIGHT: 49.0-59.0
)]	N	10" TRAVEL HIGH STOOL SIMPLE SYNCHRO	A7	760	815	845	865	895	930	970	1010	940	1010	1065	Upright Position Tilt Lock     Height and Dopth Adjustable Lumber	SEAT WIDTH: 21.0
		TILT CONTROL	A8B / A8S	695	750	780	800	830	865	905	945	875	945	1000	<ul><li>Height and Depth Adjustable Lumbar</li><li>Rated for 250lbs</li></ul>	SEAT DEPTH: 18.0
		THE CONTROL														SEAT HEIGHT: 27.0-37.0
H N	(EFF	Use for work surfaces up to	A9B / A9S	715	770	800	820	850	885	925	965	895	965	1020		BACK WIDTH: 21.0
ti de la constante de la const		42 inches high.	A10	695	750	780	800	830	865	905	945	875	945	1000		BACK HEIGHT: 22.0
			A36	715	770	800	820	850	885	925	965	895	965	1020		COM: 0.9 YDS COL: 13.0 SQ FT
<u>6</u> J	8 9 3		A37	735	790	820	840	870	905	945	985	915	985	1040		WEIGHT: 56.0 LB
				SEAT	SLIDER (SS	S) - NOT	AVAILA	BLE								
				T01	A/COM	В	C	D	E	F	G	L3/COL	L4	L5	Pneumatic Seat Height Adjustment	<b>WIDTH:</b> 26.5
548	Y1		ARMLESS	610	665	695	715	745	780	820	860	790	860	915	Tilt Tension Control	<b>DEPTH:</b> 26.5
	N	8" TRAVEL LOW STOOL	A6	740	795	825	845	875	910	950	990	920	990	1045	Back and Seat Tilt in 3:1 Ratio	HEIGHT: 45.0-53.0
)]	N	SIMPLE SYNCHRO	A7	760	815	845	865	895	930	970	1010	940	1010	1065	<ul><li>Upright Position Tilt Lock</li><li>Height and Depth Adjustable Lumbar</li></ul>	SEAT WIDTH: 21.0
$\mathbb{Z}$		TILT CONTROL	A8B / A8S	695	750	780	800		865					1000	<ul> <li>Rated for 250lbs</li> </ul>	SEAT DEPTH: 18.0
								830		905	945	875	945			SEAT HEIGHT: 23.0-31.0
	(EPP)	Use for work surfaces up to	A9B / A9S	715	770	800		850	885	925	965	895	965	1020		BACK WIDTH: 21.0
Щ <u></u>		36 inches high.	A10	695	750	780	800	830	865	905	945	875	945	1000		BACK HEIGHT: 22.0
	حلم		A36	715	770	800	820	850	885	925	965	895	965	1020		COM: 0.9 YDS
6	En lag		A37	735	790	820	840	870	905	945	985	915	985	1040		COL: 13.0 SQ FT Weight: 55.0 LB
		1		•	SLIDER (SS					1		1		l.		WEIGHI: 33.0 LB

#### CASTERS PACKAGING NOTES 0005 DEGODIDEIO

	CODE	DESCRIPTION	LIST UPCHARGE
	AB	ASSEMBLED IN BAG FOR WILL CALL	\$0
	PAC	PARTIALLY ASSEMBLED IN CARTON	\$0
	BAC	BACK ASSEMBLED IN CARTON	\$40
)			

#### **ARM OPTIONS**



Forward abd back sliding Ura-Soft® arm with swivel pad, and adjustable arm pad position.



Black Soft Touch Cantilever style C-Shaped Arm

#### **CASTER OPTIONS**



Standard 60mm Hoodless Casters

#### ADDITIONAL OPTIONS



27" Aluminum Base BA2B, Black Powder-Coated Side Paddle Activated BA2P, Polished BA2S, Silver Powder-Coated



2-Way Adjustable Arm Height Adjustable A8B Black or A8S Silver



8-Way Adjustable Arms Soft-Touch sliding and pivoting arm pads.

C1S

\$35



4-Way Adjustable Arm Height Adjustable and 4" Interior Width Adjustment A9B Black or A9S Silver



10 -Way Adjustable Arms Soft-Touch sliding and pivoting arm pads and 4" arm width knob under seat.



50mm Hooded Self-Locking Hard Floor Casters

SS - Charles \$60 Seat Slider 2.5"

50mm Hooded

Hard Floor

Casters



9005°



## MESH BACK UPHOLSTERED SEAT


#### GSA SIN # 711-18

- Task, task stool, executive and conference seating
- Aluminum base standard
- Warranted up to 250 lbs with GT and stool
- Warranted up to 300 lbs with Y2
- except for stool

  CAL TB 133 Fire Code approved
- Black or silver accents
  - Slack of Silver accents







MODEL	CONTROL	DESCRIPTION	ARM	FABRI	C/LEATHER										FEATURES	DIMENSIONS	
		E Contraction of the second	E	; T01	A/COM	В	C	D	E	F	G	L3/COL	L4	L5	Pneumatic Seat Height Adjustment	WIDTH:	26.5
1560	Y2		ARMLESS	610	665	695	715	745	780	820	860	790	860	915	Side Tilt Tension Control	DEPTH:	
1000	12	MID-BACK	A6	740	795	825	845	875	910	950	990	920	990	1045	Back and Seat Tilt in 2:1 ratio	:	39.5-44.0
$\bigcirc$	ß	HEAVY DUTY SYNCHRO	A7	760	815	845	865	895	930	970	1010	940	1010	1065	4 Locking Positions	SEAT WIDTH:	21.0
	N	TILT CONTROL												,	Safety Tilt Release	SEAT DEPTH:	18.0
			A8B / A8S	695	750	780	800	830	865	905	945	875	945	1000	<ul><li>Height and Depth Adjustable Lumbar</li><li>Rated for 300 lbs</li></ul>	SEAT HEIGHT:	17.0-21.5
	<u>L</u> o	Use for a variety of general office	A9B / A9S	715	770	800	820	850	885	925	965	895	965	1020		BACK WIDTH:	21.0
		seating, including private office	A10	695	750	780	800	830	865	905	945	875	945	1000		BACK HEIGHT:	22.0
_h	ala	and conference room seating.	A36	715	770	800	820	850	885	925	965	895	965	1020		COM;	0.9 YDS
6 6	6 6		A37	735	790	820	840	870	905	945	985	915	985	1040		· ·	13.0 SQ FT
Ũ	0			SEAT S	SLIDER (SS	) - ADD	\$60			L	l.	L	L.	1		WEIGHT:	50.0 LB
				T01	A/COM	В	C	D	E	F	G	L3/COL	L4	L5	Pneumatic Seat Height Adjustment	WIDTH:	26.5
1580	Y2		ARMLESS	665	725	755	775	805	840	880	920	850	970	1025	Side Tilt Tension Control	DEPTH:	
	ചി	HIGH-BACK W/ HEADREST	A6	795	855	885	905	935	970	1010	1050	980	1100	1155	Back and Seat Tilt in 2:1 ratio		46.5-51.0
	K	HEAVY DUTY SYNCHRO													4 Locking Positions	:	21.0
( )	1	TILT CONTROL	A7	815	875	905	925	955	990	1030	1070	1000	1120	1175	Safety Tilt Release	SEAT DEPTH:	
			A8B / A8S	750	810	840	860	890	925	965	1005	935	1055	1110	<ul><li>Height and Depth Adjustable Lumbar</li><li>2 Way Adjustable Headrest</li></ul>	SEAT HEIGHT:	17.0-21.5
		Use for a variety of general office	A9B / A9S	770	830	860	880	910	945	985	1025	955	1075	1130	Rated for 300 lbs	BACK WIDTH:	21.0
A		seating, including private office	A10	750	810	840	860	890	925	965	1005	935	1055	1110		BACK HEIGHT:	29.0
Å		and conference room seating.	A36	770	830	860	880	910	945	985	1025	955	1075	1130		COM:	0.9 YDS
6	6		A37	790	850	880	900	930	965	1005	1045	975	1095	1150		1	16.0 SQ FT
0	0				SLIDER (SS											WEIGHT:	51.0 LB
			:	: T01	A/COM	В	C	D	E	F	G	L3/COL	L4	L5	Pneumatic Seat Height Adjustment	WIDTH:	26.5
1566	Y2		ARMLESS	735	790	820	840	870	905	945	985	910	980	1035	Side Tilt Tension Control	DEPTH:	26.5
	N		A6	865	920	950	970	1000	1035	1075	1115	1040	1110	1165	Back and Seat Tilt in 2:1 ratio	1 · · · · · · · · · · · · · · · · · · ·	49.0-59.0
( )	N N	10" TRAVEL HIGH STOOL													<ul> <li>4 Locking Positions</li> </ul>	SEAT WIDTH:	
		HEAVY DUTY SYNCHRO	Α7	885	940	970	990	1020	1055	1095	1135	1060	1130	1185	Safety Tilt Release	SEAT DEPTH:	18.0
		TILT CONTROL	A8B / A8S	820	875	905	925	955	990	1030	1070	995	1065	1120	<ul><li>Height and Depth Adjustable Lumbar</li><li>Height Adj 20" Diameter Footring</li></ul>	SEAT HEIGHT:	27.0-37.0
			A9B / A9S	840	895	925	945	975	1010	1050	1090	1015	1085	1140	Rated for 250 lbs	BACK WIDTH:	21.0
		Use for work surfaces up to	A10	820	875	905	925	955	990	1030	1070	995	1065	1120		BACK HEIGHT:	22.0
		42 inches high.	A36	840	895	925	945	975	1010	1050	1090	1015	1085	1140		COM:	0.9 YDS
Sel Co	or the s		A37	860	915	945	965	995	1030	1070	1110	1035	1105	1160			13.0 SQ FT
0	0			SEAT S	LIDER (SS	) - NOT /	. 1	BLE		l.	l	l	l.	l		WEIGHT:	52.0 LB
			:	: T01	A/COM	в	C	D	Е	F	G	L3/COL	L4	L5	Pneumatic Seat Height Adjustment	WIDTH:	26.5
1568	Y2		ARMLESS	735	790	820	840	870	905	945	985	910	980	1035	<ul> <li>Preumatic Seat Height Adjustment</li> <li>Side Tilt Tension Control</li> </ul>	WIDTH: DEPTH:	
1000			AniMelos	865	920	950	970	1000	1035	1075	1115	1040			Back and Seat Tilt in 2:1 ratio		20.5 45.0-53.0
$\bigcirc$	N	8" TRAVEL LOW STOOL											1110		4 Locking Positions	SEAT WIDTH:	
	$\Lambda \longrightarrow$	HEAVY DUTY SYNCHRO	Α7	885	940	970	990	1020	1055	1095	1135	1060	1130	1185	Safety Tilt Release	SEAT DEPTH:	
	"Jo	TILT CONTROL	A8B / A8S	820	875	905	925	955	990	1030	1070	995	1065	1120	Height and Depth Adjustable Lumbar	SEAT HEIGHT:	
			A9B / A9S	840	895	925	945	975	1010	1050	1090	1015	1085	1140	<ul><li>Height Adj 20" Diameter Footring</li><li>Rated for 250 lbs</li></ul>	BACK WIDTH:	21.0
<u> </u>		Use for work surfaces up to 36 inches high.	A10	820	875	905	925	955	990	1030	1070	995	1065	1120		BACK HEIGHT:	22.0
		so incres nign.	A36	840	895	925	945	975	1010	1050	1090	1015	1085	1140		COM:	0.9 YDS
an	an															COL:	13.0 SQ FT
6 J Co			A37	860	915	945	965	995	1030	1070	1110	1035	1105	1160		· · ·	

# ADE CASTERS PACKAGING OPTIONS

AB         ASSEMBLED IN BAG FOR WILL CALL         \$0           PAC         PARTIALLY ASSEMBLED IN CARTON         \$0           BAC         BACK ASSEMBLED IN CARTON         \$40	OODL	DESCRIPTION	LIST OF ONALIGE
	AB	ASSEMBLED IN BAG FOR WILL CALL	\$0
BAC BACK ASSEMBLED IN CARTON \$40	PAC	PARTIALLY ASSEMBLED IN CARTON	\$0
	BAC	BACK ASSEMBLED IN CARTON	\$40

#### ARM OPTIONS



Forward abd back sliding Ura-Soft® arm with swivel pad, and adjustable arm pad position.



Black Soft Touch Cantilever style C-Shaped Arm

#### **CASTER OPTIONS**



60mm Hoodless Casters

#### ADDITIONAL OPTIONS



27" Aluminum Base BA2B, Black Powder-Coated BA2S, Silver Powder-Coated



2-Way Adjustable Arm Height Adjustable A8B Black or A8S Silver



8-Way Adjustable Arms Soft-Touch sliding and pivoting arm pads.

**C1S** 

\$35



4-Way Adjustable Arm Height Adjustable and 4" Interior Width Adjustment A9B Black or A9S Silver



10 -Way Adjustable Arms Soft-Touch sliding and pivoting arm pads and 4" arm width knob under seat.



50mm Hooded Self-Locking Hard Floor Casters



50mm Hooded

Hard Floor


Casters

27" POLISHED Aluminum Base



Seat Slider 2.5" Side Paddle Activated







Heavy Duty Multi-Shift Upgrade 350 lb strata

900**5**°



MESH BACK UPHOLSTERED SEAT

#### GSA SIN # 711-18

Multi-Purpose Guest seating
Warranted up to 250 lbs with GT
CAL TB 133 Fire Code approved



## **CREATING STRATA MODEL NUMBER** $\begin{array}{c} \text{MODEL NUMBER} \\ \textbf{1560} \\ \textbf{-} \\ \textbf{G} \\ \textbf{T} \\ \textbf{-} \\ \textbf{S} \\ \textbf{W} \\ \textbf{A} \\ \textbf{-} \\ \textbf{S} \\ \textbf{F} \\ \textbf{-} \\ \textbf{M} \\ \textbf{0} \\ \textbf{1} \\ \textbf{-} \\ \textbf{0} \\ \textbf{1} \\ \textbf{0} \\ \textbf{0} \\ \textbf{1} \\ \textbf{0} \\ \textbf{0} \\ \textbf{1} \\ \textbf{0} \\ \textbf{$



MODEL	CONTROL	DESCRIPTION	ARM	FABRIC	C/LEATHEF	2						FEATURES	DIMENSIONS
1560	GT	GUEST Silver cantilever steel frame side chair.	SWA	500	A/COM 555	585		Е 670 R AB / S	750	L3/COL 680 WITH ARI	750	<ul> <li>Height and Depth Adjustable Lumbar</li> <li>Silver Chair Back Accents</li> <li>Black Four Leg Style Frame</li> <li>Rated for 250 lbs</li> </ul>	WIDTH:       24.0         DEPTH:       24.0         HEIGHT:       39.0         SEAT WIDTH:       21.0         SEAT DEPTH:       18.0         SEAT HEIGHT:       18.0         BACK WIDTH:       21.0         BACK HEIGHT:       22.0         COM:       0.9 YDS         COL:       13.0 SQ FT         WEIGHT:       28.0 LB

198

GRADE PA	CKAGING		
	PACKAG	ING NOTES	
	CODE	DESCRIPTION	LIST UPCHARGE
ON	AB	ASSEMBLED IN BAG FOR WILL CALL	\$0
	PAC	PARTIALLY ASSEMBLED IN CARTON	\$0
	BAC	BACK ASSEMBLED IN CARTON	\$40

#### ARM OPTIONS



Standard with Arms


strata



#### GSA SIN # 711-18

- Task, task stool, executive and conference seating
- Warranted up to 250 lbs with Y1
  Black Nylon Base







### **BLACK COLORED ACCENTS AND BASE**

MODEL	CONTROL	DESCRIPTION	ARM	MESH	FEATURES	DIMENSIONS
				м		
1535	Y1		ARMLESS	540	Pneumati	c Seat Height Adjustment WIDTH: 26.5
		MID-BACK	A6	670	Tilt Tensic	
$\bigcirc$	N	SIMPLE SYNCHRO	A7	690		Seat Tilt in 3:1 Ratio HEIGHT: 39.5-44.0
	Ν	TILT CONTROL	A8B / A8S	625		osition Tilt Lock SEAT WIDTH: 19.0
	Ŵ T		A9B / A9S	645	Height an     Rated for	d Depth Adjustable Lumbar SEAT DEPTH: 18.0
al IN		Use for a variety of general office				250 lbs SEAT HEIGHT: 17.0-21.5 BACK WIDTH: 21.0
		seating, including private office	A10	625		BACK WIDTH: 21.0 BACK HEIGHT: 22.0
		and conference room seating.	A36	645		WEIGHT: 46.0 LB
,	0 4 0		A37	665		
		:	:	SEAT SLI	R (SS) - ADD \$60 - FACTORY INSTALLED	·
				М		
1537	Y1		ARMLESS	595	Pneumati	c Seat Height Adjustment WIDTH: 26.5
$\bigcap$	n)	HIGH-BACK W/ HEADREST	A6	725	Tilt Tensic	
$ \longrightarrow $	P	SIMPLE SYNCHRO	A7	745		Seat Tilt in 3:1 Ratio HEIGHT: 46.5-51.0 osition Tilt Lock SEAT WIDTH: 10.0
	N N	TILT CONTROL	A8B / A8S	680		d Denth Adjustable Lumbar
	d P		A9B / A9S	700		d Tilt Adjustable Headrest
L_I¥		Use for a variety of general office	A10	680	Rated for	SEAT HEIGHT:         17.0-21.5           BACK WIDTH:         21.0
		seating, including private office				BACK WIDTH: 21.0 BACK HEIGHT: 29.0
		and conference room seating.	A36	700		WEIGHT: 47.0 LB
9 0	0 4 0		A37	720		
		•	•		R (SS) - ADD \$60 - FACTORY INSTALLED	· .
				М		
1536	Y1		ARMLESS	665		c Seat Height Adjustment WIDTH: 26.5
$\bigcirc$	N	10" TRAVEL HIGH STOOL	A6	795	Tilt Tensic     Pack and	
	Δ	SIMPLE SYNCHRO	A7	815		neitien Tilt Leek
	Y T	TILT CONTROL	A8B / A8S	750	· · ·	d Depth Adjustable Lumbar SEAT WIDTH: 19.0 SEAT DEPTH: 18.0
			A9B / A9S	770	Rated for	250 lbs SEAT BEFTIL 10.0 SEAT BEFTIL 10.0 SEAT BEFTIL 10.0
		Use for work surfaces up to	A10	750		BACK WIDTH: 21.0
		42 inches high.	A36	770		BACK HEIGHT: 22.0
			A37	790		WEIGHT: 56.0 LB
0'	Q'		AJI	:	R (SS) - NOT AVAILABLE	
		:	:	: м		
1538	¥1		ARMLESS	665	Pneumati	c Seat Height Adjustment WIDTH: 26.5
	N		A6	795	Tilt Tensic	
()	X	8" TRAVEL LOW STOOL				Seat Tilt in 3:1 Ratio HEIGHT: 45.0-53.0
MG		SIMPLE SYNCHRO	A7	815		osition Tilt Lock SEAT WIDTH: 19.0
IIIĘ	7LoL	TILT CONTROL	A8B / A8S	750	Height an     Rated for	d Depth Adjustable Lumbar SEAT DEPTH: 18.0
		line for south and the	A9B / A9S	770	• Rated for	SEAT HEIGHT: 23.0-31.0
_		Use for work surfaces up to	A10	750		BACK WIDTH: 21.0
dh	dh	36 inches high.	A36	770		BACK HEIGHT: 22.0
ومال	6 1 0		A37	790		WEIGHT: 55.0 LB
<u> </u>	9				R (SS) - NOT AVAILABLE	

# 

CODE	DESCRIPTION	LIST UPCHARGE
AB	ASSEMBLED IN BAG FOR WILL CALL	\$0
PAC	PARTIALLY ASSEMBLED IN CARTON	\$0
BAC	BACK ASSEMBLED IN CARTON	\$40

#### ARM OPTIONS



Forward abd back sliding Ura-Soft® arm with swivel pad, and adjustable arm pad position.



Black Soft Touch Cantilever style C-Shaped Arm

#### **CASTER OPTIONS**



Standard 60mm Hoodless Casters

#### ADDITIONAL OPTIONS



27" Aluminum Base BA2B, Black Powder-Coated BA2P, Polished BA2S, Silver Powder-Coated



2-Way Adjustable Arm Height Adjustable A8B Black or A8S Silver



8-Way Adjustable Arms Soft-Touch sliding and pivoting arm pads.

**C1S** 

\$35



4-Way Adjustable Arm Height Adjustable and 4" Interior Width Adjustment A9B Black or A9S Silver



10 -Way Adjustable Arms Soft-Touch sliding and pivoting arm pads and 4" arm width knob under seat.



50mm Hooded Self-Locking Hard Floor Casters

Seat Slider 2.5"

50mm Hooded

Hard Floor

Casters

Side Paddle Activated factory installed



# strata all mesh

let strata float into your office

**ALL MESH** 

#### GSA SIN # 711-18

- Task, task stool, executive and conference seating
- Aluminum base standard
- Warranted up to 250 lbs with GT and stool
- Warranted up to 300 lbs with Y2 except for stool
- Black or silver accents

SEAT SLIDER (SS) - NOT AVAILABLE





#### FRAME COLORS CODE DESCRIPTION BF BLACK

#### DESCRIPTION FEATURES MODEL CONTROL ARM MESH DIMENSIONS **ARM OPTIONS** М A6 1570 Y2 ARMLESS 665 Pneumatic Seat Height Adjustment WIDTH: 26.5 \$130 Side Tilt Tension Control MID-BACK **DEPTH:** 26.5 795 A6 Α7 Do Back and Seat Tilt in 2:1 ratio **HEAVY DUTY SYNCHRO** HEIGHT: 39.5-44.0 A7 815 4 Locking Positions \$150 **TILT CONTROL** SEAT WIDTH: 19.0 A8B / A8S 750 Safety Tilt Release SEAT DEPTH: 18.0 Forward abd back sliding Height and Depth Adjustable Lumbar A9B / A9S 770 Use for a variety of general office SEAT HEIGHT: 17.0-21.5 Ura-Soft® arm with swivel Rated for 300 lbs pad, and adjustable arm BACK WIDTH: 21.0 seating, including private office and A10 750 pad position conference room seating. BACK HEIGHT: 22.0 A36 770 WEIGHT: 50.0 LB A37 790 SEAT SLIDER (SS) - ADD \$60 - FACTORY INSTALLED М \$85 ARMLESS 720 1590 Y2 Pneumatic Seat Height Adjustment WIDTH: 26.5 Black Soft Touch Cantilever **HIGH-BACK W/ HEADREST** Side Tilt Tension Control A6 850 DEPTH: 26.5 style C-Shaped Arm **HEAVY DUTY SYNCHRO** Back and Seat Tilt in 2:1 ratio A7 HEIGHT: 46.5-51.0 870 4 Locking Positions **TILT CONTROL** SEAT WIDTH: 19.0 A8B / A8S 805 Safety Tilt Release SEAT DEPTH: 18.0 Height and Depth Adjustable Lumbar A9B / A9S 825 **CASTER OPTIONS** Use for a variety of general office SEAT HEIGHT: 17.0-21.5 2 Way Adjustable Headrest A10 805 seating, including private office and BACK WIDTH: 21.0 Rated for 300 lbs conference room seating. A36 825 BACK HEIGHT: 22.0 WEIGHT: 51.0 LB 845 **∆**37 C4 SEAT SLIDER (SS) - ADD \$60 - FACTORY INSTALLED STD М Standard ARMLESS 790 1576 Y2 Pneumatic Seat Height Adjustment WIDTH: 26.5 60mm Hoodless A6 920 Side Tilt Tension Control DEPTH: 26.5 Casters **10" TRAVEL HIGH STOOL** Back and Seat Tilt in 2:1 ratio HEIGHT: 49.0-59.0 A7 940 **HEAVY DUTY SYNCHRO** 4 Locking Positions SEAT WIDTH: 19.0 **ADDITIONAL OPTIONS** A8B / A8S 875 **TILT CONTROL** Safety Tilt Release SEAT DEPTH: 18.0 Height and Depth Adjustable Lumbar A9B / A9S 895 SEAT HEIGHT: 27.0-37.0 Height Adj 20" Diameter Footring Use for work surfaces up to 875 A10 BACK WIDTH: 21.0 Rated for 250 lbs 42 inches high. BACK HEIGHT: 22.0 A36 895 WEIGHT: 52.0 | B CC. A37 915 \$60 SEAT SLIDER (SS) - NOT AVAILABLE Seat Slider 2.5" М Side Paddle Activated 1578 Y2 ARMLESS 790 factory installed Pneumatic Seat Height Adjustment WIDTH: 26.5 Side Tilt Tension Control DEPTH: 26.5 920 A6 8" TRAVEL LOW STOOL Back and Seat Tilt in 2:1 ratio HEIGHT: 45.0-53.0 **HEAVY DUTY SYNCHRO** A7 940 4 Locking Positions SEAT WIDTH: 19.0 **TILT CONTROL** A8B / A8S 875 Safety Tilt Release SEAT DEPTH: 18.0 895 · Height and Depth Adjustable Lumbar A9B / A9S SEAT HEIGHT: 23.0-31.0 Use for work surfaces up to Height Adj 20" Diameter Footring A10 875 BACK WIDTH: 21.0 36 inches high. Bated for 250 lbs BACK HEIGHT: 22.0 A36 895 WEIGHT: 49.5 LB A37 915

* Not compatible with BA9

202

		PACKAG	ING NOTES	
		CODE	DESCRIPTION	LIST UPCHARGE
N		AB	ASSEMBLED IN BAG FOR WILL CALL	\$0
		PAC	PARTIALLY ASSEMBLED IN CARTON	\$0
		BAC	BACK ASSEMBLED IN CARTON	\$40
	(			











2-Way Adjustable Arm Height Adjustable A8B Black or A8S Silver



8-Way Adjustable Arms Soft-Touch sliding and pivoting arm pads.



4-Way Adjustable Arm Height Adjustable and 4" Interior Width Adjustment A9B Black or A9S Silver



10 -Way Adjustable Arms Soft-Touch sliding and pivoting arm pads and 4" arm width knob under seat.



50mm Hooded Self-Locking Hard Floor Casters



\$35

Heavy Duty Multi-Shift Upgrade 350 lb

50mm Hooded

Hard Floor

Casters



27" Aluminum Base BA2B, Black Powder-Coated BA2P, Polished BA2S, Silver Powder-Coated

# strata **a** mesh

្ធ 🏹

888.925.SEAT





## **MESH BACK**

#### GSA SIN # 711-18

- Task and conference seating
- Choice of 14 back mesh colors
- Warranted up to 250 lbs on Y1 and GT
- Warranted up to 300 lbs on Y2 and Y3
- Black nylon base
- Ratchet back adjustment with independent adjustable lumbar





MODEL	CONTROL	DESCRIPTION	MESH	ARM	FABRIC/LEATHER								FEATURES	DIMENSIONS	ARM OPTIONS				
2160	YI	MID-BACK SIMPLE SYNCHRO TILT CONTROL Use for a variety of general office seating, including private office and conference room seating.	M1 M1 M1 M3 M3 M3 M3 M3	ARMLESS A10 A36 A37 ARMLESS A10 A36 A37	T01         A/COM           475         500           560         585           580         605           600         625           500         525           585         610           605         630           605         635           625         650           625         650           585         610           625         650           SEAT SLIDER (SS	530         550           615         635           635         655           655         675           555         575           640         660           660         680           680         700	580            665            685            705	720         760           740         780           640         680           725         765           745         785	5     695       0     780       0     800       0     820       0     720       5     805	L3/COL       625       710       730       650       735       755       775	780 800 820 720 805 825	L5 750 835 855 875 875 860 880 900	<ul> <li>Pneumatic Seat Height Adjustment</li> <li>Tilt Tension Control</li> <li>Back and Seat Tilt in 3:1 Ratio</li> <li>Upright Position Tilt Lock</li> <li>Height Adjustable Lumbar</li> <li>Ratchet Back</li> <li>Rated for 250 lbs</li> </ul>	WIDTH:         26.5           DEPTH:         25.0           HEIGHT:         40.0-47.0           SEAT WIDTH:         21.0           SEAT DEPTH:         18.0           SEAT HEIGHT:         16.5-21.0           BACK WIDTH:         23.0-25.0           COM:         0.8 YDS           COL:         11.0 SQ FT           WEIGHT:         42.0 LB	A10 \$85 Black Soft Touch Cantilever style C-Shaped Arm	8-Way Adjustab Touch sliding an arm pads.		Soft-Touch pivoting arr	A37 \$125 djustable Arms n sliding and m pads and 4" knob under seat.
2160	Y3	MID-BACK FULL SYNCHRO TILT CONTROL Use for a variety of general office seating, including private office	M1 M1 M1 M1 M3 M3	ARMLESS A10 A36 A37 ARMLESS A10	T01         A/COM           545         570           630         655           650         675           670         695           570         595           655         680	B         C           600         620           685         705           705         725           725         745           625         645           710         730	650         735           755         7755           6775         6775		765       850       870       890       790	L3/COL 695 780 800 820 720 805	850 870 890 790	L5 820 905 925 945 845 930	<ul> <li>Pneumatic Seat Height Adjustment</li> <li>Tilt Tension Control</li> <li>Back and Seat Tilt in 2:1 ratio</li> <li>3 Locking Positions</li> <li>Safety Tilt Release</li> <li>Height Adjustable Lumbar</li> <li>Ratchet Back</li> <li>Rated for 300 lbs</li> </ul>	WIDTH:         26.5           DEPTH:         24.5           HEIGHT:         40.0-47.0           SEAT WIDTH:         21.0           SEAT DEPTH:         18.0           SEAT HEIGHT:         17.5-22.0           BACK WIDTH:         20.0           BACK HEIGHT:         20.025.0	C6 Standard 60mm Hoodless Casters	60mm Hoodles Hard Floor Case			
2160	Y2	and conference room seating. MID-BACK HEAVY DUTY SYNCHRO TILT	M3 M3 M1 M1	A36 A37 ARMLESS A10	675         700           695         720           SEAT SLIDER (SS           T01         A/COM           595         620           680         705	) - ADD \$60 B C	800 D 700	835 875 E F 735 775	5 915 <b>G</b> 5 815	825 845 L3/COL 745 830	895 915 L4 815 900	L5	<ul> <li>Pneumatic Seat Height Adjustment</li> <li>Side Tilt Tension Control</li> <li>Back and Seat Tilt in 2:1 ratio</li> <li>4 Locking Positions</li> </ul>	COM: 0.8 YDS COL: 11.0 SQ FT WEIGHT: 43.5 LB WIDTH: 26.5 DEPTH: 25.0 HEIGHT: 38.5-45.5 SEAT WIDTH: 21.0	ADDITIONAL OPTION BA10B BA10P BA10S \$100	S	SS \$60		HD \$125
		CONTROL Use for a variety of general office seating, including private office and conference room seating.	M1 M1 M3 M3 M3 M3	A36 A37 ARMLESS A10 A36 A37	700         725           720         745           620         645           705         730           725         750           745         770	755         775           775         795           675         695           760         780           780         800           800         820	825 725 810 830	860     900       760     800       845     885       865     905	940       840       925       945	850 870 770 855 875 895	920 940 840 925 945 965	975 995 895 980 1000 1020	<ul> <li>Safety Tilt Release</li> <li>Height Adjustable Lumbar</li> <li>Ratchet Back</li> <li>Rated for 300 lbs</li> </ul>	SEAT WIDTH:         21.0           SEAT DEPTH:         18.5           SEAT HEIGHT:         17.0-22.0           BACK WIDTH:         20.0           BACK HEIGHT:         21.5-23.5           COM:         0.8 YDS           COL:         11.0 SQ FT           WEIGHT:         45.5 LB	26" High Profile Aluminum Bas BA10B - Black Powder-Coat BA10P - Polished BA10S - Silver Powder-Coat			Upgrade to BA2B alum C4 60mm o	y Multi-Shift o 350 lbs includes ninum base and casters; available figuration only
2160	GT	GUEST MESH BACK -	M1 MI	ARMLESS A10	SEAT SLIDER (SS           T01         A/COM           350         375           435         460	ADD \$60           B         C           405         425           490         510	455	E F 490 530 575 615	0 570	L3/COL 500 585		L5 625 710	<ul><li>Black cantilever frame</li><li>Rated for 250 lbs</li></ul>	WIDTH: 24.5 DEPTH: 24.5 HEIGHT: 40.5 SEAT WIDTH: 21.0	MESH COLORS				
		UPHOLSTERED SEAT Black steel cantilever frame.	M3 M3	ARMLESS A10	375 400 460 485	430 450 515 535		515 555 600 640		525 610	595 680	650 735		SEAT DEPTH:         18.0           SEAT HEIGHT:         21.5           BACK WIDTH:         20           BACK HEIGHT:         22           COM:         0.8 YDS           COL:         11.0 SQ FT	BLACK GRAY M11 M12 GRAPHITE SLATE M31 M32	M13 SNOW M33	GREEN M14 SAGE M34	RED M15	BLUE M16
														WEIGHT: 38.0 LB	CARDINAL ROYAL M35 M36	TANGERINE M37	PLUM M38		

STERS	PACKAGING		
	PACKAG	ING NOTES	
	CODE	DESCRIPTION	LIST UPCHARGE
	AB	ASSEMBLED IN BAG FOR WILL CALL	\$0
	PAC	PARTIALLY ASSEMBLED IN CARTON	\$0
	BAC	BACK ASSEMBLED IN CARTON	\$40
L L			

















es

# theory





## **MESH BACK**

#### GSA SIN # 711-18

- Task and conference seating
- Choice of 14 back mesh colors
- Warranted up to 250 lbs on Y1 and GT
- Warranted up to 300 lbs on Y2 and Y3
- Black nylon base
- Ratchet back adjustment with independent adjustable lumbar





MODEL	CONTROL	DESCRIPTION	MESH	ARM	FABRIC/LEATHER						FEATURES	DIMENSIONS	ARM OPTIONS					
2180	YI	HIGH-BACK SIMPLE SYNCHRO TILT CONTROL Use for a variety of general office seating, including private office and conference room seating.	M1 M1 M1 M3 M3 M3 M3 M3	ARMLESS A10 A36 A37 ARMLESS A10 A36 A37	T01         A/COM           560         585           645         670           665         690           685         710           585         610           670         695           690         715           710         735           SEAT SLIDER (SS	720         740         770           740         760         790           640         660         690           725         745         775           765         785         813	700         740         780           785         825         865	5     7.95       5     8.15       6     8.35       7.35     8.20       0     8.40	855 940 960	885	<ul> <li>Pneumatic Seat Height Adjustment</li> <li>Tilt Tension Control</li> <li>Back and Seat Tilt in 3:1 Ratio</li> <li>Upright Position Tilt Lock</li> <li>Height Adjustable Lumbar</li> <li>Ratchet Back</li> <li>Rated for 250 lbs</li> </ul>	WIDTH:       26.5         DEPTH:       25.0         HEIGHT:       40.0-47.0         SEAT WIDTH:       21.0         SEAT DEPTH:       18.0         SEAT HEIGHT:       16.5-21.0         BACK WIDTH:       20.0         BACK HEIGHT:       23.0-25.0         COM:       0.8 YDS         COL:       14.0 SQ FT         WEIGHT:       42.0 LB	Black Soft Touch C style C-Shaped Am		8-Way Adjustabl Touch sliding and arm pads.		Soft-Touch pivoting arm	A37 \$125 djustable Arms sliding and n pads and 4" knob under seat.
2180 2180 2180	Y3 V2 V2	MID-BACK FULL SYNCHRO TILT CONTROL Use for a variety of general office seating, including private office and conference room seating. HIGH-BACK HEAVY DUTY SYNCHRO TILT CONTROL Use for a variety of general office seating, including private office and conference room seating.	M1 M1 M1 M3 M3 M3 M3 M3 M3 M3 M3 M3 M3 M3 M3 M3	ARMLESS A10 A36 A37 ARMLESS A10 A36 A37 ARMLESS A10 A36 A37 ARMLESS A10 A36 A37 ARMLESS A10 A36 A37	T01         A/COM           630         655           715         740           735         760           755         780           655         680           740         765           760         785           760         785           780         805           SEAT SLUER (SS         790           785         810           805         830           705         730           790         815           810         835           830         855           SEAT SLUER (SS	770         790         824           790         810         844           810         830         864           710         730         764           795         815         844           815         835         865           795         815         844           815         835         865           795         755         784           820         840         874           840         860         894           860         886         914           845         865         895           865         885         914           845         865         895	770         810         850           855         895         935           855         915         955           855         935         975           855         935         975           795         835         875           860         920         960           900         940         980           920         960         900           920         960         900           920         960         900           920         960         900           920         960         900           920         960         900           920         960         900           920         960         900           920         960         900           920         945         945           925         955         1000           925         955         1002           925         955         1026           945         985         1026           945         985         1026	8865           885           905           800           905           905           905           905           905           905           10           910           930           930           10           11           12           13           14           15           935           935           935           935           940           940           940	1005 1025 925 1010 1030 1050 1055 1075 975	955 1040 1060 1080 980 1065 1085 1105 1090 1110 1130 1030 1115	<ul> <li>Pneumatic Seat Height Adjustment</li> <li>Tilt Tension Control</li> <li>Back and Seat Tilt in 2:1 ratio</li> <li>3 Locking Positions</li> <li>Safety Tilt Release</li> <li>Height Adjustable Lumbar</li> <li>Ratchet Back</li> <li>Rated for 300 lbs</li> </ul> Pneumatic Seat Height Adjustment <ul> <li>Side Tilt Tension Control</li> <li>Back and Seat Tilt in 2:1 ratio</li> <li>4 Locking Positions</li> <li>Safety Tilt Release</li> <li>Height Adjustable Lumbar</li> <li>Ratchet Back</li> </ul>	WIDTH:       26.5         DEPTH:       24.5         HEIGHT:       40.0-47.0         SEAT WIDTH:       21.0         SEAT DEPTH:       18.0         SEAT HEIGHT:       17.5-22.0         BACK WIDTH:       20.0         BACK HEIGHT:       22.0-25.0         COM:       0.8 YDS         COL:       14.0 SQ FT         WIDTH:       26.5         DEPTH:       25.0         HEIGHT:       43.5 LB         WIDTH:       26.5         DEPTH:       25.0         HEIGHT:       45.5-54.0         SEAT HEIGHT:       17.0-22.0         BACK WIDTH:       20.0         BACK WIDTH:       20.0         BACK WIDTH:       20.0         BACK WIDTH:       20.0         BACK HEIGHT:       28.5-30.5         COM:       0.8 YDS         COL:       14.0 SQ FT         WEIGHT:       45.5 LB	Standard 60mm Hoodless Casters ADDITIONAL ( B B	10B 10P 10S \$100 inum Base der-Coat		SS \$60	Upgrade to BA2B alumi C4 60mm c	HD \$125 Y Multi-Shift 350 Ibs includes inum base and casters; available iguration only
													MESH COLOR BLACK M11 GRAPHITE M31 CARDINAL M35	GRAY M12 SLATE M32 ROYAL M36	SILVER M13 SNOW M33 TANGERINE M37	GREEN M14 SAGE M34 PLUM M38	RED M15	BLUE M16

PACKAGIN	G 	OPTIONS	
	PACKAG	ING NOTES	
	CODE	DESCRIPTION	LIST UPCHARGE
	AB	ASSEMBLED IN BAG FOR WILL CALL	\$0
	PAC	PARTIALLY ASSEMBLED IN CARTON	\$0
	BAC	BACK ASSEMBLED IN CARTON	\$40
l			

















# theory



#### MESH BACK STOOL NEW

#### GSA SIN # 711-18

- Task and conference seating
- Choice of 14 back mesh colors
- Warranted up to 250 lbs on Y1 and GT
- Warranted up to 300 lbs on Y2 and Y3
- Black nylon base
- Ratchet back adjustment with independent adjustable lumbar





MODEL C	CONTROL	DESCRIPTION	MESH	ARM	FABRIC/LEATHER						FEATURES	DIMENSIONS	ARM OPTION	S				
NEW MODEL 2166	V1	10" STOOL BASIC CONTROL Use for work surfaces up to 42 inches high.	M1 M1 M1 M3 M3 M3 M3 M3	ARMLESS A10 A36 A37 ARMLESS A10 A36 A37	685         710         7           705         730         7           725         750         7           625         650         6           710         735         7           730         755         7	675         675         705           0         760         790           0         780         810           0         800         830           0         700         730           0         700         730           0         700         815           0         805         815           05         825         825	740         780           825         865           845         885           865         905           765         805           850         991           870         910	905         835           925         855           945         875           845         775           930         860           950         880	<ul> <li>870</li> <li>955</li> <li>975</li> <li>995</li> <li>895</li> <li>980</li> <li>1000</li> </ul>	925 1010 1030 1050 950 1035	<ul> <li>Pneumatic Seat Height Adjustment</li> <li>Tilt Tension Control</li> <li>Back and Seat Tilt in 3:1 Ratio</li> <li>Upright Position Tilt Lock</li> <li>Height Adjustable Lumbar</li> <li>Ratchet Back</li> <li>Height Adjustable Footring</li> <li>Rated for 250 lbs</li> </ul>	WIDTH:         26.5           DEPTH:         26.5           HEIGHT:         47.75-60.50           SEAT WIDTH:         21.0           SEAT WIDTH:         21.0           SEAT DEPTH:         18.0           SEAT HEIGHT:         26.5-36.5           BACK WIDTH:         20.3           BACK WIDTH:         21.0-23.75           COM:         0.9 yd           COL:         11.0 sq ft           WEIGHT:         48.0	Black Soft Touch C style C-Shaped Arr	n	8-Way Adjustable A Touch sliding and p arm pads.		Soft-Touch s pivoting arm	djustable Arms
NEW MODEL 2168	YI	8" STOOL BASIC CONTROL Use for work surfaces up to 36 inches high.	M1 M1 M1 M3 M3 M3 M3	ARMLESS A10 A36 A37 ARMLESS A10 A36 A37	685         710         7           705         730         7           725         750         7           625         650         6           710         735         7	675         675         705           760         790         706           780         810         830           800         800         830           700         780         815           785         805         835           805         805         835	740     780       825     865       845     885       865     905       765     805       850     890       870     910	820         750           905         835           925         855           945         875           845         775           930         860           950         885	<ul> <li>870</li> <li>955</li> <li>975</li> <li>995</li> <li>895</li> <li>980</li> <li>1000</li> </ul>	925 1010 1030 1050 950 1035	<ul> <li>Pneumatic Seat Height Adjustment</li> <li>Tilt Tension Control</li> <li>Back and Seat Tilt in 3:1 Ratio</li> <li>Upright Position Tilt Lock</li> <li>Height Adjustable Lumbar</li> <li>Ratchet Back</li> <li>Height Adjustable Footring</li> <li>Rated for 250 lbs</li> </ul>	WIDTH:       26.5         DEPTH:       26.5         HEIGHT:       44.75-55.5         SEAT WIDTH:       21.0         SEAT DEPTH:       18.0         SEAT HEIGHT:       24-32         BACK WIDTH:       21.0-23.75         COM:       0.9 yd         COL:       11.0 sq ft         WEIGHT:       48.0	Standard 60mm Hoodless Casters ADDITIONAL	A10B A10P A10S \$100 minum Base rder-Coat	60mm Hoodless Hard Floor Casters	<b>C6S</b> \$35 s		
													MESH COLOR	S				
													BLACK M11 GRAPHITE M31	GRAY M12 SLATE M32	SILVER M13 SNOW M33	GREEN M14 SAGE M34	RED M15	BLUE M16
													CARDINAL M35	ROYAL M36	TANGERINE M37	PLUM M38		

STERS PACKAGING OPTIONS									
	PACKAGING NOTES								
	CODE	DESCRIPTION	LIST UPCHARGE						
	AB	ASSEMBLED IN BAG FOR WILL CALL	\$0						
	PAC	PARTIALLY ASSEMBLED IN CARTON	\$0						
	BAC	BACK ASSEMBLED IN CARTON	\$40						













theory





## theory the facts support theory as the smart choice

## ALL MESH

## GSA SIN # 711-18

- Task and conference seating
- Choice of 14 back mesh colors
- Warranted up to 250 lbs on Y1 and GT
- Warranted up to 300 lbs on Y2 and Y3
- Black nylon base
- Ratchet back adjustment with independent adjustable lumbar





MODEL	CONTROL	DESCRIPTION	MESH	ARM	MESH	FEATURES	DIMENSIONS	ARM OPTIONS
2170	Y1	MID-BACK SIMPLE SYNCHRO TILT CONTROL Use for a variety of general office seating, including private office and conference room seating.	M1 M1 M1 M3 M3 M3 M3 M3	ARMLESS A10 A36 A37 ARMLESS A10 A36 A37	M         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I	<ul> <li>Pneumatic Seat Height Adjustment</li> <li>Tilt Tension Control</li> <li>Back and Seat Tilt in 3:1 Ratio</li> <li>Upright Position Tilt Lock</li> <li>Height Adjustable Lumbar</li> <li>Ratchet Back</li> <li>Rated for 250 lbs</li> </ul>	WIDTH:         26.5           DEPTH:         25.5           HEIGHT:         39.0-46.0           SEAT WIDTH:         20.0           SEAT DEPTH:         18.0           SEAT HEIGHT:         17.5-22.0           BACK WIDTH:         20.0           BACK HEIGHT:         23.0-26.0           COM:         N/A           WEIGHT:         40.5 LB	A10       A36         Black Soft Touch Cantilever style C-Shaped Arm       8-Way Adjustable Arms Soft Touch sliding and pivoting arm pads.       0 -Way Adjustable Arms Soft Touch sliding and pivoting arm pads.         CASTER OPTIONS       CASTER OPTIONS
2170	Y3	MID-BACK FULL SYNCHRO TILT CONTROL Use for a variety of general office seating, including private office and conference room seating.	M1 M1 M1 M3 M3 M3 M3 M3	ARMLESS A10 A36 A37 ARMLESS A10 A36 A37	M         Image: Constraint of the second secon	<ul> <li>Pneumatic Seat Height Adjustment</li> <li>Tilt Tension Control</li> <li>Back and Seat Tilt in 2:1 ratio</li> <li>3 Locking Positions</li> <li>Safety Tilt Release</li> <li>Height Adjustable Lumbar</li> <li>Ratchet Back</li> <li>Rated for 300 lbs</li> </ul>	WIDTH:         26.5           DEPTH:         26.0           HEIGHT:         38.0-45.0           SEAT WIDTH:         20.0           SEAT DEPTH:         18.0           SEAT HEIGHT:         17.0-21.5           BACK WIDTH:         20.0           BACK HEIGHT:         23.5-26.0           COM:         N/A           WEIGHT:         43.0 LB	A       A       A       A       A       A       A       A       A       A       A       A       A       A       A       A       A       A       A       A       A       A       A       A       A       A       A       A       A       A       A       A       A       A       A       A       A       A       A       A       A       A       A       A       A       A       A       A       A       A       A       A       A       A       A       A       A       A       A       A       A       A       A       A       A       A       A       A       A       A       A       A       A       A       A       A       A       A       A       A       A       A       A       A       A       A       A       A       A       A       A       A       A       A       A       A       A       A       A       A       A       A       A       A       A       A       A       A       A       A       A       A       A       A       A       A       A       A       A
2170	Y2	MID-BACK HEAVY DUTY SYNCHRO TILT CONTROL Use for a variety of general office seating, including private office and conference room seating.	M1 M1 M1 M3 M3 M3 M3 M3	ARMLESS A10 A36 A37 ARMLESS A10 A36 A37	M       Image: Construction of the constructio	<ul> <li>Pneumatic Seat Height Adjustment</li> <li>Side Tilt Tension Control</li> <li>Back and Seat Tilt in 2:1 ratio</li> <li>4 Locking Positions</li> <li>Safety Tilt Release</li> <li>Height Adjustable Lumbar</li> <li>Ratchet Back</li> <li>Rated for 300 lbs</li> </ul>	WIDTH:       26.5         DEPTH:       25.0         HEIGHT:       39.5-46.5         SEAT WIDTH:       20.0         SEAT DEPTH:       18.0         SEAT HEIGHT:       17.5-22.0         BACK WIDTH:       20.0         BACK HEIGHT:       23.0-25.5         COM:       N/A         COL:       N/A         WEIGHT:       45.0 LB	BA10D BA10S S100       BA10B S100         26" High Profile Aluminum Base BA10B - Black Powder-Coat       Seat Slider 2.5" Side Paddle Activated         Saturn Science       Seat Slider 2.5" Side Paddle Activated
								BLACK       GRAY       SILVER       GREEN       RED       BLUE         M11       M12       M13       M14       M15       M16         GRAPHITE       SLATE       SNOW       SAGE       M16         M31       M32       M33       M34       M16         CARDINAL       ROYAL       TANGERINE       PLUM       M38

PACKAGING NOTES							
	CODE	DESCRIPTION	LIST UPCHARGE				
	AB	ASSEMBLED IN BAG FOR WILL CALL	\$0				
	PAC	PARTIALLY ASSEMBLED IN CARTON	\$0				
	BAC	BACK ASSEMBLED IN CARTON	\$40				

















# theory



## theory the facts support theory as the smart choice

## ALL MESH

## GSA SIN # 711-18

- Task and conference seating
- Choice of 14 back mesh colors Warranted up to 250 lbs on Y1
- Warranted up to 300 lbs on Y2 and Y3
- Black nylon base
- Ratchet back adjustment with independent adjustable lumbar





MODEL CONTROL DESCRIPTION	MESH	ARM	MESH	FEATURES	DIMENSIONS	ARM OPTION	S				
2190 Y1 HIGH-BACK SIMPLE SYNCHRO TILT CONTROL Use for a variety of general office seating, including private office and conference room seating.	M1 M1 M1 M3 M3 M3 M3 M3	ARMLESS A10 A36 A37 ARMLESS A10 A36 A37	M       I       I       I       I       I       I       I       I       I       I       I       I       I       I       I       I       I       I       I       I       I       I       I       I       I       I       I       I       I       I       I       I       I       I       I       I       I       I       I       I       I       I       I       I       I       I       I       I       I       I       I       I       I       I       I       I       I       I       I       I       I       I       I       I       I       I       I       I       I       I       I       I       I       I       I       I       I       I       I       I       I       I       I       I       I       I       I       I       I       I       I       I       I       I       I       I       I       I       I       I       I       I       I       I       I       I       I       I       I       I       I       I       I       I       I       I       I       I	<ul> <li>Pneumatic Seat Height Adjustment</li> <li>Tilt Tension Control</li> <li>Back and Seat Tilt in 3:1 Ratio</li> <li>Upright Position Tilt Lock</li> <li>Height Adjustable Lumbar</li> <li>Ratchet Back</li> <li>Rated for 250 lbs</li> </ul>	WIDTH:       26.5         DEPTH:       25.5         HEIGHT:       44.5-55.0         SEAT WIDTH:       20.0         SEAT DEPTH:       18.0         SEAT HEIGHT:       17.5-21.0         BACK WIDTH:       20.0         BACK HEIGHT:       30.0-35.0         COM:       N/A         COL:       N/A         WEIGHT:       42.0 LB	Black Soft Touch of style C-Shaped Ar	n Ta a	t-Way Adjustab ouch sliding an arm pads.		Soft-Touch pivoting arr	A37 \$125 ljustable Arms sliding and n pads and 4" mob under seat.
2190 Y3 HIGH-BACK FULL SYNCHRO TILT CONTROL Use for a variety of general office seating, including private office and conference room seating.	M1 M1 M1 M3 M3 M3	ARMLESS A10 A36 A37 ARMLESS A10 A36	M       I       I       I       I       I       I       I       I       I       I       I       I       I       I       I       I       I       I       I       I       I       I       I       I       I       I       I       I       I       I       I       I       I       I       I       I       I       I       I       I       I       I       I       I       I       I       I       I       I       I       I       I       I       I       I       I       I       I       I       I       I       I       I       I       I       I       I       I       I       I       I       I       I       I       I       I       I       I       I       I       I       I       I       I       I       I       I       I       I       I       I       I       I       I       I       I       I       I       I       I       I       I       I       I       I       I       I       I       I       I       I       I       I       I       I <thi< th=""> <thi< th=""> <thi< th=""></thi<></thi<></thi<>	<ul> <li>Pneumatic Seat Height Adjustment</li> <li>Tilt Tension Control</li> <li>Back and Seat Tilt in 2:1 ratio</li> <li>3 Locking Positions</li> <li>Safety Tilt Release</li> <li>Height Adjustable Lumbar</li> <li>Ratchet Back</li> <li>Rated for 300 lbs</li> </ul>	WIDTH:         26.5           DEPTH:         26.0           HEIGHT:         45.0-54.0           SEAT WIDTH:         20.0           SEAT DEPTH:         18.0           SEAT HEIGHT:         17.0-21.5           BACK WIDTH:         20.0           BACK HEIGHT:         30.5-35.0           COM:         N/A	Standard 60mm Hoodless Casters	ł	60mm Hoodles Hard Floor Cas			
2190 Y2 VI VI VI VI VI VI VI VI VI VI	M3 M1 M1 M1 M3 M3 M3 M3	A37 ARMLESS A10 A36 A37 ARMLESS A10 A36	770     Image: Constraint of the constra	<ul> <li>Pneumatic Seat Height Adjustment</li> <li>Side Tilt Tension Control</li> <li>Back and Seat Tilt in 2:1 ratio</li> <li>4 Locking Positions</li> <li>Safety Tilt Release</li> <li>Height Adjustable Lumbar</li> <li>Ratchet Back</li> <li>Rated for 300 lbs</li> </ul>	WEIGHT:         44.0 LB           WIDTH:         26.5           DEPTH:         25.0           HEIGHT:         46.0-55.5           SEAT WIDTH:         20.0           SEAT DEPTH:         18.0           SEAT HEIGHT:         17.5-22.0           BACK WIDTH:         20.0           BACK HEIGHT:         30.0-34.5           COM:         N/A		A10B A10P A10S \$100 minum Base S vder-Coat S	Seat Slider 2.5" Side Paddle Ac		Heavy Duty Upgrade to BA2B alum C4 60mm o	HD \$125 Multi-Shift 350 lbs includes inum base and asters; available guration only
Seating.	M3	A37	820 SEAT SLIDER (SS) - ADD S60 - FACTORY INSTALLED		COL: N/A WEIGHT: 46.0 LB	MESH COLOF BLACK M11 GRAPHITE M31 TANGERINE M37	S GRAY M12 SLATE M32 PLUM M38	SILVER M13 SNOW M33	GREEN M14 SAGE M34	RED M15 CARDINAL M35	BLUE M16 ROYAL M36

PACKAGING NOTES							
	CODE	DESCRIPTION	LIST UPCHARGE				
	AB	ASSEMBLED IN BAG FOR WILL CALL	\$0				
	PAC	PARTIALLY ASSEMBLED IN CARTON	\$0				
	BAC	BACK ASSEMBLED IN CARTON	\$40				













theory





## **ALL MESH STOOL**

## GSA SIN # 711-18

- Task and conference seating
- Choice of 14 back mesh colors
- Warranted up to 250 lbs on Y1 and GT
- Warranted up to 300 lbs on Y2 and Y3
- Black nylon base
- Ratchet back adjustment with independent adjustable lumbar





MODEL	CONTROL	DESCRIPTION	MESH	ARM	MESH	FEATURES	DIMENSIONS	ARM OPTIONS	3				
NEW MODEL 2176	Y1	10" STOOL BASIC CONTROL Use for work surfaces up to 42 inches high.	M1 M1 M1 M3 M3 M3 M3 M3	ARMLESS A10 A36 A37 ARMLESS A10 A36 A37	M         Image: Constraint of the second secon	<ul> <li>Pneumatic Seat Height Adjustment</li> <li>Tilt Tension Control</li> <li>Back and Seat Tilt in 3:1 Ratio</li> <li>Upright Position Tilt Lock</li> <li>Height Adjustable Lumbar</li> <li>Ratchet Back</li> <li>Height Adjustable Footring</li> <li>Rated for 250 lbs</li> </ul>	WIDTH:         26.5           DEPTH:         26.5           HEIGHT:         47.25-60.5           SEAT WIDTH:         19.5           SEAT DEPTH:         18.0           SEAT DEPTH:         26.0-36.0           BACK WIDTH:         20.0           BACK HEIGHT:         22.5-25.5           COM:         NA           COL:         NA           WEIGHT:         56.0 lbs	Black Soft Touch C style C-Shaped Arr	1	8-Way Adjustabl Touch sliding an arm pads.	id pivoting	10 -Way Adjustab Soft-Touch sliding pivoting arm pads arm width knob u	g and s and 4"
NEW MODEL 2178	Y1	8" STOOL BASIC CONTROL Use for work surfaces up to 42 inches high.	M1 M1 M1 M3 M3 M3 M3	ARMLESS A10 A36 A37 ARMLESS A10 A36 A37	M         Image: Construction of the construction of t	<ul> <li>Pneumatic Seat Height Adjustment</li> <li>Tilt Tension Control</li> <li>Back and Seat Tilt in 3:1 Ratio</li> <li>Upright Position Tilt Lock</li> <li>Height Adjustable Lumbar</li> <li>Ratchet Back</li> <li>Height Adjustable Footring</li> <li>Rated for 250 lbs</li> </ul>	WIDTH:       26.5         DEPTH:       26.5         HEIGHT:       44.25-55.5         SEAT WIDTH:       19.5         SEAT DEPTH:       18.0         SEAT HEIGHT:       23.5-31.5         BACK WIDTH:       20.0         BACK HEIGHT:       22.5-25.5         COM:       NA         COL:       NA         WEIGHT:       55.0 lbs	Standard 60mm Hoodless Casters ADDITIONAL (	ATOB ATOP ATOS \$100 minum Base der-Coat	60mm Hoodless Hard Floor Cast			
		<u> </u>						MESH COLOR	S				
								BLACK M11 GRAPHITE M31 TANGERINE M37	GRAY M12 SLATE M32 PLUM M38	SILVER M13 SNOW M33	GREEN M14 SAGE M34	M15 M CARDINAL RO	UE 16 YAL 36

PACKAG		OPTIONS	
	PACKAG	ING NOTES	
	CODE	DESCRIPTION	LIST UPCHARGE
	AB	ASSEMBLED IN BAG FOR WILL CALL	\$0
	PAC	PARTIALLY ASSEMBLED IN CARTON	\$0
	BAC	BACK ASSEMBLED IN CARTON	\$40









9to5seating.com 888.925.SEAT





theory



**MESH BACK** 

## GSA SIN # 711-18

- Task, stool, management and conference seating
- Ratchet back height adjustment standard
- Choice of 8 back mesh colors
- Seat slider standard on all models
- Warranted up to 250 lbs on Y1
- Warranted up to 300 lbs on Y3 and K2
- CAL TB 133 Fire Code approved



**CREATING VAULT MODEL NUMBER** MODEL NUMBER BACK MESH COLOR GRADE 1460--A -**C**6 -M2 -

MODEL	CONTROL	DESCRIPTION	ARM	FABRIC	LEATHER										FEATURES	DIMENSIONS
1460	Y1	i i		: T01	A/COM	В	C	D	E	F	G	L3/COL	L4	L5	Pneumatic Seat Height Adjustment	WIDTH: 24.5-26.0
			ARMLESS	440	460	490	510	540	575	615	655	525	560	650	Tilt Tension Control	<b>DEPTH:</b> 25.0
	1	RATCHET BACK	A6	570	590	620	640	670	705	745	785	655	690	780	Back and Seat Tilt in 3:1 Ratio	HEIGHT: 39.5-46.5
	A	SIMPLE SYNCHRO	Α7	590	610	640	660	690	725	765	805	675	710	800	Upright Position Tilt Lock	SEAT WIDTH: 20.0
		TILT CONTROL	A8	525	545	575	595	625	660	700	740	610	645	735	<ul><li>Seat Slider Standard</li><li>Ratchet Back Height Lumbar</li></ul>	SEAT DEPTH: 16.0-18.5
	E B														Adjustment	SEAT HEIGHT: 17.5-22.0
Ä		Use for a variety of general office	A9	545	565	595	615	645	680	720	760	630	665	755	Molded Foam Seat	BACK WIDTH: 18.5
	6	task seating, including private	A10	525	545	575	595	625	660	700	740	610	645	735	Rated for 250 lbs	BACK HEIGHT: 23.0-25.5
0	0	office and conference room seating.	A36	545	565	595	615	645	680	720	760	630	665	755		COM: 0.8 yds
			A37	565	585	615	635	665	700	740	780	650	685	775		COL: 11.0 sq ft WEIGHT: 39.0 lb
			A40	550	570	600	620	650	685	725	765	635	670	760		WEIGHT: 39.0 ID
			A41	570	590	620	640	670	705	745	785	655	690	780		
				. T01	A/COM	в	C	D	E	F	G	L3/COL	L4	L5		
1460	Y3		ARMLESS	510	530	560	580	610	645	685	725	595	630	720	Pneumatic Seat Height Adjustment	WIDTH: 24.5-26.0
		RATCHET BACK	AG	640	660	690	710	740	775	815	855	725	760	850	Tilt Tension Control	<b>DEPTH:</b> 25.0
	51	FULL SYNCHRO													<ul> <li>Back and Seat Tilt in 2:1 Ratio</li> </ul>	HEIGHT: 39.5-46.5
	TILT CONTROL	A7	660	680	710	730	760	795	835	875	745	780	870	3 Locking Positions	SEAT WIDTH: 20.0	
	<u>A</u>		A8	595	615	645	665	695	730	770	810	680	715	805	<ul><li>Safety Tilt Release</li><li>Seat Slider Standard</li></ul>	SEAT DEPTH: 16.0-18.5
		Use for a variety of general office	A9	615	635	665	685	715	750	790	830	700	735	825	Ratchet Back Height Lumbar	<b>SEAT HEIGHT:</b> 17.5-22.0
		task seating, including private	A10	595	615	645	665	695	730	770	810	680	715	805	Adjustment	BACK WIDTH: 18.5
		office and conference room seating.	A36	615	635	665	685	715	750	790	830	700	735	825	Molded Foam Seat	BACK HEIGHT: 23.0-25.5
	6		A37	635	655	685	705	735	770	810	850	720	755	845	Rated for 300 lbs	COM: 0.8 yds
0	Ũ		A40	620	640	670	690	720	755	795	835	705	740	830		COL: 11.0 sq ft WEIGHT: 41.0 lb
			A40	640	660	690	710	740		815	855	725	760	850		
		• • •		•	1	в				F	G	L3/COL	( (	15		•
1460	K2			T01	A/COM		C	D	E				L4	L5		
$ \longrightarrow $	٦	RATCHET BACK	ARMLESS	530	550	580	600	630	665	705	745	615	650	740	<ul> <li>Pneumatic Seat Height Adjustment</li> <li>Side Activated Tilt Tension Control</li> </ul>	WIDTH: 24.5-26.0 DEPTH: 25.0
K N	N	ENHANCED KNEE	A6	660	680	710	730	760	795	835	875	745	780	870	<ul> <li>Seat and Back Tilt as a unit</li> </ul>	HEIGHT: 39.5-46.5
		TILT CONTROL	A7	680	700	730	750	780	815	855	895	765	800	890	3 Locking Positions	SEAT WIDTH: 20.0
	И́НЬ		A8	615	635	665	685	715	750	790	830	700	735	825	Reduced Rise of Front of Seat	SEAT DEPTH: 16.0-18.5
- US	AP-	Ultimate seating comfort suited for	A9	635	655	685	705	735	770	810	850	720	755	845	<ul><li>Seat Slider Standard</li><li>Ratchet Back Height Lumbar</li></ul>	<b>SEAT HEIGHT:</b> 17.5-22.0
		the executive or manager. Allows	A10	615	635	665	685	715	750	790	830	700	735	825	Ratchet Back Height Lumbar     Adjustment	BACK WIDTH: 18.5
9 0	6 9 9	for full range of movement with	A36	635	655	685	705	735	770	810	850	720	755	845	Molded Foam Seat	BACK HEIGHT: 23.0-25.5
		sharp, simple look.	A37	655			725	755	790		870	740	775	865	Rated for 300 lbs	COM: 0.8 yds
					675	705				830						<b>COL:</b> 11.0 sq ft
			A40	640	660	690	710	740	775	815	855	725	760	850		WEIGHT: 41.0 lb
		· · · · · · · · · · · · · · · · · · ·	A41	660	680	710	730	760	795	835	875	745	780	870		1

ERS PACKAGING OPTIONS											
	PACKAG	AING NOTES									
	CODE	DESCRIPTION	LIST UPCHARGE								
	AB	ASSEMBLED IN BAG FOR WILL CALL	\$0								
	PAC	PARTIALLY ASSEMBLED IN CARTON	\$0								
	BAC	BACK ASSEMBLED IN CARTON	\$40								

A8B/S

A9B/S

40

A8 2-Way Height Adjustable

Arm, A9 4-Way Adjustable

Height Adjustable with 4"

Interior Width Adjustment

A8B -Black, A8S -Silver

A9B -Black, A9S -Silver

\$85

\$105

## ARM OPTIONS



6-way A6 or 8-way A7 Adjustable Am for height, pivots, and with Ura-Soft sliding arm pads



A36, 8-Way Adjustable Soft-Touch sliding and pivoting arm with pads, A37, 10-Way Adjustable with 4" arm width knob under seat.

## CASTER OPTIONS



Standard 60mm Hoodless Casters

## ADDITIONAL OPTIONS



- 26" High Profile Aluminum Base BA10B - Black Powder-Coat BA10P - Polished
- BA10S Silver Powder-Coat



60mm Hoodless

Hard Floor Casters

C6S

\$35

Extra Foam 1" on Seat Not Available with Leather



1" Visco Elastic Memory Foam on Seat Not Available with Leather

## **MESH COLORS**

BLACK	GRAY	WHITE	GREEN
M21	M22	M23	M24
RED	BLUE	ORANGE	AQUA
M25	M26	M27	M28



Black Soft Touch Cantilever style C-Shaped Arm



A40 2-Way or 6-way A41 Adjustable Arm Ratchet Height Adjustment with Fixed Arm Pad



9to5seating.com 888.925.SEAT

# Seating



## **MESH BACK**

## GSA SIN # 711-18

- Task, stool, management and conference seating
- Ratchet back height adjustment standard
- Choice of 8 back mesh colors
- Seat slider standard on all models
- Warranted up to 250 lbs on Y1
- Warranted up to 300 lbs on Y3 and K2
- CAL TB 133 Fire Code approved





MODEL	CONTROL	DESCRIPTION	ARM	FABRIC/	LEATHER										FEATURES	DIMENSIONS	
1480	Y1	1		T01	A/COM	В	C	D	E	F	G	L3/COL	L4	L5	Pneumatic Seat Height Adjustment	WIDTH:	24.5-26.0
	¢		ARMLESS	515	535	565	585	615	650	690	730	600	635	725	Tilt Tension Control	DEPTH:	25.0
		RATCHET BACK WITH	A6	645	665	695	715	745	780	820	860	730	765	855	Back and Seat Tilt in 3:1 Ratio	HEIGHT:	39.5-46.5
	<u>A</u>	HEADREST SIMPLE	A7	665	685	715	735	765	800	840	880	750	785	875	<ul><li>Upright Position Tilt Lock</li><li>Seat Slider Standard</li></ul>	SEAT WIDTH:	
	VET	SYNCHRO TILT CONTROL	A8	600	620	650	670	700	735	775	815	685	720	810	Ratchet Back Height Lumbar	SEAT DEPTH:	
			A9	620	640	670	690	720	755	795	835	705	740	830	Adjustment	SEAT HEIGHT:	
		Use for a variety of general office													Molded Foam Seat	BACK WIDTH: BACK HEIGHT:	
	6 1 3	task seating, including private	A10	600	620	650	670	700	735	775	815	685	720	810	Rated for 250 lbs	COM:	
0	office and conference room seating	A36	620	640	670	690	720	755	795	835	705	740	830		:	11.0 sq ft	
			A37	640	660	690	710	740	775	815	855	725	760	850	Rated	or 300 lbs WEIGHT:	
			A40	625	645	675	695	725	760	800	840	710	745	835			
			A41	645	665	695	715	745	780	820	860	730	765	855			
1480	Y3	: :		. T01	A/COM	В	C	D	E	F	G	L3/COL	L4	L5	Pneumatic Seat Height Adjustment	WIDTH:	24.5-26.0
	d		ARMLESS	585	605	635	655	685	720	760	800	670	705	795	Tilt Tension Control	DEPTH:	
	RATCHET BACK WITH	F BACK WITH         A6         715         735         765         785         815         850         890         930         800         835         925         • Back and Seat Tilt in 2:1 Ratio	HEIGHT:	39.5-46.5													
	HEADREST FULL SYNCHRO	A7	735	755	785	805	835	870	910	950	820	855	945	3 Locking Positions	SEAT WIDTH:	20.0	
		TILT CONTROL	A8	670	690	720	740	770	805	845	885	755	790	880	<ul> <li>Safety Tilt Release</li> <li>Seat Slider Standard</li> <li>Ratchet Back Height Lumbar</li> </ul>	SEAT DEPTH:	
			A9											900		SEAT HEIGHT:	
Use for a variety of general	Use for a variety of general office		690	710	740	760	790	825	865	905	775	810		Adjustment	BACK WIDTH:		
		task seating, including private	A10	670	690	720	740	770	805	845	885	755	790	880	Molded Foam Seat	BACK HEIGHT:	
0	0	office and conference room seating.	A36	690	710	740	760	790	825	865	905	775	810	900	Rated for 300 lbs	:	0.8 yds 11.0 sg ft
			A37	710	730	760	780	810	845	885	925	795	830	920			41.0 lb
			A40	695	715	745	765	795	830	870	910	780	815	905		WEIGHT.	41.010
			A41	715	735	765	785	815	850	890	930	800	835	925			
1480	K2	:		: T01	A/COM	В	C	D	E	F	G	L3/COL	L4	L5	Pneumatic Seat Height Adjustment	WIDTH:	24.5-26.0
<u>an</u>	đ		ARMLESS	605	625	655	675	705	740	780	820	690	725	815	Side Activated Tilt Tension Control	DEPTH:	25.0
N	N	RATCHET BACK WITH HEAD-	A6	735	755	785	805	835	870	910	950	820	855	945	Seat and Back Tilt as a unit	HEIGHT:	39.5-46.5
	∅	REST ENHANCED KNEE TILT CONTROL	A7	755	775	805	825	855	890	930	970	840	875	965	<ul><li> 3 Locking Positions</li><li> Reduced Rise of Front of Seat</li></ul>	SEAT WIDTH:	
		CONTROL	A8	690	710	740	760	790	825	865	905	775	810	900	Seat Slider Standard	SEAT DEPTH:	
		Ultimate seating comfort suited for	A9	710	730	740	780						830	920	Ratchet Back Height Lumbar	SEAT HEIGHT:	
		the executive or manager. Allows						810	845	885	925	795			Adjustment	BACK WIDTH: BACK HEIGHT:	
J >>	6 1 3	for full range of movement with	A10	690	710	740	760	790	825	865	905	775	810	900	<ul><li>Molded Foam Seat</li><li>Rated for 300 lbs</li></ul>		23.0-25.5 0.8 yds
<u> </u>	0	sharp, simple look.	A36	710	730	760	780	810	845	885	925	795	830	920			0.8 yus 11.0 sq ft
snarp, s		A37	730	750	780	800	830	865	905	945	815	850	940		:	41.0 lb	
			A40	715	735	765	785	815	850	890	930	800	835	925			
			A41	735	755	785	805	835	870	910	950	820	855	945			

ERS PACKAGING OPTIONS											
PACKAG	AING NOTES										
CODE	DESCRIPTION	LIST UPCHARGE									
AB	ASSEMBLED IN BAG FOR WILL CALL	\$0									
PAC	PARTIALLY ASSEMBLED IN CARTON	\$0									
BAC	BACK ASSEMBLED IN CARTON	\$40									

A8B/S

A9B/S

A8 2-Way Height Adjustable

Arm, A9 4-Way Adjustable

Height Adjustable with 4"

Interior Width Adjustment

A8B -Black, A8S -Silver

A9B -Black, A9S -Silver

\$85

\$105

## ARM OPTIONS



6-way A6 or 8-way A7 Adjustable Am for height, pivots, and with *Ura-Soft* sliding arm pads



A36, 8-Way Adjustable Soft-Touch sliding and pivoting arm with pads, A37, 10-Way Adjustable with 4" arm width knob under seat.

## CASTER OPTIONS



Standard 60mm Hoodless Casters

## ADDITIONAL OPTIONS



- 26" High Profile Aluminum Base BA10B - Black Powder-Coat BA10P - Polished
- BA10S Silver Powder-Coat



60mm Hoodless

Hard Floor Casters

C6S

\$35

Extra Foam 1" on Seat Not Available with Leather



1" Visco Elastic Memory Foam on Seat Not Available with Leather

## **MESH COLORS**

BLACK	GRAY	WHITE	GREEN
M21	M22	M23	M24
RED M25	BLUE M26	ORANGE M27	AQUA M28



Black Soft Touch Cantilever style C-Shaped Arm



A40 2-Way or 6-way A41 Adjustable Arm Ratchet Height Adjustment with Fixed Arm Pad









## **MESH BACK STOOL**

## GSA SIN # 711-18

- Task, stool, management and conference seating
- Ratchet back height adjustment standard
- Choice of 8 back mesh colors
- Seat slider standard on all modelsWarranted up to 250 lbs on all models
- CAL TB 133 Fire Code approved





MODEL CONTROL	DESCRIPTION	ARM	FABRIC/LEATHER FEATURES DIMENSIONS	ARM OPTIONS
1466 Y1	10" TRAVEL HIGH STOOL SIMPLE SYNCHRO TILT CONTROL Use for work surfaces up to 42 inches high.	ARMLESS A6 A7 A8 A9 A10 A36 A37 A40 A41	T01 <i>NC00RCDEGI</i> ,000 <i>I</i> ,400 <i>I</i> ,400 <i>ISSSSSSSSSSSSSSSSSSSSSSSSSSSSSSSSSSSSSSSSSSSSSSSSSSSSSSSSSSSSSSSSSSSSSSSSSSSSSSSSSSSSSSSSSSSSSSSSSSSSSSSSSSSSSSSSSSSSSSSSSSSSSSSSSSSSSSSSSSSSSSSSSSSSSSSSSSSSS</i>	A6 \$130 A7 \$150       \$8B/S \$85 \$105         6-way A6 or 8-way A7 Adjustable Am for height, pixots, and with Ura-soft sliding arm pass       A8 2-Way Height Adjustable Am, A9 4-Way Adjustable Am,
1468 Y1	8" TRAVEL LOW STOOL SIMPLE SYNCHRO TILT CONTROL Use for work surfaces up to 36 inches high.	ARMLESS A6 A7 A8 A9 A10	T01A/C0MBCDEFGL3/C0LL4L556558561563566570074074065068577569571574576579583087091078061590511it Tension Control11it Tension ControlDEPTH:25.0715735765785815800810815905Back and Seat Tilt in 3:1 RatioHEIGHT:45.0-55.5650670700720750815825865775770860Seat Slider StandardSEAT WIDTH:2.0-30.0660670700700700815825865735770860Molded Foam SeatMolded Foam SeatBACK WIDTH:18.5650670700720750755825865735770860Height Adj 20" Diameter FootringBACK HEIGHT:23.0-25.5	A36, 8-Way Adjustable Soft- Touch sliding and pivoting arm with pads, A37, 10-Way Adjustable with 4" arm width knob under seat. CASTER OPTIONS
	30 inches high.	A36 A37 A40 A41	670         690         720         740         70         805         845         875         790         880         • Rated for 250 lbs         • Rated for 250 lbs         • COM: 0.8 yds           690         710         740         700         805         865         905         710         90         900           670         690         720         740         700         810         900         900         900         900         900         900         900         900         900         900         900         900         900         900         900         900         900         900         900         900         900         900         900         900         900         900         900         900         900         900         900         900         900         900         900         900         900         900         900         900         900         900         900         900         900         900         900         900         900         900         900         900         900         900         900         900         900         900         900         900         900         900         900         900	C6 STD Standard 60mm Hoodless Casters Casters
				ADDITIONAL OPTIONS          BA10B       BA10P         BA10B       BA10B         BA10B       BA10B         BA10B       BA10B         String       String         Casters       Comparison         Ability       Comparison         BA10B       Black Powder-Coat         BA10P - Polished       Extra Foam 1" on Seat         BA10P - Polished       Silver Powder-Coat
				MESH COLORSBLACKGRAYWHITEGREENM21M22M23M24REDBLUEORANGEAQUAM25M26M27M28

ERS PACKAGING OPTIONS											
PACKAG	AING NOTES										
CODE	DESCRIPTION	LIST UPCHARGE									
AB	ASSEMBLED IN BAG FOR WILL CALL	\$0									
PAC	PARTIALLY ASSEMBLED IN CARTON	\$0									
BAC	BACK ASSEMBLED IN CARTON	\$40									





















# 9005°


## vesta excellence in total ergonomics

ALL MESH

## GSA SIN # 711-18

- Task, task stool, executive and conference seatingSeat styles include: mesh and upholstered
- Choice of 3 frame colors and 6 mesh colors
- Aluminum base standard
- Warranted up to 250 lbs with stool
- Warranted up to 300 lbs with X1 except for stool
- CAL TB 133 Fire Code approved





MODEL	CONTROL	DESCRIPTION	ARM	MESH	FEATURES	DIMENSIONS	ARM OPTIONS
3060	X1	MID-BACK DYNAMIC SYNCHRO TILT CONTROL Use for a variety of general office task seating, including private office and conference room seating.	ARMLESS A28 A29 A30	M       I       I       I       I       I         975       I       I       I       I       I       I         1075       I       I       I       I       I       I         1075       I       I       I       I       I       I         1075       I       I       I       I       I       I         1100       I       I       I       I       I       I         1100       I       I       I       I       I       I         I100       I       I       I       I       I       I         I100       I       I       I       I       I       I         I100       I       I       I       I       I       I       I         I100       I       I       I       I       I       I       I       I       I         I100       I       I       I       I       I       I       I       I         I100       I       I       I       I       I       I       I       I         I100       I       I       I	<ul> <li>Pneumatic Seat Height Adjustment</li> <li>Side Adjustable Tilt Tension Control</li> <li>Back and Seat Tilt in 2.6:1 Ratio</li> <li>26° Tilt of Back, 10° Seat Tilt</li> <li>11 Locking Positions</li> <li>2 Position Forward Seat Angle Adj</li> <li>Standard Seat Slider Adds 2.5" Adj</li> <li>Standard with Heavy Duty Hard Floor Casters</li> <li>Rated for 300 lbs</li> </ul>	WIDTH:       24.5-26.5         DEPTH:       25.0         HEIGHT:       41.0-45.5         SEAT WIDTH:       19.5         SEAT DEPTH:       17.0-18.5         SEAT HEIGHT:       17.0-21.5         BACK WIDTH:       19.5         BACK HEIGHT:       23.5         WEIGHT:       54.0 LB	A28 b to bA29 b to bA29 b to bA20 b to b2-Way Adjustable Arm Height Adjustable W19% Interior Width2-Way Adjustable Arm hight Adjustable w175% interior Width2-Way Adjustable Arm hight Adjustable w175%2-Way Adjustable Arm hight Adjustable w175%2-Way Adjustable Arm hight Adjustable w175%Caster optionsCaster optionsCoster optionsCoster optionsCoster options
3080	X1	HIGH-BACK DYNAMIC SYNCHRO TILT CONTROL Use for a variety of general office task seating, including private office and conference room seating.	ARMLESS A28 A29 A30	M       Image: Constraint of the second of the	<ul> <li>Pneumatic Seat Height Adjustment</li> <li>Side Adjustable Tilt Tension Control</li> <li>Back and Seat Tilt in 2.6:1 Ratio</li> <li>26° Tilt of Back, 10° Seat Tilt</li> <li>11 Locking Positions</li> <li>2 Position Forward Seat Angle Adj</li> <li>Standard Seat Slider Adds 2" Adj</li> <li>Standard with Heavy Duty Hard Floor Casters</li> <li>3 Way Adjustable Headrest</li> <li>Rated for 300 lbs</li> </ul>	WIDTH:         24.5-26.5           DEPTH:         25.0           HEIGHT:         50.0-54.5           SEAT WIDTH:         19.5           SEAT DEPTH:         17.0-18.5           SEAT HEIGHT:         17.0-21.5           BACK WIDTH:         19.5           BACK HEIGHT:         23.5           WEIGHT:         56.0 LB	Standard 75mm Hoodless         Casters for use on low to         medium pile carpet or hard         surfaces
3061	XI	10" TRAVEL HIGH STOOL DYNAMIC SYNCHRO TILT CONTROL Use for work surfaces up to 42 inches high.	ARMLESS A28 A29 A30	M         Image: Constraint of the state of the sta	<ul> <li>Pneumatic Seat Height Adjustment</li> <li>Side Adjustable Tilt Tension Control</li> <li>Back and Seat Tilt in 2.6:1 Ratio</li> <li>26° Tilt of Back, 10° Seat Tilt</li> <li>11 Locking Positions</li> <li>2 Position Forward Seat Angle Adj</li> <li>Standard Seat Slider Adds 2.5" Adj</li> <li>Standard With Heavy Duty Hard Floor Casters</li> <li>Height Adj 20" Diameter Footring</li> <li>Rated for 250 lbs</li> </ul>	WIDTH:       24.5-26.5         DEPTH:       25.0         HEIGHT:       50.5-60.5         SEAT WIDTH:       19.5         SEAT DEPTH:       17.0-18.5         SEAT HEIGHT:       26.0-36.0         BACK WIDTH:       19.5         BACK HEIGHT:       23.5         WEIGHT:       60.0 LB	BLACK M11GRAY M12SILVER M13GREEN M14RED M15BLUE M16
3063	XI	8" TRAVEL LOW STOOL DYNAMIC SYNCHRO TILT CONTROL Use for work surfaces up to 36 inches high.	ARMLESS A28 A29 A30	M         I         I         I         I         I           1100         I         I         I         I         I         I         I           1200         I         I         I         I         I         I         I         I           1200         I         I         I         I         I         I         I         I           1200         I         I         I         I         I         I         I         I           1200         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I         I	<ul> <li>Pneumatic Seat Height Adjustment</li> <li>Side Adjustable Tilt Tension Control</li> <li>Back and Seat Tilt in 2.6:1 Ratio</li> <li>26° Tilt of Back, 10° Seat Tilt</li> <li>11 Locking Positions</li> <li>2 Position Forward Seat Angle Adj</li> <li>Standard Seat Slider Adds 2.5" Adj</li> <li>Standard with Heavy Duty Hard Floor Casters</li> <li>Height Adj 20" Diameter Footring</li> <li>Rated for 250 lbs</li> </ul>	WIDTH:       24.5-26.5         DEPTH:       25.0         HEIGHT:       46.5-54.5         SEAT WIDTH:       19.5         SEAT DEPTH:       17.0-18.5         SEAT HEIGHT:       22.0-30.0         BACK WIDTH:       19.5         BACK HEIGHT:       23.5         WEIGHT:       59.0 LB	

RADE	CASTER	RS	PACKAGI	NG	OPTIONS		
]-[	<b>C</b> 8	) <b>S</b> -		) 🗌 -	-		
e and has be	EEN REPLACED	WITH POLISHE	d aluminum (PF)				

PTION		PACKAG	ING NOTES	
CK		CODE	DESCRIPTION	LIST UPCHARGE
SHED		AB	ASSEMBLED IN BAG FOR WILL CALL	\$0
/ER		BAC	BACK ASSEMBLED IN CARTON	\$0
	)			











vesta



**MESH BACK** 

## GSA SIN # 711-18

- Task, task stool, executive and conference seatingSeat styles include: mesh and upholstered
- Choice of 3 frame colors and 6 mesh colorsAluminum base standard
- Warranted up to 250 lbs with stool • Warranted up to 300 lbs with X1 except for stool
- CAL TB 133 Fire Code approved



CREATING VESTA MODEL NUMBER MODEL NUMBER CONTROL ARMS FRAME COLO 3 0 - X 1 - A - A	)-M(	COLOR GRADE		PACKAGING OPTIONS	
(	FRAME	COLORS	)		
	CODE	DESCRIPTION	PAC	AGING NOTES	
	BF	BLACK	COL	E DESCRIPTION	LIST UPCHARGE
	PF	POLISHED	AB	ASSEMBLED IN BAG FOR WILL CALL	\$0
	SF	SILVER	BA	BACK ASSEMBLED IN CARTON	\$0

MODEL	CONTROL	DESCRIPTION	ARM	FABRIC/LE	ATHER									FEATURES	DIMENSIONS	ARM OPTIONS		
3065	XI	MID-BACK DYNAMIC SYNCHRO TILT CONTROL Use for a variety of general office task seating, including private office and conference room seating.	ARMLESS A28 A29 A30	1150 1175	1085 1	210 124 210 124 235 127	511855128551285	1330 1330	6 1280 1380 1380 1405	L3/COL 1095 1195 1195 1220	1150 1250	) 11 ) 12 ) 12	190 290 290	<ul> <li>Pneumatic Seat Height Adjustment</li> <li>Side Adjustable Tilt Tension Control</li> <li>Back and Seat Tilt in 2.6:1 Ratio</li> <li>26° Tilt of Back, 10° Seat Tilt</li> <li>11 Locking Positions</li> <li>2 Position Forward Seat Angle Adj</li> <li>Standard Seat Silder Adds 2.5" Adj</li> <li>Standard with Heavy Duty Hard Floor Casters</li> <li>Rated for 300 lbs</li> </ul>	WIDTH:       24.5-26.5         DEPTH:       25.0         HEIGHT:       41.0-45.5         SEAT WIDTH:       19.5         SEAT DEPTH:       17.0-18.5         SEAT HEIGHT:       17.0-21.5         BACK WIDTH:       19.5         BACK HEIGHT:       23.5         COM:       1.1 YDS         WEIGHT:       54.0 LB	A28 100 2-Way Adjustable Arm Height Adjustable w/ 19° Interior Width	A29 \$100 2-Way Adjustable Arm Height Adjustable w/ 17.5" Interior Width	A30 \$125 6-Way Adjustable Arm Height, Width, and Forward Slide Adjustment
3085	XI	HIGH-BACK DYNAMIC SYNCHRO TILT CONTROL Use for a variety of general office task seating, including private office and conference room seating.	ARMLESS A28 A29 A30	1275 1275 1300	1210     1       1310     1       1310     1	335 137 360 139	1310       1410       1410		1405 1505	L3/COL 1220 1320 1320 1345	1275 1375 1375	i 1: i 14 i 14	415	<ul> <li>Pneumatic Seat Height Adjustment</li> <li>Side Adjustable Tilt Tension Control</li> <li>Back and Seat Tilt in 2.6:1 Ratio</li> <li>26° Tilt of Back, 10° Seat Tilt</li> <li>11 Locking Positions</li> <li>2 Position Forward Seat Angle Adj</li> <li>Standard Seat Slider Adds 2" Adj</li> <li>Standard with Heavy Duty Hard Floor Casters</li> <li>3 Way Adjustable Headrest</li> <li>Rated for 300 lbs</li> </ul>	WIDTH:       24.5-26.5         DEPTH:       25.0         HEIGHT:       50.0-54.5         SEAT WIDTH:       19.5         SEAT DEPTH:       17.0-18.5         SEAT HEIGHT:       17.0-21.5         BACK WIDTH:       19.5         BACK HEIGHT:       23.5         COM:       1.1 YDS         WEIGHT:       56.0 LB	Standard 75mm Hoodless Casters for use on low to medium pile carpet or hard surfaces		
3066	XI	10" TRAVEL HIGH STOOL DYNAMIC SYNCHRO TILT CONTROL Use for work surfaces up to 42 inches high.	ARMLESS A28 A29 A30	A/COM 1175 1275 1275 1300	121011310113101	C D 235 127 335 137 335 137 360 139 40 40 40 40 40 40 40 40 40 40 40 40 40	)     1310       )     1410       )     1410	1455 1455	1405 1505	L3/COL 1220 1320 1320 1345	1275 1375 1375	i 1: i 14 i 14	315 415 415	<ul> <li>Pneumatic Seat Height Adjustment</li> <li>Side Adjustable Tilt Tension Control</li> <li>Back and Seat Tilt in 2.6:1 Ratio</li> <li>26° Tilt of Back, 10° Seat Tilt</li> <li>11 Locking Positions</li> <li>2 Position Forward Seat Angle Adj</li> <li>Standard Seat Slider Adds 2.5" Adj</li> <li>Standard with Heavy Duty Hard Floor Casters</li> <li>Height Adj 20" Diameter Footring</li> <li>Rated for 250 lbs</li> </ul>	WIDTH:       24.5-26.5         DEPTH:       25.0         HEIGHT:       50.5-60.5         SEAT WIDTH:       19.5         SEAT DEPTH:       17.0-18.5         SEAT HEIGHT:       26.0-36.0         BACK WIDTH:       19.5         BACK HEIGHT:       23.5         COM:       1.1 YDS         WEIGHT:       60.0 LB	BLACK M11 GREEN M14	GRAY M12 RED M15	SILVER M13 BLUE M16
3068	XI	8" TRAVEL LOW STOOL DYNAMIC SYNCHRO TILT CONTROL Use for work surfaces up to 36 inches high.	ARMLESS A28 A29 A30	1275 1275	121011310113101	335 137 335 137	) 1310 ) 1410	1455 1455	1405 1505 1505	L3/COL 1220 1320 1320 1345	1275 1375 1375	i 1: i 14 i 14	415 415	<ul> <li>Pneumatic Seat Height Adjustment</li> <li>Side Adjustable Tilt Tension Control</li> <li>Back and Seat Tilt in 2.6:1 Ratio</li> <li>26° Tilt of Back, 10° Seat Tilt</li> <li>11 Locking Positions</li> <li>2 Position Forward Seat Angle Adj</li> <li>Standard Seat Slider Adds 2.5" Adj</li> <li>Standard with Heavy Duty Hard Floor Casters</li> <li>Height Adj 20" Diameter Footring</li> <li>Rated for 250 lbs</li> </ul>	WIDTH:       24.5-26.5         DEPTH:       25.0         HEIGHT:       46.5-54.5         SEAT WIDTH:       19.5         SEAT DEPTH:       17.0-18.5         SEAT HEIGHT:       22.0-30.0         BACK WIDTH:       19.5         BACK HEIGHT:       23.5         COM:       1.1 YDS         WEIGHT:       59.0 LB	_		











vesta

## zoom Rapid setup for a crew or a crowd

## MESH BACK - AP/US NEW

## GSA SIN # 711-18 Pending

- The ultimate in collaborative seating
- Compact nesting style
- Mesh back
- Torsion spring flex back with back lock
- Upholstered seat optionWarranted up to 250 lbs





FRAME	COLORS
CODE	DESCRIPTI
SF	SILVER
WF	WHITE

MODEL	CONTROL	DESCRIPTION	FRAME COLOR	PLASTIC								FEATURES		DIMENSIONS	CASTER	OPTIONS		
NEW MODEL 1115	GT	GUEST NESTING PLASTIC SEAT Mesh back with plastic seat.	SF WF	P 395 395								<ul> <li>Flexible b</li> <li>Locking b</li> <li>Upright to</li> <li>Rated up</li> </ul>	back bock position	WIDTH:       24         DEPTH:       22         HEIGHT:       33.5         SEAT WIDTH:       18         SEAT DEPTH:       16.5         SEAT HEIGHT:       17.5         BACK WIDTH:       19         BACK HEIGHT:       17         COM:       1 YD         WEIGHT:       22 LB	Standard 50mm Ho Casters	C12 STD	50mm Hooded Hard Floor Caster	C5
NEW MODEL 1115	GT	GUEST NESTING UPHOLSTERED SEAT Mesh back with upholstered seat.	SF WF	A/COM 460 460	<b>B</b> 495 495	C 515 515	D 550 550	E 585 585	<b>F</b> 625 625	<b>G</b> 670 670		<ul> <li>Flexible b</li> <li>Locking b</li> <li>Upright la</li> <li>Rated up</li> </ul>	back bock position	WIDTH:       26         DEPTH:       22         HEIGHT:       33.5         SEAT WIDTH:       18         SEAT DEPTH:       16.5         SEAT HEIGHT:       17.5         BACK WIDTH:       19         BACK HEIGHT:       17         COM:       14 YD         WEIGHT:       22 LB	CAUTION	25", Each Additional		h and
															GRAY PGA WHITI PWA		BLE WITH M32 MESH	

**AVAILABLE APRIL 2017** 



	PACKAG	ING NOTES	
ON	CODE	DESCRIPTION	LIST UPCHARGE
	AB	ASSEMBLED IN BAG FOR WILL CALL	\$0
	AC	ASSEMBLED IN CARTON	\$0
	ZOOM NES	TING CHAIRS SHIP UP TO 2 PER CARTON	







and damage frames.

zoom

## zoom Rapid setup for a crew or a crowd

## **NEW TASK CHAIR AP**

## GSA SIN # 711-18 Pending

- Training, task, multipurpose, stool, management and conference seating
- Choice of plastic or upholstered seat
- 2 powder coated frame finishes
- Warranted up to 250 lbs



## CREATING ZOOM MODEL NUMBER $\begin{array}{c|c} \text{MODEL NUMBER} & \text{CONTROL} & \text{FRAME COLOR} & \text{PLASTIC COLOR} & \text{UPHOLSTERY} & \text{GRADE} & \text{CASTERS} & \text{PACKAGING} \\ \hline 1 & 1 & 5 & - B & 2 & - F & - P & A & - F & - C & 1 & 2 & - F & - F & - F & - F & - F & - F & - F & - F & - F & - F & - F & - F & - F & - F & - F & - F & - F & - F & - F & - F & - F & - F & - F & - F & - F & - F & - F & - F & - F & - F & - F & - F & - F & - F & - F & - F & - F & - F & - F & - F & - F & - F & - F & - F & - F & - F & - F & - F & - F & - F & - F & - F & - F & - F & - F & - F & - F & - F & - F & - F & - F & - F & - F & - F & - F & - F & - F & - F & - F & - F & - F & - F & - F & - F & - F & - F & - F & - F & - F & - F & - F & - F & - F & - F & - F & - F & - F & - F & - F & - F & - F & - F & - F & - F & - F & - F & - F & - F & - F & - F & - F & - F & - F & - F & - F & - F & - F & - F & - F & - F & - F & - F & - F & - F & - F & - F & - F & - F & - F & - F & - F & - F & - F & - F & - F & - F & - F & - F & - F & - F & - F & - F & - F & - F & - F & - F & - F & - F & - F & - F & - F & - F & - F & - F & - F & - F & - F & - F & - F & - F & - F & - F & - F & - F & - F & - F & - F & - F & - F & - F & - F & - F & - F & - F & - F & - F & - F & - F & - F & - F & - F & - F & - F & - F & - F & - F & - F & - F & - F & - F & - F & - F & - F & - F & - F & - F & - F & - F & - F & - F & - F & - F & - F & - F & - F & - F & - F & - F & - F & - F & - F & - F & - F & - F & - F & - F & - F & - F & - F & - F & - F & - F & - F & - F & - F & - F & - F & - F & - F & - F & - F & - F & - F & - F & - F & - F & - F & - F & - F & - F & - F & - F & - F & - F & - F & - F & - F & - F & - F & - F & - F & - F & - F & - F & - F & - F & - F & - F & - F & - F & - F & - F & - F & - F & - F & - F & - F & - F & - F & - F & - F & - F & - F & - F & - F & - F & - F & - F & - F & - F & - F & - F & - F & - F & - F & - F & - F & - F & - F & - F & - F & - F & - F & - F & - F & - F & - F & - F & - F & - F & - F & - F & - F & - F & - F & - F & - F & - F & - F & - F & - F & - F & - F & - F & - F & - F & - F & - F & - F & -$

### FRAME COLORS CODE DESCRIPTION SF SILVER WHITE WF

MODEL CONTROL	DESCRIPTION	FRAME COLOR	PLASTIC	FEATURES	DIMENSIONS	CASTER OPTIONS
NEW MODEL 1125 B2	LOW-BACK BASIC CONTROL Mesh back with plastic seat.	SF WF	A/COMBCDEFG495IIIIIII495IIIIIII495IIIIIII495IIIIIII495IIIIIII495IIIIIII495IIIIIII495IIIIIII495IIIIIII495IIIIIII495IIIIIII495IIIIIII495IIIIIII495IIIIIII495IIIIIII495IIIIIII495IIIIIII495IIIIIII495IIIIIII495IIIIIII495IIIIIII495III <td><ul> <li>Pneumatic Seat Height Adjustment</li> <li>Flexible back</li> <li>Rated up to 250 lbs</li> </ul></td> <td>WIDTH:       26.0         DEPTH:       25.0         HEIGHT:       33.5-38         SEAT WIDTH:       18         SEAT DEPTH:       16.5         SEAT HEIGHT:       17.5-22         BACK WIDTH:       19         BACK HEIGHT:       17         COM:       1.0 YD         WEIGHT:       28 LB</td> <td>Image: Constraint of the standard domestic casters       Image: Constraint of the standard domestic casters         Image: Constraint of the standard domestic casters       Image: Constraint of the standard domestic casters         Image: Constraint of the standard domestic casters       Image: Constraint of the standard domestic casters         Image: Constraint of the standard domestic casters       Image: Constraint of the standard domestic casters         Image: Constraint of the standard domestic casters       Image: Constraint of the standard domestic casters         Image: Constraint of the standard domestic casters       Image: Constraint of the standard domestic casters         Image: Constraint of the standard domestic casters       Image: Constraint of the standard domestic casters         Image: Constraint of the standard domestic casters       Image: Constraint of the standard domestic casters         Image: Constraint of the standard domestic casters       Image: Constraint of the standard domestic casters         Image: Constraint of the standard domestic casters       Image: Constraint of the standard domestic casters         Image: Constraint of the standard domestic casters       Image: Constraint of the standard domestic casters         Image: Constraint of the standard domestic casters       Image: Constraint of the standard domestic casters         Image: Constraint of the standard domestic casters       Image: Constraint of the standard domestic casters         Image: Constraint of the standard domestic casters<!--</td--></td>	<ul> <li>Pneumatic Seat Height Adjustment</li> <li>Flexible back</li> <li>Rated up to 250 lbs</li> </ul>	WIDTH:       26.0         DEPTH:       25.0         HEIGHT:       33.5-38         SEAT WIDTH:       18         SEAT DEPTH:       16.5         SEAT HEIGHT:       17.5-22         BACK WIDTH:       19         BACK HEIGHT:       17         COM:       1.0 YD         WEIGHT:       28 LB	Image: Constraint of the standard domestic casters       Image: Constraint of the standard domestic casters         Image: Constraint of the standard domestic casters       Image: Constraint of the standard domestic casters         Image: Constraint of the standard domestic casters       Image: Constraint of the standard domestic casters         Image: Constraint of the standard domestic casters       Image: Constraint of the standard domestic casters         Image: Constraint of the standard domestic casters       Image: Constraint of the standard domestic casters         Image: Constraint of the standard domestic casters       Image: Constraint of the standard domestic casters         Image: Constraint of the standard domestic casters       Image: Constraint of the standard domestic casters         Image: Constraint of the standard domestic casters       Image: Constraint of the standard domestic casters         Image: Constraint of the standard domestic casters       Image: Constraint of the standard domestic casters         Image: Constraint of the standard domestic casters       Image: Constraint of the standard domestic casters         Image: Constraint of the standard domestic casters       Image: Constraint of the standard domestic casters         Image: Constraint of the standard domestic casters       Image: Constraint of the standard domestic casters         Image: Constraint of the standard domestic casters       Image: Constraint of the standard domestic casters         Image: Constraint of the standard domestic casters </td
NEW MODEL 1126 B2	10" TRAVEL HIGH STOOL BASIC CONTROL Mesh back with plastic seat.	SF WF	A/COM         B         C         D         E         F         G           620	<ul> <li>Pneumatic Seat Height Adjustment</li> <li>Height Adj 20" Diameter Footring</li> <li>Flexible back</li> <li>Rated up to 250 lbs</li> </ul>	WIDTH:       26.0         DEPTH:       25.0         HEIGHT:       41-51         SEAT WIDTH:       18         SEAT DEPTH:       16.5         SEAT HEIGHT:       25-35         BACK WIDTH:       19         BACK HEIGHT:       17         COM:       1.0 YD         WEIGHT:       30 LB	26" High Profile Black Nylon Base comes standard w/ C6 65mm Hoodless Casters PLASTIC COLORS
NEW MODEL 1128 B2	8" TRAVEL LOW STOOL BASIC CONTROL Mesh back with plastic seat.	SF WF	A/COM         B         C         D         E         F         G           620	<ul> <li>Pneumatic Seat Height Adjustment</li> <li>Height Adj 20" Diameter Footring</li> <li>Flexible back</li> <li>Rated up to 250 lbs</li> </ul>	WIDTH:         26.0           DEPTH:         25.0           HEIGHT:         37-45           SEAT WIDTH:         18           SEAT DEPTH:         16.5           SEAT HEIGHT:         21-29           BACK WIDTH:         19           BACK HEIGHT:         17           COM:         1.0 YD           WEIGHT:         29.5 LB	GRAY     ONLY AVAILABLE WITH M32 MESH       WHITE     PWA       ONLY AVAILABLE WITH M33 MESH

## **AVAILABLE APRIL 2017**



		PACKAG	ING NOTES	
ON		CODE	DESCRIPTION	LIST UPCHARGE
		AB	ASSEMBLED IN BAG FOR WILL CALL	\$0
		AC	ASSEMBLED IN CARTON	\$0
	l	ZOOM NES	TING CHAIRS SHIP UP TO 2 PER CARTON	



6S \$35



10B 10P 10S \$100

num Base er-Coat er-Coat

9005°



**NEW TASK CHAIR UPHOLSTERED SEAT US** 

## GSA SIN # 711-18 Pending

- Training, task, multipurpose, stool, management and conference seating
- Choice of plastic or upholstered seat
- 2 powder coated frame finishes
- Warranted up to 250 lbs



## CREATING ZOOM MODEL NUMBER MODEL NUMBER CONTROL FRAME COLOR PLASTIC COLOR UPHOLSTERY GRADE CASTERS PACKAGING 1 1 5 B 2 F P A C 1 2

~	FRAME	COLORS	\ <i>\</i>	PACKAG	ING NOTES	
	CODE	DESCRIPTION		CODE	DESCRIPTION	LIST UPCHARGE
	SF	SILVER		AB	ASSEMBLED IN BAG FOR WILL CALL	\$0
	WF	WHITE		AC	ASSEMBLED IN CARTON	\$0
l			J	ZOOM NES		·

MODEL	CONTROL	DESCRIPTION	FRAME COLOR	PLASTIC							FEATURES	DIMENSIONS	CASTER OPTIONS
NEW MODEL 1125	B2	LOW-BACK BASIC CONTROL Mesh back with upholstered seat.	SF WF	A/COM 560 560	B 595 595	C 615 615	D 650 650	E 685 685	<b>F</b> 725 725	<b>G</b> 770 770	<ul> <li>Pneumatic Seat Height Adjustment</li> <li>Flexible back</li> <li>Rated up to 250 lbs</li> </ul>	WIDTH:       26.0         DEPTH:       25.0         HEIGHT:       33.5-38         SEAT WIDTH:       18         SEAT DEPTH:       16.5         SEAT HEIGHT:       17.5-22         BACK WIDTH:       19         BACK HEIGHT:       17         COM:       1.0 YD         WEIGHT:       28 LB	Image: Standard 60mm Hoodless Casters       60mm Hoodless Hard Floor Casters
NEW MODEL 1126	B2	10" TRAVEL HIGH STOOL BASIC CONTROL Mesh back with upholstered seat.	SF WF	A/COM 685 685	<b>B</b> 720 720	<b>C</b> 740 740	D 775 775	E 810 810	<b>F</b> 850 850	<b>G</b> 895 895	<ul> <li>Pneumatic Seat Height Adjustment</li> <li>Height Adj 20" Diameter Footring</li> <li>Flexible back</li> <li>Rated up to 250 lbs</li> </ul>	WIDTH:         26.0           DEPTH:         25.0           HEIGHT:         41-51           SEAT WIDTH:         18           SEAT DEPTH:         16.5           SEAT HEIGHT:         25-35           BACK WIDTH:         19           BACK HEIGHT:         17           COM:         1.0 YD           WEIGHT:         30 LB	BASE OPTIONS
NEW MODEL 1128	B	8" TRAVEL LOW STOOL BASIC CONTROL Mesh back with upholstered seat.	SF WF	A/COM 685 685	<b>B</b> 720 720	C 740 740	D 775 775	E 810 810	<b>F</b> 850 850	<b>G</b> 895 895	<ul> <li>Pneumatic Seat Height Adjustment</li> <li>Height Adj 20" Diameter Footring</li> <li>Flexible back</li> <li>Rated up to 250 lbs</li> </ul>	WIDTH:       26.0         DEPTH:       25.0         HEIGHT:       37-45         SEAT WIDTH:       18         SEAT DEPTH:       16.5         SEAT HEIGHT:       21-29         BACK WIDTH:       19         BACK HEIGHT:       17         COM:       1.0 YD         WEIGHT:       29.5 LB	GRAY     ONLY AVAILABLE WITH M32 MESH       WHITE     ONLY AVAILABLE WITH M33 MESH





6**S** \$35



10B 10P 10S \$100

inum er-Coat er-Coat



## **NEW SIT IN STYLE. WORK IN COMFORT. GET THE VALUE.**



## PACKAGING NOTES

	SHIPS IN BOX ONLY	
SOME ITE	MS SHIP PARTIALLY ASSEMBLED	
**S	PLIT CARTON FEE APPLIES	\$25 NET

DIMENSIONS		ARM	TEXTILES	@NCE
WIDTH: DEPTH: HEIGHT: SEAT WIDTH: SEAT HEIGHT: BACK WIDTH: BACK HEIGHT: WEIGHT:	26.0 39.0 - 43.5 20.0 17.5 17.0 - 21.5 18.0 22.0	A203	BACK BLACK MESH MOO SEAT BLACK AIR GRID MESH	
WIDTH: DEPTH: HEIGHT: SEAT WIDTH: SEAT DEPTH: SEAT HEIGHT: BACK WIDTH: BACK HEIGHT: WEIGHT:	26.5 39.0 - 46.0 21.0 20.0 18.0 - 22.5 20.5	A36	BACK GRAPHITE MESH M31 SEAT BLACK AIR GRID MESH	
WIDTH: DEPTH: HEIGHT: SEAT WIDTH: SEAT DEPTH: SEAT HEIGHT: BACK WIDTH: BACK HEIGHT: WEIGHT:	26.5	A36 The second s	BACK GRAPHITE MESH M31 SEAT GRAPHITE MESH M31	
				<b>9to5seating</b> . 888.925.\$
				<b>ting.</b> 925.S

.com SEAT

# arm guide

## **TASKING ARM OPTIONS**





The A2 arm features height adjustment via a simple trigger mechanism under the arm pad. Used with Brio and Y1, Y3, M1 controls only



**A4** \$75 **ADJUSTABLE ARM** The A4 arm offers a soft touch polyurethane

pad with 3" height adjustment. The arm pad features diamond padded anti-skid surface.



**MULTI-ADJUSTABLE ARM** The A5 arm is identical to the A4 arm but offers the added feature of a 4" arm width adjustment lactivated via a knob under seat.



ADJUSTABLE PIVOT/SWIVEL ARM The A6 arm offers advanced features with Ura-Soft® arm pads. Features locking height

adjustment, swivel pad, and adjustable arm pad position (slides forward and back).





The A7 arm is identical to the A6 arm

but offers the added feature of a 4" arm

width adjustment activated via a knob

under seat



\$150 A8B/S MULTI-ADJUST. PIVOT/SWIVEL ARM

\$85

**ADJUSTABLE ARM (BLACK)** The A8B height adjustable arm features push-button height adjustment with a range of 3.5". With matching black powder coated base



A23 \$75 **MULTI-ADJUSTABLE ARM** 6-Way Adjustable Arm Height, Width, and Forward Slide Adjustment



A28/ A29 HEIGHT ADJUSTABLE ARM

The A28 / A29 is an aluminum height adjustable arm with a fixed arm cap. NOTE: A28 arms offer an additional 3" of interior width.



\$125

A30

**MULTI-ADJUSTABLE ARM** The A30 is an aluminum 3 way adjustable tasking arm. Arms are height adjustable. The A30 pads slide forward/back and shift inward and outward for width adjustment.



ADJUSTABLE PIVOT/SWIVEL 8-Way Adjustable Arms Soft-Touch sliding and pivoting arm pads





\$110

A40 ADJUSTABLE TASKING ARM

2-Way Adjustable Arm, Ratchet Height Adjustment with Fixed Arm Pad

## FIXED ARM OPTIONS



\$70

LOOP ARM Soft touch loop arm.

234







**FIXED ARM** For use on Bella only



EXTENDED ARM Reinforced soft touch extended arm. For use on the Bella only



A16 - Soft touch arm / A16P - Soft touch

arm with upholstered pad

'C' ARM



## A19

## CHROME CANTILEVER ARM

The A19 fixed arm offers a smooth polished aluminum surface with black plastic cap in an attractive cantilever style desian.


INDIVIDUAL PARTS & ACCESSORIES WHEN PURCHASED SEPARATE FROM A CHAIR RECEIVE AN EVEN 50% DISCOUNT. THE 50% ACCESSORY DISCOUNT PROVIDES FOR EXTRA LABOR, PACKAGING MATERIAL AND SHIPPING CHARGES ASSOCIATED WITH SHIPPING A COMPONENT BY ITSELF.





for the office or conference room.






# 

arm

guide



A9B/S

\$105

## ADJUSTABLE ARM (BLACK)

The A9B arm is identical to the A8B arm but offers the added feature of 4" arm width adjustment activated via a knob under seat.



\$50

**FIXED ARM** Fixed Arm with Soft Polyurethane Pad



## ADJUSTABLE TASKING ARM

6-Way Adjustable Arm Ratchet Height Adjustment with Side and Forward Sliding Arm Pad





## **BREAKAWAY ARM**

A90

Soft-touch polyurethane pad. 2.5" height adjustable. Use with all task series. Arms rotate back making chair armless. (pair)

Q



## CHROME CANTILEVER ARM

The A27 fixed arm offers a smooth polished aluminum surface with black plastic cap in an attractive cantilever style desian.

## caster guide

*Load Rating in (lbs) per caster/glide

	\$25 C1 STANDARD CASTERS	HOODED TWIN WHEEL CASTER WHEEL: 50 MM Barrel: 42 MM LOAD RATING: 110 LBS*	Best for use on carpeted surfaces. Hard nylon wheels are recommended for use on low-to-medium pile carpeting without padding. Dual wheels place more wheel surface on the carpet pile for optimum weight distribution. Wheels move in opposite directions to minimize carpet fiber twisting.
Ĩ	\$35 C1S/C2S HARD FLOOR CASTERS (FIVE STAR BASE)	HOODED TWIN WHEEL CASTER WHEEL: 50 MM/ Barrel: 42 MM Load Rating: 110 LBS*	Designed for use on hardwood floors, tile, chair mats, linoleum and concrete surfaces in an open office/workspace environment. (Lab, healthcare, classroom, and conference room.) Wheels are made from a soft polyurethane material. Set of five used with star bases. C2S -The wheels feature auto-lock; The safety brakes engage when the chair is not in use, this prevents the chair from rolling away when standing up.
Ĩ	\$35 C4 HEAVY DUTY CASTER	HOODED TWIN WHEEL CASTER WHEEL: 60 MM Barrel: 38 MM LOAD RATING: 140 LBS*	Recommended when higher weight capacity is required. Large diameter hard nylon wheels designed for use on low- to medium-pile carpeting with or without padding. Large diameter dual wheels place more wheel surface on the carpet pile for optimum weight distribution. Wheels move in opposite directions to minimize carpet fiber twisting.
Ĩ	\$25 CC5 STANDARD CASTER (SHUTTLE AND BELLA GUEST CHAIRS)	HOODED TWIN WHEEL CASTER WHEEL: 50 MM Barrel: 27 MM Load Rating: 110 LBS*	Best for use on carpeted surfaces. Hard nylon wheels are recommended for use on low- to medium-pile carpeting without padding. Dual wheels place more wheel surface on the carpet pile for optimum weight distribution. Wheels move in opposite directions to minimize carpet fiber twisting. Set of four used on guest chairs.
	\$30 C5S HARD FLOOR CASTER (FOUR LEG GUEST CHAIRS)	HOODED TWIN WHEEL CASTER WHEEL: 50 MM Barrel: 13 MM Load Rating: 110 LBS*	Designed for use on hardwood floors, tile, chair mats, linoleum and concrete surfaces in an open office/workspace environment. (Lab, healthcare, classroom, and conference room.) Wheels are made from a soft polyurethane material. Set of four used on guest chairs.
Ĩ	\$30 C6 Large diameter caster	TWIN WHEEL CASTER WHEEL: 60 MM BARREL: 25 MM LOAD RATING: 140 LBS*	Recommended for use on carpeted surfaces. Large diameter hard nylon wheels are recommended for use on low to medium pile carpeting with or without padding. 60 mm dual wheels place more wheel surface on the carpet pile for optimum weight distribution and ease of movement. Wheels move in opposite directions to minimize carpet fiber twisting.
	\$35 C6S HARD FLOOR LARGE DIAMETER CASTER (FIVE STAR BASE)	TWIN WHEEL CASTER WHEEL: 60 MM BARREL: 25 MM LOAD RATING: 140 LBS*	Designed for use on hardwood floors, tile, chair mats, linoleum and concrete surfaces in an open office/workspace environment. (Lab, healthcare, classroom, and conference room.) Wheels are made from a soft polyurethane material. Set of five used with star bases.

## PARTS AND ACCESSORIES DISCOUNT

INDIVIDUAL PARTS & ACCESSORIES WHEN PURCHASED SEPARATE FROM A CHAIR RECEIVE AN EVEN 50% DISCOUNT. THE 50% ACCESSORY DISCOUNT PROVIDES FOR EXTRA LABOR, PACKAGING MATERIAL AND SHIPPING CHARGES ASSOCIATED WITH SHIPPING A COMPONENT BY ITSELF.

	\$35 CC7 GOMM CHROME ACCENTED HOODLESS CASTERS	TWIN WHEEL CASTER WHEEL: 60 MM BARREL: 25 MM LOAD RATING: 140 LBS*
Ē	\$35 C8S HARD FLOOR LARGE DIAMETER CASTER	TWIN WHEEL CASTER WHEEL: 75 MM BARREL: 22 MM LOAD RATING: 160 LBS*
	\$40 C9S Compression Locking Hard Floor Caster	HOODED TWIN WHEEL CASTER Wheel: 50 MM Barrel: 42 MM Load Rating: 110 LBS*
Ĩ	\$50 C10S SELF-LOCKING HARD FLOOR CASTER	TWIN WHEEL CASTER WHEEL: 50 MM BARREL: 18 MM LOAD RATING: 110 LBS*
	\$50 C11S COMPRESSION LOCKING HARD FLOOR CASTER	TWIN WHEEL CASTER WHEEL: 50 MM BARREL: 18 MM LOAD RATING: 110 LBS*
<b>H</b>	\$50 C12 STANDARD CASTER (LINK)	TWIN WHEEL CASTER WHEEL: 50 MM Barrel: Rectangular Load Rating: 110 LBS*
	\$35 C222 Standard 60MM HUBLESS CASTER (CORE)	TWIN WHEEL CASTER WHEEL: 60 MM BARREL: 25MM LOAD RATING: 110 LBS*

Recommended for use on carpeted surfaces. Large diameter hard nylon wheels are recommended for use on low to medium pile carpeting with or without padding. 65mm dual wheels place more wheel surface on the carpet pile for optimum weight distribution and ease of movement. Wheels move in opposite directions to minimize carpet fiber twisting. Standard with A19 base.

Recommended for use on carpeted or hard surfaces. Large diameter soft nylon wheels are recommended for use on low to medium pile carpeting with or without padding. 75mm dual wheels place more wheel surface on floors for optimum weight distribution and ease of movement. Wheels move in opposite directions to minimize carpet fiber twisting.

Designed for use on hardwood floors, tile, chair mats, linoleum and concrete surfaces in an open office/workspace environment. (Lab. healthcare. classroom, and conference room.) The wheels feature compression-lock; The brakes engage when the user is seated in the chair. When seated this prevents the user from rolling away from the work surface.

Designed for use on hardwood floors, tile, chair mats, linoleum and concrete surfaces in an open office/workspace environment. (Lab, healthcare, classroom, and conference room.) The wheels feature auto-lock; The safety brakes engage when the chair is not in use, this prevents the chair from rolling away when standing up.

Designed for use on hardwood floors, tile, chair mats, linoleum and concrete surfaces in an open office/workspace environment. (Lab, healthcare, classroom, and conference room.) The wheels feature compression-lock; The brakes engage when the user is seated in the chair. When seated this prevents the user from rolling away from the work surface.

Best for use on carpeted surfaces. Hard nylon wheels are recommended for use on low-to-medium pile carpeting without padding. Dual wheels place more wheel surface on the carpet pile for optimum weight distribution. Wheels move in opposite directions to minimize carpet fiber twisting. C12 wheels match the rectangular tubing of the Link chair.

Recommend for use on Carpet or Hard floors. Wheels made of Polyurethane. Available in Black or Gray accents. Stylish hubless design.

" О́Л

# glide guide

*Load Rating in (lbs) per caster/glide

		Load Rating in (ibs) per caster/glide
\$30 G1 STATIONARY BASE GLIDE	HIGH BASE GLIDE For 5 Star Base Load Rating: 110 LBS*	Glide provide the best stationary support. Use only when a stationary position is desired. The glide height is the same as the caster height. Do not use on hard floor if marring is a concern.
\$20 G8 Self-leveling metal glide	METAL BASE GLIDE FOR 4 LEG GUEST CHAIRS LOAD RATING: 150 LBS*	Metal self-leveling base glide are used as an alternate to standard nylon glides. The metal glide offers a 100% increase in weight capacity. The self-leveling articulation allows the glide to flatten against uneven floors for better weight distribution. For use on all surfaces.
\$30 G9 Self-leveling VCT glide	VCT BASE GLIDE For 4 Leg guest chairs Load Rating: 150 LBS*	Metal self-leveling base glide with white VCT cap are used as an alternate to standard nylon glides. The VCT glide also offers a 100% increase in weight capacity. The self-leveling articulation allows the glide to flatten against VCT floors for better weight distribution and the white nylon cap protects VCT floors against marring and visible streaking.
\$30 SELF-LEVELING PLASTIC GLIDE WITH FELT BASE	FELT BASE ROUND PLASTIC GLIDE FOR 4 LEG GUEST CHAIRS IDEAL FOR WOOD OR SOFT COMPOSITE FLOORS LOAD RATING: 110 LBS*	Plastic self-leveling base glide with felt base. Felt base offers additional protection against marring especially on wood or soft composite surfaces
\$15/\$25 G12/G13 SLED BASE CLEAR PLASTIC GLIDE (G13 W/ FELT BASE)	CLEAR PLASTIC RECTANGULAR GLIDE (G13 W/ FELT BASE) FOR INDY & KELLEY SLED BASE LOAD RATING: 90 LBS*	<ul> <li>G12</li> <li>Clear plastic rectangular glide for the Indy and Kelley sled base. Ideal for use on light-colored floors where streaking may be a concern</li> <li>G13</li> <li>Clear plastic rectangular glide with felt base to provide additional protection on wood or soft composite floors where marring or streaking is a concern</li> </ul>
\$15/\$25 G14/G15 SLED BASE PLASTIC GLIDE (G15 W/ FELT BASE)	PLASTIC GLIDE (G15 W/ FELT BASE) FOR SLED BASE INDY CHAIR LOAD RATING: 90 LBS*	G14 Plastic glide for the Indy sled base. Ideal for use on light-colored floors where streaking may be a concern G15 Plastic glide with felt base to provide additional protection on wood or soft composite floors where marring or streaking is a concern

# cylinder guide

MODEL	SS	CONTROLS	CYLINDER	STROKE	BASE	CASTER	MODEL	SS	CONTROLS	CYLINDER	STROKE	BASE	CASTE
1125		T1	CYL190	5"	BA9	C12	1780		S2, P1, R1, M1, Y2	CYL190	5"	BA1	C1
1126		T1	CYL360	10"	BA9	C12	1780	SS	S2, P1, R1, M1	CYL190	5"	BA1	C1
1128		T1	CYL300	8"	BA9	C12	1780		Y2	CYL160	3"	BA1	C1
1325		B2, S3	CYL240	5"	BA9	C6	1790	SS-STD	M2	CYL197HD	5"	BA1	C4
1326		B2	CYL360	10"	BA9	C6	1860		Y1, Y3	CYL190	5"	BA9	C6
1328		B2	CYL300	8"	BA9	C6	1866		Y1	CYL360	10"	BA9	C6
1336		B2	CYL360	10"	BA9	C6	1868		Y1	CYL300	8"	BA9	C6
1338		B2	CYL300	8"	BA9	C6	1880		Y4	CYL160	3"	BA9	C6
1425		B2	CYL240	5"	BA1	C1	1960		M1, Y2	CYL190	5"	BA2B	C4
1425		S2, P1, R1, M1	CYL190	5"	BA1	C1	1960	SS	M1, Y2	CYL190	5"	BA2B	C4
1425	SS	S2, P1, R1, M1	CYL190	5"	BA1	C1	1966	00	P1	CYL360	10"	BA2B	C4
1425	SS	Y2	CYL160	3"	BA1	C1	1968		P1	CYL300	8"	BA2B	C4
1426		B2, P1	CYL360	10"	BA1	C1	1980		M1, Y2	CYL190	5"	BA2B	C4
1428		B2, P1	CYL300	8"	BA1	C1	1980	SS	M1, 12 M1, Y2	CYL190	5"	BA2B	C4
1460		Y1, Y3	CYL190	5"	BA9	C6	2060/2070	00	Y1, Y3, M1	CYL190	5"	BA9	C6
1460		K2	CYL160	3"	BA9	C6	2066/2076		P1	CYL360	5 10"	BA9 BA9	C6
1466		Y1	CYL360	10"	BA9	C6	2068/2078		P1	CYL300	8"	BA9 BA9	C6
1468		Y1	CYL300	8"	BA9	C6	2160/2180	SS	Y1, Y2, Y3	CYL190	o 5"	BA9 BA9	C6
1535/1537		Y1	CYL190	5"	BA1	C4	2170/2180	SS		CYL190		BA9 BA9	C6
1535/1537	SS	Y1	CYL190	5"	BA1	C4	2170/2190	33	Y1, Y2, Y3	CY1360	5" 10" 8"	BA9 BA9	C6
1536		Y1	CYL360	10"	BA1	C4							
1538		Y1	CYL300	8"	BA1	C4	2168		KO WI VE	CYL300		BA9	C6
1545/1555		Y1	CYL190	5"	BA1	C4	2260		K2, W1, Y5	CYYL190	5"	BA9	C22
1545/1555	SS	Y1	CYL160	3"	BA1	C4	2360/2380	00	S2, R1, M1, Y2	CYL190	5"	BA9	C6
1546		Y1	CYL360	10"	BA1	C4	2360/2380	SS	S2, R1, M1	CYL190	5" 3"	BA9	C6
1548		Y1	CYL300	8"	BA1	C4	2360/2380	SS	Y2	CYL160		BA9	C6
1560/1580		Y2	CYL190	5"	BA2S	C4	2366		P1	CYL360	10"	BA9	C6
1560/1580	SS	Y2	CYL160	3"	BA2S	C4	2368		P1	CYL300	8"	BA9	C6
1566		Y2	CYL360	10"	BA2B	C4	2450		S3	CYL200	5"	BA10P	C6
1568		Y2	CYL300	8"	BA2B	C4	2450		B2	CYL200	5"	BA10P	C6
1570/1590		Y2	CYL190	5"	BA2S	C4	2600		S1	CYL190	5"	BA1	C1
1570/1590	SS	Y2	CYL160	3"	BA2S	C4	2600		K1	CYL160	3"	BA1	C1
1576	00	Y2	CYL360	10"	BA2B	C4	2610		S1	CYL190	5"	BA1	C1
1578		Y2	CYL300	8"	BA2B	C4	2610		K1	CYL160	3"	BA1	C1
1660		B2	CYL240	o 5"	BA1	C4	2780	SS	W2, Y2, Y5	CYL200	5"	BA11B	C6
1000		62	G1L240	<b>0</b> "	DAT	61	2800		S1	CYL200	5"	BA2B/BA2P	C1
1660		S2, P1, R1, M1	CYL190	5"	BA1	C1	2800		K1	CYL160	3"	BA2B/BA2P	C1
1660	SS	S2, P1, R1, M1	CYL190	5"	BA1	C1	2810		S1	CYL190	5"	BA2B/BA2P	C1
1660	SS	Y2	CYL160	3"	BA1	C1							
1666		B2, P1	CYL360	10"	BA1	C1	2810		K1	CYL160	3"	BA2B/BA2P	C1
1668		B2, P1	CYL300	8"	BA1	C1	2900/2910		S2, M1, Y2	CYL200	5"	BA19	C7
1725		B2	CYL240	5"	BA1	C1	3060/3065	SS-STD	X1	CYL200	5"	BA10	C8S
1725		S2, R1, M1	CYL190	5"	BA1	C1	3080/3085		X1	CYL200	5"	BA10	C8S
1725	SS	S2, R1, M1	CYL190	5"	BA1	C1	3061/3066		X1	CYL360	10"	BA10	C8S
1726		B2, P1	CYL360	10"	BA1	C1	3063/3068	SS-STD	X1	CYL300	8"	BA10	C8S
1728		B2, P1	CYL300	8"	BA1	C1	3200/3210	SS-STD	X2, S3	CYL200	5"	BA10P	C6
1760		S2, P1, R1, M1, Y2	CYL190	5"	BA1	C1	3220/3230	SS-STD	X2	CYL200	5"	BA10P	C6
1760	SS	S2, P1, R1, M1	CYL190	5"	BA1	C1	3250/3260		X2	CYL200	5"	BA10P	C6
1760	SS	Y2	CYL160	3"	BA1	C1	3300/3310		КЗ	CYL190	5"	BA9	C6
1766		P1	CYL360	10"	BA1	C1	3306		S3	CYL360	10"	BA9	C6
1768		P1	CYL300	8"	BA1	C1	3308		S3	CYL300	8"	BA9	C6



# s e a t l n g

glide guide

## accessories



THE 50% ACCESSORY DISCOUNT PROVIDES FOR EXTRA LABOR, PACKAGING MATERIAL AND SHIPPING CHARGES ASSOCIATED WITH SHIPPING A COMPONENT BY ITSELF.







SOFT-TOUCH POLYURETHANE PAD ONLY Use w/ A4, A5 Arm

(ea)



**URA-SOFT® PAD ONLY** 

Use w/ A6, A7 Arm

(ea)



SOFT-TOUCH POLYURETHANE PAD ONLY Use w/ A8, A9 Arm (ea)

**PA20** \$25

LEATHER PAD ONLY

Use w/ A20, A21 Arm (ea)



**PA22** SOFT-TOUCH POLYURETHANE PAD ONLY

Use w/ A30 Arm (price per individual pad, specify L or R)



SOFT-TOUCH POLYURETHANE PAD ONLY

Use w/ A30 Arm (price per individual pad, specify L or R)



**PA38** 

SOFT-TOUCH POLYURETHANE PAD ONLY Use w/ A30 Arm (price per individual pad, specify L or R)



4" ARM WIDTH ADJUSTMENT




BA10B,S,P \$100

26" BLACK NYLON BASE

26" High Profile Black Nylon Base comes standard w/ C6 65mm Hoodless Casters

26" HIGH PROFILE ALUMINUM BASE **B - BLACK POWDER COATED BASE S - SILVER POWDER COATED BASE** P - POLISHED ALUMINUM BASE

High Profile Black Powder Coated Aluminum Base (casters sold separately)







BA12F \$75 27" MID-PROFILE PLASTIC BASE 27" POLISHED ALUMINUM BASE

**B - BLACK PLASTIC G - GRAY PLASTIC** Mid-Profile Plastic Base (casters sold separately) High Profile Polished Aluminum Base (casters sold separately)



Stacks Indy and Kelly all plastic Chairs

PNEUMATIC CYLINDER 5" LIFT W/

Use w/ Cortina, Vesta series or any

CHROME FINISH

chrome base

STACKING DOLLY


up to 33 High.



\$250 FR20B

\$90

20" BLACK KNOB LESS FOOTRING Use with any Stool (standard on Cydia)







PNEUMATIC CYLINDER 5" LIFT W/ **BLACK FINISH** Use w/ Vesta series

240

BA1

27" BLACK NYLON BASE

Chairs (casters sold separately)

Use w/ all Task, Management, & Executive

đ




\$75

27" ALUMINUM BASE B - BLACK POWDER COATED BASE S - SILVER POWDER COATED BASE P - POLISHED ALUMINUM BASE

\$100

Use w/ all Task, Management, & Executive Chairs (casters sold separately)





(pair)



DL1 \$250

## 27" POLISHED ALUMINUM BASE

Use with all Task, Management, & Executive Chairs (includes matching casters with polished aluminum accents)

## STACKING DOLLY

Use w/ Shuttle, Bella, and Link four leg



## **CYL160**

PNEUMATIC CYLINDER 3" LIFT



PNEUMATIC CYLINDER 5" LIFT



## PNEUMATIC CYLINDER 5" LIFT

9to5seating.com 888.925.SEAT

## accessories





SEAT SLIDER 2.5" SIDE PADDLE ACTIVATED

Add to S2, R1, M1, Y2 Controls Only on Select Series'

JB1

STANDARD JURY BASE

Consists of round plate which is bolted to

floor and receives pneumatic cylinder

Use w/ all task models




**CYL360** PNEUMATIC CYLINDER 8" LIFT/

PNEUMATIC CYLINDER 10" LIFT



## **CYL-ARH** \$110

**SELF HEIGHT & FORWARD** RETURNING PNEUMATIC CYLINDER 5" LIFT Upon exiting chair the seat returns to standard height & forward position for use with JB1 Jury Base




Replaces standard CYL190 gas lift for applications where the client does not want the chair height to be easily changed; such as conference rooms, cafeterias *Not compatible with BA9



### GANGING CLIP ARMLESS-TO-ARMLESS

\$100



HR-1580-T01

Use w/ Strata series.

contact customer service)

T01 black mesh only (other upholstery

HEADREST

## \$150

M1X

**JB2-PLT** 

RAMP INSERT FOR JB2 JURY BASE

Use w/ JB2 Insert when chair & cylinder

removed for ADA compliance

 $\mathbf{O}$ 

Use w/ Vesta series. Pattern "M1" mesh specify: M11-Black, M12 Gray, M13 Silver, M14 Green, M15 Red, M16 Blue. Also specify bracket finish: PF-Polished, SF-Silver, BF-Black

\$120

Distance between chairs is 1.25" Use w/ Shuttle, Bella (2 per set)

PARTS AND ACCESSORIES DISCOUNT



UPHOLSTERED OUTER BACK


**COVERED WITH FABRIC** 

Use w/ Enduro



BN1 \$35/NC BN2 UPHOLSTERED BACK COVERED WITH BLACK BALLISTIC

NYLON BN1 - Use with Grade A Fabrics BN2 - Use with Grade B & Up Fabrics Use w/ Logic, Precept, & Shuttle



Side Hanging Wire Basket for model 1310, 1315, 1360, 1365. Attach to left or right side.

Book Rack in Black Only Available on Shuttle

PART #	Stroke	Note
CYL160	3"	Short, reduced range cylinder used to offset added height of SS seat slider or K1 control
CYL190	5"	Standard task cylinder with lower starting height than CYL240. May be substituted for CYL240 when lower starting seat height is required
CYL197	5"	5* Stroke Heavy duty task cylinder
CYL200	5"	Standard task cylinder only used for high profile bases (BA10, ba19)
CYL240	5"	Standard task cylinder with higher starting height than CYL190. May be substituted for CYL190 when higher starting seat height is required
CYL300	8"	Stool cylinder with 2" lower starting seat height than stools with CYL360. Typically seat height starts at 19" so chair may be pushed under some desks. Use for workstations up to 36 inches high
CYL360	10"	Stool cylinder with 2" higher starting seat height than stools with CYL300. Generally seat height starts at 21" and chair will not fit under most desks. Use for workstations up to 42 inches high
CYLTHSPD	2.5"	Cylinder with a threaded spindle rather than a gas lift. For applications where client prefers the seat height set and not easily changed, such as a conference room
CYL-ARH	5"	Self height and forward position return. For use with jury base option



JB2

QUICK RELEASE JURY BASE

chair and cylinder (includes JB1)

Pedestal base with guick release to remove

Use w/ all task models

\$300

ALL INDY SERIES AND **KELLEY ARMLESS CHAIRS** Distance between chairs is 2.00" Use with All Indy and Kelley armless only



\$675



GC2

GANGING CLIP

ARM-TO-ARM

Distance between chairs is 4.25"

Use w/ Shuttle, Bella (2 per set)

## INDIVIDUAL PARTS & ACCESSORIES WHEN PURCHASED SEPARATE FROM A CHAIR RECEIVE AN EVEN 50% DISCOUNT. THE 50% ACCESSORY DISCOUNT PROVIDES FOR EXTRA LABOR, PACKAGING MATERIAL AND SHIPPING CHARGES ASSOCIATED WITH SHIPPING A COMPONENT BY ITSELF.

\$150






BNE

UPHOLSTERED BACK COVERED WITH BLACK BALLISTIC NYLON

Use w/ Axis, Cayman only



Replace knob with bolt (for B2 and S2 controls only)



## **KIT-FST8**

\$150

### 8" GAS LIFT. 20" CHROME FIXED FOOTRING W/ 75MM HARD FLOOR CASTERS


Durable Classic Fixed Foot ring Base for Lab Stool, Service Counter, Security Guard, and Medical Applications. A Real Workhorse.

## CYLINDER REFERENCE GUIDE


# control selection guide




Our basic control has simple adjustments. Ideal for clerical, casual meeting, and general office use. This control uses a 2.25" Cold-Rolled Steel J-Bar for added strength and back-pull durability.



Ideal for stool applications, the articulating back provides proper support for moderate tasking use.



For managerial and task applications. Similar to a swivel-tilt control with the added comfort of infinite back-angle adjustment and infinite tilt lock. Features 3" Cold-Rolled Steel J-Bar.




Use for a variety of general office seating, including private office and conference room


seating. Control locks upright for tasking.



Auto-Balance tension adjustment utilizes the weight of the user to balance resistance of back. Sensing can be adjusted to suit individual preference. 3:1 back to seat synchronous movement with 4 position back-travel limiting lock.




Use for a variety of general office seating, Similar function to the S1, however utilizing a 2.25" Cold-Rolled Steel J-Bar to connect seat and back. Control locks upright for tasking.




For the highest level of ergonomic needs, suited for multi-task functions. Seat pivots from 0 to 6 degrees forward. 3.00" wide Cold Rolled Steel J-Bar adds strength and back-pull durability.



Auto-Balance tension adjustment utilizes the weight of the user to balance resistance of back. 3:1 back to seat synchronous movement with 2 position back lock.



With a weight capacity up to 500 lbs, in addition to multi-task ergonomic functions, its ideal for police departments, 911 emergency, hospitals or whenever a higher weight capacity is needed. A 3.00" wide 5/16" thick cold rolled steel back support adds strength and back-pull durability.



Ultimate seating comfort suited for the

executive or manager. Allows for a full range

of movement with a reduced rise of front seat

edge. 5 position multi-lock with built-in safety

return feature.


**K2** 

Ultimate seating comfort for manager, executive or conference seating. Allows for a full range of movement with a reduced rise of front seat edge. 4-position multi lock back. Side tension and back lock



### Simple Synchro Tilt **Y1** 1 Paddle

Recline with a synchro back and seat movement. Reduced rise of front seat edge. Back may free float or be locked upright. Comparable to swivel tilt control but with asynchronous movement.




Recline with a synchro back and seat movement featuring a 2:1 back to seat-tilt ratio. Reduced rise of front seat edge. 4 position multi-lock back position with built-in safety return feature. Integrated seat slider.





## **Y2**

movement featuring a 2:1 back to seat tilt ratio. Reduced rise of front seat edge. 4 position multi-lock with built-in safety return feature and slide tension control.



## **Y5**

Enjoy the ride with this high function full 2:1 synchro control featuring an independent back angle adjustment. 4 position back lock, side tension control and built in seat slider depth adjustment.

## **CONTROL FUNCTION GUIDE**

1	INFINITE BACK ANGLE ADJUSTMENT	7	INFINITE POSITION TILT-LOCK
2	SEAT HEIGHT LEVER	8	FORWARD TILT LEVER
3	BACK DEPTH CONTROL KNOB	9	EASY-LIFT RATCHET BACK HEIGHT CONTROL
4	ARTICULATING POSTURE BACK W/ FREE FLOAT	10	BACK MULTI-LOCK W/ SAFETY RELEASE
5	SEAT HEIGHT & TILT LOCK LEVER	11	SEAT SLIDER PADDLE
6	TILT TENSION CONTROL KNOB	12	4 POSITION BACK TRAVEL CONTROL




## Knee Tilt - 2 Paddle



## Synchro Tilt - 2 Paddle

Recline with a synchro back and seat


## Full Synchro - Paddle (for Core and Acclaim)



## **K**3

(for Cydia only)

Ultimate seating comfort for manager, executive or conference seating. Allows for a full range of movement with a reduced rise of front seat edge. 4-position multi lock back. Side tension and back lock



## **Y**3

Synchro Tilt - 2 Paddle

Recline with a synchro back and seat movement featuring a 2:1 back to seat tilt ratio. Reduced rise of front seat edge. 3 position multi-lock with built-in safety return feature.



Synchro Tilt - 2 Paddle. Recline with a synchro back and seat movement featuring a 2:1 back to seat tilt ratio. Reduced rise of front seat edge. 11 position multi-lock with built-in safety return feature. Integrated seat slider and forward pitch adjustment. 245

## **BIFMA** Ultimate test for fit (UTFF)

# care and maintenance

## **Ergonomics - The Work Chair**

The Business and Institutional Furniture Manufacturer's Association (BIFMA) has developed the following guidelines for UTFF. Parenthetical numbers following each item indicate corresponding subdivisions in the guidelines.

## Seat Height (7.1)

Users should be able to sit with their feet comfortably on the floor or footrest without undue pressure on the underside of the thighs. The thigh-to-torso angle should not be less than  $90^{\circ}$ .

## Seat Depth (7.2)

Users should be able to sit in the chair without undue pressure against the back of the knees, their back properly supported by the backrest and with adequate buttock and thigh support.

## Seat Width (7.3)

The seat should be wider than the hip breadth of the user with allowance for movement and clothing. The seat width should not limit the ability to use the armrests comfortably.

## Seat Pan Angle (7.4)

This should allow users to support their feet on the floor or footrest. They should not cause the user's torso-to-thigh angle to be less than 90°. Forward seat pan angles should not cause users to shift excessive weight to their feet or experience the sensation of sliding out of the chair.

## **Back Support (7.5)**

## Seat Backrest Height (7.5.1)

All backrests should provide adequate support and buttocks clearance. For tasks requiring upper body mobility, the backrest should not interfere with the user's movement. For users who prefer reclining postures or greater upper back support, the back height should provide support for the shoulder blades.

## Backrest Width (7.5.2)

The width of the backrest should provide adequate support for the curvature of the user's back without causing localized pressure points.

## Lumbar Support (7.5.3)

The height and shape of the lumbar should coincide with the lumbar curve ("the small") of the user's back. The support should be firm, but not cause localized pressure points.

## Movements of the Seat Pan and Back Support (7.6)

The user should be able to sit in a position where the torso-to-thigh angle is equal to or greater than 90°. The seat and backrest angles should accommodate the varying postures assumed by the user throughout the day.

## Arm Support (7.7)

## Armrest Height (7.7.1)

This should allow users to sit in a variety of postures while supporting their forearms and/or elbows in a manner that avoids lifting the shoulders (armrests too high) or leaning to the side to reach the armrest (armrests too low). The armrest height should allow accessibility to, and performance of, tasks.

## Armrest Length (7.7.2)

The length of the armrest should allow users to sit close enough to the work surface to perform their tasks while maintaining contact with the backrest.

## Inside Distance Between Armrests (7.7.3)

Armrests should allow users to sit in a variety of postures while supporting their forearms in a manner that avoids lifting the shoulders and/or excessive outward positioning of the elbows. Armrests should allow accessibility to, and performance of, tasks. The inside distance between the armrests should allow the user to enter and exit the chair easily. The hips should comfortably fit between the armrests or supports.



- Insure the gas cylinder is inserted into the control firmly. Improper connection may cause wobbling.
- Choose correct casters for different floor surfaces. We suggest choosing hard floor casters for tile or concrete surfaces.
- For drafting stool use, we recommend self-locking casters for hard floors. See Caster Selection Guide for more details.
- Do not stand on footring
- Do not sit on any part of the chair except the seat; Do not sit on arms or backrest
- To avoid chair collapse do not remove knobs or screws.
- Properly dispose of packing materials. Do not use plastic as head covering. It may cause suffocation.
- If any parts are missing, broken, damaged or worn, do not use the chair until repairs are made using factoryauthorized parts.
- Do not attempt to make any alterations to chair.
- Do not use chair on uneven floor surfaces.
- Do not drape coats or sweaters on back of chairs with casters. Hanging fabric may suddenly stop casters from rolling.
- Do not use excessive speed when moving the chair with casters while seated.
- Do not over exert the functions of a chair which are only to be used under normal conditions
- Do not stand on and/or use this chair as a stepladder. Use this product only for seating one person at a time
- Do not use this chair unless all bolts, screws and knobs are firmly secured

## Check the following at 4 month intervals

- All exposed fasteners should be checked and any loose fasteners tightened. Use appropriate tools. Replace any fasteners that appear to be damaged in any way
- The chair mechanism should be checked for any looseness, excessive wear or signs of damage.
   Immediately remove the chair from service if any damage or failure is found.
- The base and casters should be checked for any signs of excessive wear for failure. Immediately replace any parts that show such wear or failure.

# notes

# notes



# notes





## Freight Minimums

- Free freight on all orders of 5 or more chairs
- \$15 per chair for all orders of 4 chairs or less

## Sophie Series Chairs:

\$100 per shipment for Sophie orders of 3 chair model units or less

www.9to5seating.com | 310.220.2500