

5 Business Day Quick Ship Grades B, C, D





.chroma









5 BUSINESS

Satisfy your palette of choice. For those seeking the perfect selection off the traditional menu, 9 to 5 Seating offers the value added option, Chroma Card featuring Momentum Textiles.

- Choose from any of our Momentum Textiles Fabrics or Vinyls on this card all available for a 5 Day Quick Ship
- For your convenience we have graded in ALL of the textiles offered from Momentum. Please refer to the Price Guide for specific grades.
- Or take advantage of our C.O.M. Program which allows your choice on your terms!



QUALITY IS THE ISSUE

Uncompromising quality from within. Every chair, every time.

VERTICALLY INTEGRATED

Fusing manufacturing with client fulfillment

SHIP TO SUIT

As fast as 48 hours. Always Timely.

SERVICE PURE AND SIMPLE

Personalized and Responsive.

LIFETIME WARRANTY

Building quality from the ground up.

Sit in Style

Work in Comfort

Get the Value ©

TECHNICAL INFORMATION

54" Pattern	Fiber Content & Backing	Finish	Abrasion (D.R.)	Light- fastness	Approx. Repeats	Cleaning Code	Grade
BOOM # # # ★	84% Polyester, 16% Cotton Acrylic Backing	Soil & Stain Resistant	150,000	40 Hrs. Class 5	(none)	S	D
CASHMERE	100% Vinyl Knit Backing	n/a	100,000	n/a	(none)	L	В
CINCH	100% Polyester Latex Backing	Soil & Stain Resistant	405,000	40 Hrs. Class 4	I/8" L, I/8"W	W	В
CONTEXT	100% Polyester Latex Backing	Soil & Stain Resistant	57,000	40 Hrs. Class 4	I I/2" L, I I/2"W	WS	В
GAUGE	100% Polyester	Soil & Stain Resistant	102,000	40 Hrs. Class 4	I/8" L, 5/8" W	WS	С
HUE #□##±	100% Post Industrial Recycled Polyester Latex Backing	Teflon ®	1,000,000	60 Hrs. Class 4.5	(none)	WS	С
PERK	100% Polyester Latex Backing	Soil & Stain Resistant	102,000	40 Hrs. Class 5	I/4" L, I/4" W	WS	В
RATIO	100% Polyester Latex Backing	Teflon ®	100,000	40 Hrs. Class 4	(none)	W	В
SECTOR	62% Polyester, 38% Cotton Latex Backing	Soil & Stain Resistant	51,000	40 Hrs. Class 4.5	3 3/4" L, 3 1/2"W	WS	С
TANGENT	100% Polyester Latex Backing	Soil & Stain Resistant	100,000	40 Hrs. Class 5	I I/4" L, I I/4"W Directional Pattern	WS	В
TREK	100% Polyester	Soil & Stain Resistant	60,000	40 Hrs. Class 4	3" L, 4 I/2" W	WS	С
VOX # ■ * # ★	100% Polyester Latex Backing	Soil & Stain Resistant	100,000	40 Hrs. Class 4	(none)	W	С

^{*}ACT ®Registered Certification Marks

EXPLANATION OF ACT ICONS FOR UPHOLSTERY

FIRE RETARDANCY

Flammability testing determined as fabric's resistance to burning.



PASSES California 117

COLORFASTNESS TO WET & DRY CROCKING

Colorfastness to wet & dry crocking refers to the rubbing off of color from the fabric onto clothing, hands or other materials and can occur under wet or dry conditions.



AATCC 8-1974 Dry Crocking, Class 4 minimum; Wet Crocking, Class 3 minimum

COLORFASTNESS TO LIGHT

Colorfastness to light is the degree to which fabric will retain its color when exposed to light.



PASSES

AATCC 16A-1974 or AATCC 16E-1976; Class 4 minimum at 40 hours NOTE: Class 4 minimum at 60 hours is recommended for direct sunlight exposure situations

Abrasion is the ability of a fabric to withstand damage from wear and rubbing. There is a general contract specification as well as a heavy duty specification.

PASSES

а Α

General Contract ASTM 3597 modified (#10 cotton duck); 15,000 double rubs Wyzenbeek Method

Heavy Duty ASTM 3597 modified (#10 cotton duck); 30,000 double rubs Wyzenbeek Method or ASTM D4966 (with 21 oz. weight); 40,000 rubs Martindale Method

PHYSICAL PROPERTIES

3 physical property tests include: brush pill test to determine a fabric's pilling. Breaking/tensile strength is the ability of a fabric to withstand tension without breaking or tearing. Seam slippage is the pulling apart of fabrics at the seams.



PASSES

Brush Pill ASTM D3511, 3-4 minimum

Breaking Strength ASTM D3597-D1682-64 (1975) 50 lbs. minimum in warp & weft Seam Slippage ASTM D3597-D434-75 25 lbs. minimum in warp & weft



seatin

9 to 5 Seating 2029 E. Cashdan St. Rancho Dominguez, CA 90220

Tel: 800.925.SEAT Fax: 866.925.SEAT www.9to5seating.com Memo samples for specific projects are available from



800-366-6839 memosamples.com